



## City Research Online

### City, University of London Institutional Repository

---

**Citation:** Alonso, E. & Mondragon, E. (2012). Uses, Abuses and Misuses of Computational Models in Classical Conditioning. Paper presented at the 11th International Conference on Cognitive Modeling, 13-15 Apr 2012, Berlin, Germany.

This is the accepted version of the paper.

This version of the publication may differ from the final published version.

---

**Permanent repository link:** <https://openaccess.city.ac.uk/id/eprint/5204/>

**Link to published version:**

**Copyright:** City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

**Reuse:** Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

---

---

---

City Research Online:

<http://openaccess.city.ac.uk/>

[publications@city.ac.uk](mailto:publications@city.ac.uk)

---

# Uses and Abuses and Misuses of Computational Models in Classical Conditioning

**Eduardo Alonso (E.Alonso@city.ac.uk)**  
School of Informatics, City University London  
London EC1 0HB, UK

**Esther Mondragón (e.mondragon@ucl.ac.uk)**  
Division of Psychology and Language Sciences, University College London  
London WC1H 0AP, UK

## Abstract

Classical conditioning is at the heart of most learning phenomena. It is thus essential that we develop accurate models of conditioning; since, psychological models rely heavily in verbal accounts that are necessarily imprecise it has become apparent that the development of computational models is imperious. However, we need to separate the wheat from the chaff. In this paper we review the main uses of the term computational model in conditioning.

**Keywords:** Classical conditioning; computational models; psychological models; simulation.

## Introduction

It is universally accepted that conditioning is at the basis of most learning phenomena and behavior: Indeed, models of associative learning have proved to be relevant to human and non-human learning both theoretically and in practice (Wasserman & Miller, 1997; Pearce & Bouton, 2001; Hall, 2002; Schachtman & Reilly, 2011). It is thus paramount that we develop accurate models of conditioning. In this enterprise, collaboration between computer scientists and psychologists has enjoyed considerable success (Schmajuk, 2010a; Alonso & Mondragón, 2011): Connectionist models have been used to better predict discrimination and categorization phenomena (Shanks, 1995). In addition it has been argued that classical conditioning rules can be naturally interpreted as an instance of more comprehensive computational neuroscience models (Dayan & Abbott, 2001; Schmajuk, 2010b).

This collaboration is sustained on various arguments: Expressing models in the form of algorithms provides us with formal ways of representing psychological insights and of calculating their predictions accurately and quickly; from computational models we also borrow a view on how information is processed, a computer analogy that has proved useful in understanding cognition; moreover, the underlying architectures of computational models, for instance the hidden units of an artificial neural network or the way feedback is computed in recurrent networks, resemble the mechanics of associative learning both at a conceptual and neural level; finally, machine learning models, such as temporal difference learning and Bayesian learning, can be understood as effective abstractions of the way associations are formed and computed.

In this paper we analyse critically the assumptions upon which such arguments are built. We identify two main trends in so-called computational psychology, more in particular in the use of computational models in the study of conditioning, namely, as simulators and as psychological models in themselves.

## Computational Models as Simulators

Firstly, a computational model can be understood to be an implementation of a (pre-existing) psychological model. Simulations serve two main purposes: On the one hand, implementing a model requires precise definitions –be it in the form of a specific programming language or as a formal model, that in turn makes the original psychological model “accountable”. On the other hand, algorithms allow us to execute calculations rapidly and, most importantly, accurately. Automation is critical, particularly when the models are described in non-linear equations that can only be solved numerically as it is the case of recent psychological models of conditioning (Balkenius & Morén, 1998; Vogel *et al.*, 2004; Mitchell & Le Pelley, 2010; Schmajuk & Alonso, 2012). Crucially, the outputs of a simulation feedback the psychological models –thus becoming an essential part of the cycle of theory formation and refinement.

It is worth noting though that the benefits derived from using implementations do not spring exclusively from the formal specification of the psychological models in equations and algorithms. Per se, such descriptions constitute a mathematical model, a necessary yet no sufficient condition for a formal model to be computational. The essence of a computational model lies in the fact that it is implemented. According to this view, in psychology, the same as in computational physics and in computational biology, a computational model is a model that has been simulated.

This view it is not without detractors: It has been argued that a model is computational if it is “implementable” – even if it was not originally described as a full-bodied computational model. We think that this is an *abuse* of the term computational since any psychological model of conditioning would fit this definition. To use a parallelism: This use of the term “computational” would make all models of physics since Galileo’s computational.

This brings up a subtler issue: We are using the term computational model in a “modern” sense. Indeed, a computational model is just a formal model of

computation and “computation” does not necessarily require its implementation in a computer. Mathematically, the notion of computation is a formalization of the concept of algorithm, a mechanical or automated procedure to prove theorems proposed by Alan Turing to attack Hilbert’s *Entscheidungsproblem* (Turing, 1937). Modern computers are mere physical instantiations of the abstract machines that would compute such procedures. But they don’t play a fundamental part in the definition of computation. Indeed, such definition was proposed well before the first digital general-purpose computers had even been designed. Contrarily, our position is that a computational model needs to be implemented in a computer. Otherwise, a computational model does not add anything to what constitutes a mathematical model in its own right.

We would also like to comment on a second potential source of confusion about the term computational –that comes from cognitive science rather than from mathematics. The term “computational” has been linked to David Marr’s Tri-Level Hypothesis on vision where the “what” refers to the computational level, the “how” to the algorithmic level and the “where” to the implementational level (Marr, 1982). However insightful such analysis may be, clearly what Marr referred to as “computational” is “psychological” –when applied to cognition. Insisting on talking about psychological models as if they were computational based on such taxonomy is, in our opinion, a source of misunderstanding.

### **Computational Models as Psychological Models**

The second use of the term “computational” is more controversial: A computational model can be considered a psychological model in itself. We argue that this position, a milestone in cognitive science and artificial intelligence, is a *misuse* of the term. Let’s illustrate our contention using a paradigmatic example: The use of Artificial Neural Networks (ANNs) in the study of conditioning has been advocated at several, inter-related levels that we are now analyzing.

#### **Ontological Level**

ANNs are considered material models of conditioning. The underlying reasoning is that (a) ANNs model by analogy natural neural networks and that (b) psychological processes, including conditioning, are ultimately embedded in natural neural networks; hence, indirectly, ANNs model conditioning.

However appealing this line of argumentation may be, it is widely acknowledged that ANNs do not resemble natural neural networks in any fundamental way (Enquist & Ghirlanda, 2005); besides, there is no strong evidence suggesting that electrical or chemical neural activity and associative learning are related (Morris, 1994) –or for that matter, that psychological processes can be localized in specific brain regions as recently exposed in (Vul *et al.*, 2009), but already advanced in (Uttal, 2001).

Even if it did, a neural analysis would not necessarily be the right level to study associative learning phenomena. In the words of Burrhus F. Skinner “The analysis of

behaviour need not wait until brain science has done its part. The behavioural facts will not be changed (...). Brain science may discover other kinds of variables affecting behaviour, but it will turn to a behavioural analysis for the clearest account of their effects” (Skinner, 1989, pp. 18). Regardless of the antipathy that Skinner’s radical behaviorism provokes among neuroscientists such a statement does not contradict a version of reductionism that most of them would endorse, namely, Richard Dawkin’s hierarchical reductionism (Dawkins, 1986).

#### **Formal Level**

Relatedly, that a version of Dirac’s rule can be taken as a model of both neural plasticity and long-term potentiation effects –the Hebbian rule (Hebb, 1949)– and association formation –for example, Rescorla and Wagner’s rule (Rescorla & Wagner, 1972)– cannot be considered as proof of any common underlying structure and should not be used as an argument to reduce psychological phenomena to their alleged neural substratum.

Likewise, that Rescorla and Wagner’s rule is essentially identical to the Widrow-Hoff rule (Widrow & Hoff, 1960) for training *Adeline* units and that, in turn, such a rule can be seen as a primitive form of the generalized delta rule for backpropagation only tells us that, computationally speaking, associative learning follows an error-correction algorithm<sup>1</sup>. What a computational model does not tell us, however, is which underlying psychological processes (attention, motivation, etc.) intervene in associative learning or how the physical characteristics of the units involved (*e.g.*, the salience of the stimuli) affect such processes.

Clearly, sharing a common formal expression does not imply that the phenomena so expressed are of the same nature: For instance, power functions can be used to express the relationship between (1) the magnitude of a stimulus and its perceived intensity (Stevens’ law), (2) the metabolic rate of a species and their body mass (Kleiber’s law), and (3) the orbital period of a planet and its orbital semi-major axis (Kepler’s third law). Stressing this point, allow us to quote Richard Shull “The fact that an equation of a particular form describes a set of data will does not mean that the assumptions that gave rise to the equation are supported. The same equation can be derived from very different sets of assumptions” (Shull, 1991, pp. 246).

Put it another way, if the meaning of a mathematical/formal model is in the linguistic expression it takes (that is, if there is a unique isomorphism between phenomena and algorithms) then either (a) we cannot explain how a theory can be expressed in different sets of equations or (b) we will not be sure about the effect the addition or the removal of a simple parameter may have. Paraphrasing (Chakravartty, 2001), theories and models can be given linguistic formulations but theories and models should not be identified with such formulations.

---

<sup>1</sup> Incidentally, backpropagation is merely a mathematical procedure to deriving partial derivatives –that was originally proposed to model nationalism and social communications not neural networks (Werbos, 1974).

## Representational Level

ANNs are connectionist models according to which information is not stored explicitly in symbols and rules but rather in the weights (strengths) of the connections; learning would consist of changes in such weights. It is claimed, rightly, that these are precisely the assumptions associative learning models are based upon and hence, wrongly, that ANNs are an ideal candidate to model associative learning. This quite straightforward argument is, in fact, a fallacy: As connectionists (at least implementational connectionists) themselves concede the way we represent learning, either as continuous changes of weighted connections or as the result of discrete symbolic processing, is *a matter of convenience* and therefore irrelevant to the study of the structures involved.

Interestingly, this debate has centered in the difference between associative models and computational models of conditioning (Leslie, 2001): It is understood that associative models are historically and conceptually linked to connectionism (Medler, 1998) whereas computational (aka symbolic) approaches take their ideas from information processing (Gallistel & Gibbon, 2001). In this debate we agree with Peter R. Killeen in identifying both approaches as formal (Killeen, 2001): Turing machines and ANNs (as well as RMA machines, the Game of Life, and any programming language) are both computational models<sup>2</sup>; in particular, Turing Machines and ANNs are equivalent in their input/output behaviour, that is, they compute the same problems and accept the same languages (Chomsky, 1956)<sup>3</sup>.

## Functional Level

ANNs typically approximate solutions by iteratively minimizing an error function. And this can be understood as a type of learning that resembles learning by “trial and error” of which associative learning is an example. However, it is worth emphasizing that ANNs merely implement numerical *methods*. They are statistical tools – with a misleading name, and certainly not the simplest, fastest or most efficient techniques (see, e.g., Mitchie *et al.*, 1994). On the other hand, associative learning models such as Rescorla and Wagner’s express dynamic *laws*: Against public opinion, animals do not make predictions and iteratively update an associative value through error minimization towards an optimal one. The associative value at a given time is the right associative value –that exactly describes to which extend the CS has become associated to the US. Let’s put it another way: In standard conditions, if the animal “learned” a CS-US association after one single exposure then the animal would be wrong and its corresponding behaviour un-adaptive (unless, of course, we exposed it to a very salient US like in flavor-aversion learning). That the system described by Rescorla

and Wagner’s rule is limited by an asymptote (the reinforcing value of the US) does not confer any special status to such value –rather it just defines a constraint of the system.

## Structural Level

We are told that the layout of an ANN, the way units are connected between layers, can be seen as a cognitive architecture and, as such, as a psychological model. Let’s take a computational example to counter-argue this point: In computer science network communication is modeled according to the so-called Open Systems Interconnection model (OSI) (Zimmerman, 1980), moving from the physical layer that describes the electrical specifications of the devices the networks consist of up to the application layer that describes how the user interacts with a given piece of software. The question is: Why don’t we use the OSI model as a psychological model? At the end of the day, structurally, OSI would make as good a psychological model as an ANN. In fact, the OSI model implements a hierarchical and integrated architecture, that is, the type of cognitive architecture that a computational model should allegedly support (Sun, 2008). Thus that ANNs are networks implemented in architectures that take advantage of massive computational parallelism – not surprisingly, the *new connectionism* landmark paper introduced the Parallel Distributed Processing paradigm in cognition (Rumelhart & McClelland, 1986), does not confer them any psychological advantage: Any complex network would do (Newman *et al.*, 2006).

## Philosophical Issues

A final more general reason to explain the appeal of computational models in psychology rests on the idea that both computers and the brain are information processing systems, instantiations of a universal Turing machine or any other model of computation. But this alone does not justify the support the “computer metaphor” enjoys. After all, any phenomena can be expressed in terms of some sort of computation. If this is such a powerful metaphor is because it is deeply rooted in Western philosophy and the mechanization of (formal) reasoning, reformulated in the twentieth century in terms of computation. That computation has been effectively embedded in computers has reinforced the idea that so it is in the brain, that the study of the former will help understand the latter and, in a *tour the force*, that computers may be capable of displaying intelligence. Indeed, every scientific theory is shaped in the context of its age’s achievements and prejudices: Like Newton’s laws of mechanics strengthened the view of the Universe as a deterministic machine that worked as the sophisticated clocks so popular at the time our conception of the mind as an information processing machine has certainly been influenced by the development of computing technology.

And precisely because of its generality the information processing model is not necessary or sufficient: Working physicists do not model electrons, atoms or galaxies as information processing entities –be it in the form of a cellular automaton as envisaged in (Zuse, 1969) or as a participatory universe (Wheeler, 1990); on the other hand,

<sup>2</sup> It should be noticed moreover that the first mathematical models of (A)NNs, in particular McCulloch and Pitts’s (McCulloch & Pitts, 1943) and Turing’s B-type machines (Turing, 1948) were intended to formalize logically, i.e., symbolically, the notion of learning.

<sup>3</sup> Provided that the values of the weights are restricted to rational numbers (Orponen, 1994).

neither (computational) physicists nor the public would presume that the simulation of a nuclear reaction generates real energy or that a flight simulator really flies. Of course, this does not preclude physicists from theorizing about what type of information is contained in a physical system (see, for example, literature on quantum entanglement or black holes) or about exploring the physical limits of computers (pioneered by Richard Feynman (Hey & Allen, 2000) and followed up to contemporary theories of quantum computing (e.g., Vedral, 2006)).

### Model Selection

The discussion on what a computational model of psychology constitutes affects how we select models and in turn may help us determine what a computational model “truly” is.

Selecting a model, psychological or not, described in natural language or mathematically, is a difficult task that relies in formal definitions and methods as well as on scientific practice and common sense (Kuhn, 1962; Feyerabend, 1975). Indeed, quantitative formulas have been developed to compare models based on the average size of the deviations from predicted values, the number of data points and the number of free parameters (Akaike, 1974; Schwarz, 1978). However, relying exclusively on such formalisms or applying blindly Occam’s razor is not advisable –evaluating a model requires good judgment based on careful consideration of many factors, both technical and logical (Baum, 1983). The very essence of a model refers to the choices scientists make –choices that reflect what they consider relevant beyond the mere quantitative.

Nonetheless, this analysis begs the question: When we assess computational models of psychology, what do we assess?

If computational models are simulators we would need to select amongst them according to their computational complexity, that is, according to the time and space they take to make computations –complexity that is related to but not reducible to the algorithms they implement. In addition, computing tools must be tested for reliability and dependability against failures –which, in turn, depends on various factors such as programming languages, operating systems, memory capacity, processing speed, as well as on software engineering and management requirements. Computational models as simulators add a new level of sophistication. But this sophistication comes at a price: A computer program is not as “aseptic” as a mathematical description. A computer program takes life in algorithms and data structures that must comply with software and hardware specifications.

On the other hand, if computational models are considered as a valid alternative to psychological models. Which criteria should we use to evaluate them and choose amongst them? There is no a clear answer to this question.

### Conclusions

To sum it up, although the need to get influx from ‘outsiders’ is recognized within the psychology

community (see Townsend, 2008) computational models should be taken with caution. Computational models may provide us with complementary idealized models of psychological phenomena and with powerful statistical tools to construct models of psychological data but they alone are not the appropriate instruments to answer psychological questions. This is an obvious, hardly original, conclusion –and yet more often than not we read flamboyant news about robots that learn, think and experience emotions or ANNs that can do anything psychological models do only better. On the other hand, given the increasing complexity of psychological models developing accurate and rapid simulators to test their predictions is, in our opinion, a must.

We would like to conclude with two warnings: An extreme case of the use of computational models as psychological models is what we call the “engineering” approach: We take psychological data and build a program that fits it. Since the data is psychological, it is argued, the program must constitute a psychological model. It should be obvious, however, that that psychological models, as any scientific model, are assessed against experimental data does not automatically make a theory that fits experimental data “psychological”.

Another variant of this approach is to propose models of machine/computational learning as psychological models of learning. As an illustration, simple programs that, to some extent, learn to maximize a numerical signal by trial and error have been presented as a “theory of mind” (Sutton, 2003).

To summarize: The adjective “computational” in computational physics or computational biology refers to the use of computational tools, typically simulators and numerical processors but also data mining and data analysis techniques, to study data and phenomena as well as to assess the predictive power of theories and models. We suggest we “limit” the use of the term “computational” the same way when applied to psychology.

### References

- Akaike, H. (1974). A new look at the statistical model identification". *IEEE Transactions on Automatic Control*, 19 (6): 716–723.
- Alonso, E. & Mondragón, E. (2011). *Computational Neuroscience for Advancing Artificial Intelligence: Models, Methods and Applications*. Hershey, PA: Medical Information Science Reference.
- Balkenius, C., & Morén, J. (1998). Computational models of classical conditioning: a comparative study. In Mayer, J.-A. , Roitblat, H. L., Wilson, S. W., & Blumberg, B. (Eds.), *From Animals to Animats 5*. Cambridge, MA: MIT Press.
- Baum, W.M. (1983). Matching, Statistics, and Common Sense, *Journal of the Experimental Analysis of Behavior*, 39, 499–501.
- Chakravartty, A. (2001). The semantic or model-theoretic view of theories and scientific realism. *Synthese*, 127, 325–345.
- Chomsky, N. (1956). Three models for the description of language, *IRE Transactions on Information Theory*, 2, 113–124.
- Dawkins, R. (1986). *The Blind Watchmaker*. New York: W. W. Norton & Company.

- Dayan, P., & Abbott, L.F. (2001). *Theoretical Neuroscience: Computational and Mathematical Modeling of Neural Systems*. Cambridge, MA: MIT Press.
- Enquist, M., & Ghirlanda, S. (2005). *Neural Networks & Animal Behavior*. Princeton, NJ: Princeton University Press.
- Feyerabend, P. (1975). *Against Method*. New York: Verso Books.
- Gallistel, C.R., & Gibbon, J. (2001). Computational Versus Associative Models of Simple Conditioning, *Current Directions in Psychological Science*, 10(4), 146-150.
- Hall, G. (2002). Associative structures in Pavlovian and instrumental conditioning. In H. Pashler, S. Yantis, D. Medin, R. Gallistel and J. Wixted (Eds.), *Stevens' Handbook of Experimental Psychology*, Volume 3, pp 1-45. Hoboken, NJ: John Wiley and Sons.
- Hebb, D.O. (1949). *The Organization of Behavior: A Neuropsychological Theory*. New York: Wiley.
- Hey, T. & Allen, R.W. (Eds.) (2000). *Feynman Lectures on Computation*. Boulder, CO: Westview Press.
- Killeen, P.R. (2001). The Four Causes of Behavior, *Current Directions in Psychological Science*, 10(4), 136-140.
- Kuhn, T. (1962). *The Structure of Scientific Revolutions*. Chicago, IL: University of Chicago Press.
- Marr, D. (1982). *Vision: a Computational Investigation into the Human Representation and Processing of Visual Information*. San Francisco, CA: W.H. Freeman.
- McCulloch, W. and Pitts, W. (1943). A Logical Calculus of Ideas Immanent in Nervous Activity, *Bulletin of Mathematical Biophysics* 5:115-133.
- Medler, D.A. (1998). A Brief History of Connectionism, *Neural Computing Surveys*, 1(2), 18-73.
- Mitchell, C., & Le Pelley, M. (2010). *Attention and Associative Learning: From Brain to Behaviour*. Oxford: OUP.
- Mitchie, D., Spiegelhalter, D.J., & Taylor, C.C., (Eds.) Elder, J.F., IV. (Rev) (1994). Machine Learning, Neural, and Statistical Classification. *Journal of the American Statistical Association*, 91, 436-438.
- Morris, R.G.M. (1994). The neural Basis of Learning with particular Reference to the Role of Synaptic Plasticity: Where Are We a Century after Cajal's Speculations?, in: N.J. Mackintosh, (Ed.), *Animal Learning and Cognition* (pp. 135-183). San Diego, CA: Academic Press.
- Newman, M., Barabási, A-L., & Watts, D.J. (2006). *The Structure and Dynamics of Networks*. Princeton, NJ: Princeton University Press.
- Orponen, P. (1994). Computational Complexity of Neural Networks: A Survey. *Nordic Journal of Computing*, 1(1), 94-110.
- Pearce, J.M., & Bouton, M.E. (2001). Theories of associative learning in animals. *Annual Review of Psychology*, 52, 111-139.
- Rescorla, R.A., & Wagner, A.R. (1972). A theory of Pavlovian conditioning: The effectiveness of reinforcement and non-reinforcement. In A.H. Black & W.F. Prokasy (Eds.), *Classical Conditioning II: Current Research and Theory* (pp. 64-99). New York: Appleton-Century-Crofts.
- Rumelhart, D.E., McClelland, J.L. & the PDP Research Group (Eds.) (1986). *Parallel Distributed Processing*, Vol. 1, Foundations. Cambridge, MA: The MIT Press..
- Schachtman, T.R., & Reilly, S. (2011). *Associative Learning and Conditioning Theory: Human and Non-Human Applications*. Oxford, UK: Oxford University Press.
- Schmajuk, N.A. (2010a). *Computational Models of Conditioning*. Cambridge, UK: Cambridge University Press.
- Schmajuk, N.A. (2010b). *Mechanisms in Classical Conditioning: A Computational Approach*. Cambridge, UK: Cambridge University Press.
- Schmajuk, N.A., & Alonso, E. (2012). Special Issue on Computational Models of Conditioning, *Learning & Behavior*.
- Schwarz, G. (1978). *Estimating the dimension of a model*. The Annals of Statistics, 6, 461-464.
- Shanks, D.R. (1995). *The Psychology of Associative Learning*. Cambridge, England: Cambridge University Press.
- Shull, R.L. (1991). Mathematical description of operant behavior: an introduction. In I.H. Iversen & K.A. Lattal (Eds.), *Experimental Analysis of Behavior* (Vol. 2, pp. 243-282). New York: Elsevier.
- Skinner, B.F. (1989). The Origins of Cognitive Thought. *American Psychologist*, 44(1), 13-18.
- Sun, R. (2008). *The Cambridge Handbook of Computational Psychology*. New York: Cambridge University Press.
- Sutton, R.A. (2003). *Reinforcement Learning's Computational Theory of Mind*, talk delivered at Rutgers, 02/14/03, available at <http://webdocs.cs.ualberta.ca/~sutton/Talks/Talks.html>.
- Townsend, J.T. (2008). Mathematical psychology: Prospects for the 21<sup>st</sup> century: A guest editorial. *Journal of Mathematical Psychology*, 52, 269-280.
- Turing, A.M. (1937). On Computable Numbers, with an Application to the Entscheidungsproblem. *Proceedings of the London Mathematical Society*, 2 42, 230-65.
- Turing, A.M. (1948). *Intelligent Machinery*, <http://www.turingarchive.org/browse.php/C/11>. It can be found in Copeland (2004), Ince (1992) and Meltzer, B. and Michie, D. (eds.), *Machine Intelligence 5*, Edinburgh: Edinburgh University Press, 1969, 3-23.
- Uttal, W.R. (2001). *The New Phrenology: The Limits of Localizing Cognitive Processes in the Brain*. Cambridge, MA: The MIT Press.
- Vedral, V. (2006). *Introduction to Quantum Information Science*. Oxford, England: Oxford University Press.
- Vogel, E.H., Castro, M.E., & Saavedra, M.A. (2004). Quantitative models of Pavlovian conditioning. *Brain Research Bulletin*, 63, 173-202.
- Vul, E., Harris, C., Winkielman, P. & Pashler, H. (2009). Puzzlingly High Correlations in fMRI Studies of Emotion, Personality, and Social Sciences. *Perspectives on Psychological Science*, 4(3), 274-290.
- Wasserman, E.A., & Miller, R.R. (1997). What's elementary about associative learning? *Annual Review of Psychology*, 48, 573-607.
- Werbos, P.J. (1974). *Beyond regression: New tools for prediction and analysis in the behavioral sciences*. PhD dissertation, Harvard University, Cambridge, MA.
- Wheeler, J.A. (1990). Information, physics, quantum: The search for links, in: W. Zurek (Ed.) *Complexity, Entropy, and the Physics of Information*. Redwood City, CA: Addison-Wesley.
- Widrow, G., & Hoff, M.E. (1960). *Adaptive switching circuits*. Institute of radio engineers, Western Electronic show & convention, Convention record, Part 4, 96-104.
- Zimmerman, H. (1980). OSI Reference Model – The ISO Model of Architecture for Open Systems Interconnection, *IEEE Transactions on Communications*, 28(4), 425-432.
- Zuse, K. (1969). *Rechner der Raum*. Braunschweig: Friedrich Vieweg & Sohn.