

City Research Online

City, University of London Institutional Repository

Citation: Macfarlane, A. J., Blondel, B., Mohangoo, A. D., Cuttini, M., Nijhuis, J., Novak, Z., Ólafsdóttir, H. S., Zeitlin, J. & Euro-Peristat Scientific Committee, . (2016). Authors' reply re: Wide differences in mode of delivery within Europe: risk-stratified analyses of aggregated routine data from the Euro-Peristat study. BJOG: An International Journal of Obstetrics and Gynaecology, 123(13), 2231. doi: 10.1111/1471-0528.14140

This is the accepted version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: https://openaccess.city.ac.uk/id/eprint/16014/

Link to published version: https://doi.org/10.1111/1471-0528.14140

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

City Research Online: http://openaccess.city.ac.uk/ publications@city.ac.uk/

Wide differences in mode of delivery within Europe: riskstratified analyses of aggregated routine data from the Euro-Peristat study: concerns about caesarean section are justified

The purpose of our paper was to draw attention to the wide variations in practice and the ways in which they are correlated. We did not attempt to address the safety and consequences of caesarean section. It is, however, increasingly clear that caesarean section, especially repeat caesarean section, carries serious risks for the mother, such as uterine rupture and abnormal invasive placentation responsible for life-threatening haemorrhage, and can also have short- and long-term effects for babies, including altered bacterial gut colonisation and increased risk of immune-mediated disorders.^{2,3} We therefore think it is important that caesarean section should only be performed when it is clinically necessary to deal with serious problems for the mother or the baby. By drawing attention to the variations in practice, we highlighted the need for further research and informed debate on the subject.

References

1 Macfarlane AJ, Blondel B, Mohangoo AD, Cuttini M, Nijhuis J, Novak Z, et al. Wide differences in mode of delivery within Europe: risk-stratified analyses of aggregated routine data from the Euro-Peristat study. *BJOG* 2016;123:559–68.

- 2 National Institute of Clinical Excellence. Caesarean Section. NICE Guideline CG 132. London: National Institute for Clinical Excellence, 2011. www.nice.org.uk/guidance/cg132 (accessed 10 April 2016).
- 3 World Health Organization. WHO Statement on Caesarean Section Rates. Geneva: WHO, 2015 (WHO/RHR/15-02).

Appendix 1

The Euro-Peristat Scientific Committee: Gerald Haidinger (Austria), Sophie Alexander (Belgium), Pavlos Pavlou (Cyprus), Petr Velebil (Czech Republic), Anne-Marie Nybo Andersen (Denmark), Luule Sakkeus (Estonia), Mika Gissler (Finland), Béatrice Blondel (France), Nicholas Lack (Germany), Aris Antsaklis (Greece), István Berbik (Hungary), Helga Sól Ólafsdóttir (Iceland), Sheelagh Bonham (Ireland), Marina Cuttini (Italy), Janis Misins (Latvia), Jone Jaselioniene (Lithuania), Yolande Wagener (Luxembourg), Miriam Gatt (Malta), Jan Nijhuis (Netherlands), Kari Klungsoyr (Norway), Katarzyna Szamotulska (Poland), Henrique Barros (Portugal), Mihai Horga (Romania), Jan Cap (Slovakia), Živa Novak-Antolic (Slovenia), Francisco Bolúmar (Spain), Karin Gottvall (Sweden), Sylvie Berrut (Switzerland), Alison Macfarlane (United Kingdom). Project coordination: Jennifer Zeitlin, Marie Delnord, Ashna Mohangoo.

Alison J. Macfarlane, a Béatrice Blondel, b Ashna D. Mohangoo, c Marina Cuttini, d Jan Nijhuis, e Ziva Novak, f Helga Sól Ólafsdóttir & Jennifer Zeitlin b the Euro-Peristat Scientific Committee

^aCentre for Maternal and Child Health Research, City University London, London, UK bINSERM, Obstetrical, Perinatal and Paediatric Epidemiology Research Team, Centre for Epidemiology and Biostatistics (U1153), Paris-Descartes University, Paris, France ^cDepartment of Child Health, TNO, Netherlands Organisation for Applied Scientific Research, Leiden, The Netherlands ^dResearch Unit of Perinatal Epidemiology, Bambino Gesù Children's Hospital, Rome, Italy ^eDepartment of Obstetrics and Gynaecology, Maastricht University Medical Centre, GROW School of Oncology and Developmental Biology, Maastricht, The Netherlands [†]Perinatology Unit, University Medical Centre, Llubjana University, Llubjana, Slovenia gDepartment of Obstetrics and Gynaecology, Landspitali University Hospital, Landspitali v/Hringbraut, Iceland

The Euro-Peristat Scientific Committee members are in Appendix 1.

Accepted 22 April 2016.

DOI: 10.1111/1471-0528.14140



Author Query Form

Journal: BJO

Article: 14140

Dear Author,

During the copy-editing of your paper, the following queries arose. Please respond to these by marking up your proofs with the necessary changes/additions. Please write your answers on the query sheet if there is insufficient space on the page proofs. Please write clearly and follow the conventions shown on the attached corrections sheet. If returning the proof by fax do not write too close to the paper's edge. Please remember that illegible mark-ups may delay publication.

Many thanks for your assistance.

Query reference	Query	Remarks
1	AUTHOR: Please confirm that given names (red) and surnames/family names (green) have been identified correctly.	\bigcirc
2	AUTHOR: Please check that authors and their affiliations are correct.	\bigcirc