

City Research Online

City, University of London Institutional Repository

Citation: Patel, K. & Morgan, S. (2024). Identifying Dysphagia Risks in People with a Learning Disability in the Community: A Speech & Language Therapy Service Evaluation

This is the accepted version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: https://openaccess.city.ac.uk/id/eprint/32198/

Link to published version:

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

City Research Online:

http://openaccess.city.ac.uk/

publications@city.ac.uk

Identifying Dysphagia Risks in People with a Learning Disability in the Community: A Speech & Language Therapy Service Evaluation

Morgan, S.1 & Patel K.1

¹City, University of London, UK <u>Sally.morgan@city.ac.uk</u> @sallymorgansIt

Introduction

Adults with Learning Disabilities and dysphagia have an increased risk of premature death^{1,2}

Little is known of how SLT services for people with Learning Disabilities and dysphagia is, or should be, delivered

The trust initiated an Annual Dysphagia Telephone Triage service providing a phone call to all people with Learning Disabilities with a dysphagia care plan

Purpose

Evaluate:

Annual Dysphagia Telephone Triage (ADTT) service (2016-18)

Determine impact of no ADTT service due to:

Staff shortages (2019) Covid-19 pandemic (2020-21)

Methods

Service evaluation:

Clinical notes review (2016-21)

Data:

Patient demographics:

e.g., age, gender, diagnoses, learning disability severity, co- morbidities

ADTT service provision:

e.g., people contacted

Outcomes:

e.g., hospital admissions

Local Trust approved & City, University of London ethics committee registered

References

1. Heslop, P. et al. 2013. Confidential Inquiry into premature deaths of people with learning disabilities


2. Perez, C.M. et al. 2015. The incidence of healthcare use, ill health and mortality in adults with intellectual disabilities and mealtime support needs. *J. of Int. Dis. Research*, 59(7), pp.638-652.

Results

N = 33 patients Mean age 50 years (18-92 years)


76% = Severe-Profound Learning Disabilities

2.9 co-occurring medical conditions/ person (mean)



SLT INPUT BY YEAR FOR EACH PERSON WITH A DYSPHAGIA CARE PLAN

■ On SLT dysphagia active caseload ■ Received SLT triage call



Conclusions

The telephone triage service:

- Identified more at risk than re-referrals alone
- However, it did not reach all patients
- The pandemic impacted the ability to evaluate the service fully
- Introducing video calls did not reduce on-site contacts

