



City Research Online

City, University of London Institutional Repository

Citation: Baronchelli, A., Dall'Asta, L., Barrat, A. & Loreto, V. (2007). The role of topology on the dynamics of the Naming Game. *European Physical Journal: Special Topics*, 143(1), pp. 233-235. doi: 10.1140/epjst/e2007-00092-0

This is the unspecified version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: <https://openaccess.city.ac.uk/id/eprint/13934/>

Link to published version: <https://doi.org/10.1140/epjst/e2007-00092-0>

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

City Research Online:

<http://openaccess.city.ac.uk/>

publications@city.ac.uk

The role of topology on the dynamics of the Naming Game

Andrea Baronchelli¹, Luca Dall'Asta^{2,3}, Alain Barrat², and Vittorio Loreto¹

¹ Dipartimento di Fisica, Università “La Sapienza” and SMC-INFM, P.le A. Moro 2, 00185 Roma, (Italy)

² Laboratoire de Physique Théorique (UMR du CNRS 8627), Bâtiment 210, Université de Paris-Sud, 91405 Orsay, Cedex (France)

³ Abdus Salam International Center for Theoretical Physics, Strada Costiera 11, 34100, Trieste (Italy)

Received: date / Revised version: date

Abstract. The Naming Game captures the essential features leading a population to agree on the use of a semiotic convention (or, more in general, an opinion). Consensus emerges through local *negotiations* between pairs of agents, in the absence of any central co-ordination. Thus, it is natural that topology, identifying the set of possible interactions, plays a central role in the dynamics of the model. Here, we review the role of different topological properties, pointing out that finite connectivity, combined with the small-world property, ensure the best performances in terms of memory usage and time to reach convergence.

PACS. PACS-key describing text of that key – PACS-key describing text of that key

1 Introduction

The ambition of understanding the mechanisms of social interactions and the resulting macroscopic phenomena is attracting the interest of the statistical physics community since when Ising-like models were first applied to the study of the social behavior of individuals [1]. An interesting problem consists in determining whether a population of individuals reaches a consensus state and, in case, which process leads to such a situation. This subject is usually called *opinion dynamics*, but it describes as well very different processes, such as those concerning the evolution of language. We have recently proposed a model called (minimal) *naming game* (NG) [2], originally introduced in the field of robotics [3], that allows to study the self-organized mechanism leading to the emergence of a linguistic convention or a communication system in a population of agents. The major novelty of the naming game with respect to other models of social interactions, such as the Voter model [4], is that the usual imitation process, in which an agent takes the state of a neighbor, is replaced by a two-steps negotiation process, in which memory effects play a relevant role.

2 The model

Let us consider a population of N identical agents on the vertices of a generic undirected graph: each agent disposes of an internal inventory, in which an a priori unlimited number of states (or *words*) can be stored. As initial conditions we require all inventories to be empty. At each time

step, a pair of neighboring agents is chosen randomly, one playing as “speaker”, the other as “hearer”, and negotiate according to the following rules:

- the speaker selects randomly one of its words (or invents a new word if its inventory is empty) and conveys it to the hearer;
- if the hearer’s inventory contains such a word, the two agents update their inventories so as to keep only the word involved in the interaction (*success*);
- otherwise, the hearer adds the word to those already stored in its inventory (*failure*).

Similar cooperative learning processes are present on the Web (e.g. in the case of tagging systems [5]) and may be used in sensor networks [6].

The non-equilibrium dynamics of the system is characterized by three temporal regions: (1) initially the words are invented; (2) then they spread throughout the system inducing a reorganization process of the inventories; (3) this process eventually triggers the final convergence towards the global consensus (all agents possess the same unique word). This final configuration is always reached for finite systems. However, the dynamical process leading to the final homogeneous configuration depends strongly on the topological properties of the underlying graph.

3 The role of topology

The essential quantities to describe the convergence process are the total number of words in the system, $N_w(t)$, the number of different words, $N_d(t)$, and the success rate,




Fig. 1. Global behavior of the Naming Game on different topologies. The complete graph (mean-field case) is compared to Erdős Renyi and Barabási-Albert graphs, both with average degree $\langle k \rangle = 10$. In all cases, after an initial spreading of the different states, the dynamics goes through a period in which different states (whose total number is $N_d(t)$) are exchanged among the agents. Thus, the total number of states, $N_w(t)$, grows till a maximum and then start decreasing due to successful interactions which eventually lead the system to converge ($N_d(t) = 1$, $N_w(t) = N$). Finite connectivity allows for a faster initial growth in the success rate, $S(t)$. However, small-world properties give rise to the same exponential convergence observed in the fully connected graph. Data refers to populations of $N = 1000$ agents.

$S(t)$, defined as the probability of a successful interaction at a given time. For instance, on the complete graph, the process starts with an initial spreading of words (linear with time) throughout the system followed by a longer period ($O(N^{1.5})$) in which words are exchanged among the agents (see black dotted curves in Fig. 1). After the peak, the total number of words decreases triggering a super-exponential convergence process that leads the population to the adsorbing configuration [2]. On low-dimensional lattices and hierarchical structures, on the other hand, the model converges very slowly, and the reason is related to the formation of many different local clusters of agents with the same unique word, that grow by means of coarsening dynamics [7]. Therefore in a d -dimensional lattice, the maximum memory per agent is finite (while it scales as \sqrt{N} for the complete graph), but the consensus is reached in a time $t_{conv}/N \sim N^{2/d}$, since the average cluster size grows as $t^{1/2}$.

In order to optimize the learning process, topologies realizing a trade-off between these two opposite behaviors are required. In Figure 1, the curves relative to Erdős-Rényi (ER) homogeneous random graphs [8] and Barabási-Albert (BA) heterogeneous networks [9] are reported. The convergence time for the NG on these topologies is very close (except for logarithmic corrections) to the mean-field one, whereas the memory required stays finite (it does not depend on N only on the average degree). In Ref. [11, 12], we showed both numerically and analytically that the

trade-off is ensured by the small-world properties of these networks [10].

In conclusion, the naming game is a non-equilibrium process whose properties strongly depend on the topology of the system. Real social networks, like Web communities, have small-world properties, thus they should also present optimized self-organizing learning processes. On the other hand, this study suggests that small-world networks provide the most favorable topologies in order to optimize the learning time in sensor networks.

Acknowledgments

L. D. and A. Barrat are partially supported by the EU under contract 001907 (DELIS). A. Baronchelli and V. L. are partially supported by the EU under contract IST-1940 (ECAgents).

References

1. W. Weidlich, *Sociodynamics; A Systematic Approach to Mathematical Modelling in Social Sciences*, Harwood Academic Publishers (2000).
2. A. Baronchelli, M. Felici, E. Caglioti, V. Loreto and L. Steels, *J. Stat. Mech.*, P06014.
3. L. Steels, *Artificial Life*, **2**(3), 319-332 (1995); L. Steels, *The Talking Heads Experiment*. Volume 1. Words and Meanings, Laboratorium, Antwerpen, Belgium (1999).
4. P. L. Krapivsky, *Phys. Rev. A* **45**, 1067 (1992).
5. C. Cattuto, V. Loreto, and L. Pietronero, *preprint arxiv:cs.CY/0605015* (2006); S.A. Golder and B.A. Huberman, *arxiv:cs.DL/0508082* (2005).
6. Q. Lu, G. Korniss, and B. K. Szymanski, *preprint arxiv:cs.MA/0604075* (2006).
7. A. Baronchelli, L. Dall'Asta, A. Barrat, and V. Loreto, *Phys. Rev. E* **73**, 015102(R) (2006).
8. P. Erdős and A. Rényi, *Publ. Math. Inst. Hung. Acad. Sci.* **7**, 17 (1960).
9. A.-L. Barabási and R. Albert, *Science* **286**, 509 (1999).
10. D.J. Watts and S.H. Strogatz, *Nature* **393**, 440-442 (1998).
11. L. Dall'Asta, A. Baronchelli, A. Barrat, and V. Loreto, *Europhys. Lett.* **73**(6), 969-975 (2006).
12. L. Dall'Asta, A. Baronchelli, A. Barrat, and V. Loreto, *Phys. Rev. E* **74**, 036105 (2006).