



## City Research Online

### City, University of London Institutional Repository

---

**Citation:** Morgan, S., Hurt, C. S. & Craig, G. M. (2015). Parental decision making and gastrostomy: Professional's awareness of conflict and strategies for support. Poster presented at the European Academy of Childhood Disability Conference 2014, 3-5 Jul 2014, Vienna, Austria.

This is the other version of the paper.

This version of the publication may differ from the final published version.

---

**Permanent repository link:** <https://openaccess.city.ac.uk/id/eprint/14197/>

**Link to published version:**

**Copyright:** City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

**Reuse:** Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.





# Parental decision making and gastrostomy: professionals' awareness of conflict and strategies for support

Sally Morgan (MSc), Dr. Catherine Hurt, Dr. Gillian Craig  
City University London

[Sally.morgan.2@city.ac.uk](mailto:Sally.morgan.2@city.ac.uk) [Gill.craig.1@city.ac.uk](mailto:Gill.craig.1@city.ac.uk)

## Introduction

- Children with Cerebral Palsy experience difficulties eating and drinking<sup>1</sup> with implications for their health, growth and development.
- A gastrostomy feeding tube (GFT) is usually recommended but can meet with parental opposition<sup>2,3</sup>.
- A recent systematic qualitative synthesis of the research on parental experiences of decision making described a 'conceptual framework of decisional conflict'<sup>4</sup> whereby Health Care Professionals (HCPs) are deemed to operate within a biomedical sphere.
- This framework highlights three domains where conflict may arise:  
Values e.g. meaning of food  
Context e.g. family culture  
Process e.g. information sharing and support.
- Few studies have explored HCPs' views or practices in relation to this framework.

## Aims: To

- Explore the experience, perceptions and practices of community HCPs in supporting families to decide about a GFT for their child.
- Determine whether HCPs have an awareness of the values that parents hold and the strategies they use to support families.
- Determine whether Mahant et al.'s framework reflects HCP practice in a community sample.

## Participants


- 10 community HCPs recruited from a special schools service in one London NHS trust. Recruitment was through multi-disciplinary team meetings and individual follow-up emails with written information.
- The catchment area of the service was characterised by high levels of social diversity.
- Participants of 3 professional groups were recruited. Dieticians (2), Speech and Language Therapists (5), Specialist School Nurses (3) with a range of clinical experience ranging from 1 to 15 years.

## Methods

- Qualitative interviews lasting between 24 and 54 minutes were audio-recorded, transcribed and analysed.
- Inductive thematic<sup>5</sup> (bottom-up) and deductive directed content analysis<sup>6</sup> (top-down) were used drawing on Mahant et al.'s framework of decisional conflict.

## Results

### A. How do HCPs support gastrostomy decision making?



Five main themes were found. A three step process with two overarching themes.

- **Assessment of risk** – Followed clinical assessment e.g. weight monitoring, oral supplement use which led to a recommendation of GFT when the risk to safety of the child was sufficiently high.

..that risk to the child's health and safety. And we have a duty to ensure the child is kept as safe as possible

- **Parents' Decision** – HCPs described 'decisional conflict' following the recommendation of GFT. Re-assessment of risk continued providing supporting evidence of a child's need for GFT.

They will have said no at first. I think everyone initially, that's the initial reaction

There isn't an alternative anyway, they haven't got a choice

- **Positive Decision** – When parents accepted the GFT this was viewed as a positive decision by HCPs compared to the risk of oral or naso-gastric tube feeding.

I would happily have a hundred tubes in my stomach rather than one on my nose if it was my option

Two other themes impacted on the three step timeline.

- **Emotion** - Typically negative emotions dominated the decision making process for HCPs and families. Emotions were more 'positive' once the decision was made to accept GTF.

That's when I find it really hard....it's hard for us and the families

- **Multi-disciplinary Team** - Integral to all three steps with general agreement of roles and responsibilities of the different HCPs.

but I don't ever do it in isolation anyway, 'cause we work in a.... multi-disciplinary team

### B. HCPs awareness of decisional conflict

- HCPs experienced the decisional conflict described in Mahant et al.'s model.
- The most frequently discussed area of decisional conflict revolved around the values of normalcy, food as nurture, feeding as a social process, concerns about surgery and fears about the loss of oral feeding.
- Although aware of the range of values that were important to families HCPs regarded the child's physical health and wellbeing as paramount thereby subordinating parental values.
- HCPs used a range of support strategies commonly recommended in the literature<sup>4,7</sup> but still experienced the decision making process as difficult and characterised by conflict.
- HCPs approach to support was one of persuading families to make the 'right' decision which was to have a GFT<sup>8</sup>.

## Conclusions

- This sample of HCPs viewed gastrostomy positively and as inevitable once recommended.
- That HCPs were using many of the current recommended strategies to support families and yet still described frequent decisional conflict requires further examination.
- Formal evidence based guidance on how best to support families is an area for development.

## References

1. Arvedson JC. Feeding children with cerebral palsy and swallowing difficulties. European journal of clinical nutrition. 2013; 67 S9-S12.
2. Gantasala S, Sullivan PB, Thomas AG. Gastrostomy feeding versus oral feeding alone for children with cerebral palsy. Cochrane Database of Systematic Reviews. 2013; Issue 7, Art. No.: CD003943. DOI: 10.1002/14651858.CD003943.pub3.
3. Craig GM, Scambler G, Spitz L. Why parents of children with neurodevelopmental disabilities requiring gastrostomy feeding need more support. Developmental Medicine & Child Neurology. 2003; 45(3):183-188
4. Mahant S, Jovcevska V, Cohen E. Decision-making around gastrostomy-feeding in children with neurologic disabilities. Pediatrics. 2011;127(6):e1471-e1481
5. Braun V, Clarke C. Using thematic analysis in psychology. Qualitative research in psychology. 2006; 3:2 77-101
6. Hsieh HF, Shannon S. Three approaches to qualitative analysis. Qualitative Health Research. 2005; 15:9 1277-1288
7. Craig GM. Psychosocial aspects of feeding children with neurodisability European journal of clinical nutrition. 2013; 67 S17-20
8. Leask J. How do general practitioners persuade parents to vaccinate their children? A study using standardised scenarios. New South Wales public health bulletin. 2009;20(8):119-124.

## Ethics

- Ethical approval was granted by City University London Psychology Department Research & Ethics Committee.
- Research & Development approval was granted by the local NHS Trust.

## Acknowledgements

- Transcription costs were funded by the London Paediatric Dysphagia Clinical Excellence Network.
- This project was completed in partial fulfilment of the requirements for the degree of MSc Psychology & Health, City University London.

CONTACT: Sally Morgan/ Dr Gill Craig  
City University London  
School of Health Sciences  
Northampton Square  
London EC1V 0HB

[www.city.ac.uk](http://www.city.ac.uk)