

City Research Online

City, University of London Institutional Repository

Citation: Wickwar, S., McBain, H. B., Newman, S. P., Hirani, S. P., Hurt, C. S., Dunlop, N., Flood, C. & Ezra, D. G. (2016). Erratum to: 'Effectiveness and cost-effectiveness of a patient-initiated botulinum toxin treatment model for blepharospasm and hemifacial spasm compared to standard care: study protocol for a randomised controlled trial'.. Trials, 17(1), p. 333. doi: 10.1186/s13063-016-1502-2

This is the published version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: https://openaccess.city.ac.uk/id/eprint/15103/

Link to published version: https://doi.org/10.1186/s13063-016-1502-2

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.
 City Research Online:
 http://openaccess.city.ac.uk/
 publications@city.ac.uk

ERRATUM





Erratum to: 'Effectiveness and costeffectiveness of a patient-initiated botulinum toxin treatment model for blepharospasm and hemifacial spasm compared to standard care: study protocol for a randomised controlled trial'

Sadie Wickwar^{1,2}, Hayley McBain^{1,3}, Stanton P. Newman¹, Shashivadan P. Hirani¹, Catherine Hurt¹, Nicola Dunlop², Chris Flood¹ and Daniel G. Ezra^{2*}

Erratum

Unfortunately, the original version of this article [1] contained an error. In the Trial registration section the Clinicaltrials.ogv ID was included incorrectly as NCT102577224. The Correct ID is NCT02577224. There will also be an update to correct this error.

Author details

¹Centre for Health Services Research, School of Health Sciences, City University London, London, UK. ²Moorfields Eye Hospital, London, UK. ³Community Health Newham, East London Foundation Trust, London, UK.

Received: 13 July 2016 Accepted: 13 July 2016 Published online: 20 July 2016

Reference

 Wickwar S, McBain H, Newman SP, Hirani SP, Hurt C, Dunlop N, Flood C, Ezra DG. Effectiveness and cost-effectiveness of a patient-initiated botulinum toxin treatment model for blepharospasm and hemifacial spasm compared to standard care: study protocol for a randomised controlled trial. Trials. 2016;17:129.

Submit your next manuscript to BioMed Central and we will help you at every step:

- We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at www.biomedcentral.com/submit



BioMed Central

* Correspondence: d.ezra@ucl.ac.uk

²Moorfields Eye Hospital, London, UK

Full list of author information is available at the end of the article

© 2016 Wickwar et al. **Open Access** This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated.