



## City Research Online

### City, University of London Institutional Repository

---

**Citation:** Ayers, S., Sawyer, A., Chhoa, C. Y., Pushpa-Rajah, A. & Duley, L. (2015). Clinicians' and womens' experiences of two consent pathways in a trial of timing of clamping at very preterm birth: a qualitative study. *Trials*, 16, 70. doi: 10.1186/1745-6215-16-S2-P70

This is the published version of the paper.

This version of the publication may differ from the final published version.

---

**Permanent repository link:** <https://openaccess.city.ac.uk/id/eprint/18391/>

**Link to published version:** <https://doi.org/10.1186/1745-6215-16-S2-P70>

**Copyright:** City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

**Reuse:** Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

---

---

---

City Research Online:

<http://openaccess.city.ac.uk/>

[publications@city.ac.uk](mailto:publications@city.ac.uk)

---

POSTER PRESENTATION

Open Access

# Clinicians' and womens' experiences of two consent pathways in a trial of timing of clamping at very preterm birth: a qualitative study

Susan Ayers<sup>1\*</sup>, Alex Sawyer<sup>1</sup>, Celine Chhoa<sup>1</sup>, Angela Pushpa-Rajah<sup>2</sup>, Lelia Duley<sup>2</sup>

From 3rd International Clinical Trials Methodology Conference  
Glasgow, UK. 16-17 November 2015

## Background

Recruitment to trials when birth is imminent requires offering consent at a difficult and stressful time, often with limited time. The Cord Pilot Trial assessed timing of cord clamping at very preterm birth. To ensure high risk women were not excluded we developed a two stage oral assent pathway, for use when birth was imminent. A third of women were recruited using this pathway. The aim of this study was to explore clinicians' and women's experiences of the two consent pathways.

## Methods

A qualitative interview design with semi-structured interviews. Clinicians and women were recruited from the 8 trial sites. Results were analysed using systematic thematic analysis.

## Results

17 clinicians were interviewed, 11 had experience of both pathways and 6 of one stage written consent only. [DL1]Themes identified: consent as a continual process; consent as a record versus consent as a legal document; team approach; different consent pathways for different trials; balance between time and information.

23 women were interviewed, 5 had been offered oral assent and 18 one stage written consent. Themes identified: importance of staff; time and information; reasons for agreeing to consent; trial secondary in women's minds; understanding randomisation.

## Conclusion

Overall, clinicians thought that one stage written consent was optimal for offering consent but were positive

about the use of oral assent when there is limited time for offering participation. Women were positive about their experiences, particularly about the staff who approached them. Nevertheless, there were gaps in understanding of the trial in some women's accounts.

## Authors' details

<sup>1</sup>Centre for Maternal and Child Health Research, City University, London, UK.  
<sup>2</sup>Nottingham Clinical Trials Unit, University of Nottingham, Nottingham, UK.

Published: 16 November 2015

doi:10.1186/1745-6215-16-S2-P70

Cite this article as: Ayers et al.: Clinicians' and womens' experiences of two consent pathways in a trial of timing of clamping at very preterm birth: a qualitative study. *Trials* 2015 **16**(Suppl 2):P70.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)



<sup>1</sup>Centre for Maternal and Child Health Research, City University, London, UK  
Full list of author information is available at the end of the article