



City Research Online

City St George's, University of London

Citation: Botting, N. (2020). Language, literacy and cognitive skills of young adults with Developmental Language Disorder (DLD). *International Journal of Language and Communication Disorders*, 55(2), pp. 255-265. doi: 10.1111/1460-6984.12518

This is the accepted version of the paper.

This version of the publication may differ from the final published version. To cite this item please consult the publisher's version.

Permanent repository link: <https://openaccess.city.ac.uk/id/eprint/23291/>

Link to published version: <https://doi.org/10.1111/1460-6984.12518>

Copyright and Reuse: Copyright and Moral Rights remain with the author(s) and/or copyright holders. Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge, unless otherwise indicated, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way. For full details of reuse please refer to [City Research Online policy](#).

Language, literacy and cognitive skills of young adults with Developmental Language
Disorder (DLD)

Authors: Botting, Nicola

Affiliations: Centre for Language and Communication Science Research, City University of London

Email: Nicola.botting.1@city.ac.uk

Acknowledgements: I would like to thank Gina Conti-Ramsden and Kevin Durkin for their comments on previous versions of this article. Thanks also go to all the participants and families who took part in this research and to the Economic and Social Research Council (grant RES-062-23-2745) and the Nuffield Foundation (EDU-8366 and EDU-32083) who funded the wider study.

Abstract

Background and aims: There is limited evidence concerning the longer-term language, literacy and cognitive skills of young adults with Developmental Language Disorder (DLD). Studies that exist suggest continuing difficulties with language and reading, but abilities may change over time.

Methods & procedures: In this paper, data was used from the [deleted for anonymity] dataset which was collected from a group of young adults with DLD (recruited originally at 7-years of age from language units - specialist educational resource bases). Participants were assessed on their language, literacy and cognitive functioning when they were aged 24. A comparison group of age matched peers (AMPs; also 24 years old) were also assessed. For language and cognition, change in scores between 16 and 24 years was also available for analysis. Finally, self-rated measures of literacy difficulties were taken at 24 years for functional reading and writing.

Outcome & results: The results indicate that the young people with DLD in this sample continue to perform more poorly as a group on formal oral and written language tests. A small but significant minority of young adults with DLD also report functional reading and writing difficulties compared to AMPs despite reporting reading as often as their peer group. Compared to scores at 16 years of age, this subsample now appears to show slightly less risk of non-verbal IQ difficulties, showing small but significant 'catch-up' to AMPs.

Conclusions & implications: These preliminary data suggest that at least some individuals with DLD experience marked linguistic difficulties in adulthood, and that the pathways of language, literacy and cognition are not entirely parallel for this group. Continued support and awareness of challenges for young adults with DLD may be useful.

What is already known on this subject

It is known that Developmental Language Disorder (DLD) is long-term and persists into adulthood. There has recently been a body of work reporting on the wellbeing of this population, as well as their employment, financial status and driving ability. However, there is very little information about language, literacy and cognitive skills beyond school age.

What this study adds:

This study presents data on language, literacy and cognition from a large cohort of young adults with DLD and their age matched peers (AMPs). In this sample, a large proportion of participants score low on language, with fewer scoring as impaired on literacy and cognition. A significant minority report difficulties in functional reading. Preliminary analysis appears to suggest that while language development remains depressed, non-verbal cognitive skills show some catch up over time.

Clinical implications:

Increased awareness and continued support for language, literacy and cognition may be useful for young adults with DLD.

Introduction

The cognitive, language and literacy skills of children with Developmental Language Disorder (DLD) have been documented in numerous studies, but there is a limited evidence base on adult outcomes. The body of research reporting childhood profiles has highlighted several important issues pertaining to the skill sets of this population. Firstly, whilst a proportion of children with DLD show a resolving pattern of communication difficulty (Bishop and Edmundson, 1987; Reilly et al, 2010), around half this population have continued difficulties with structural language into adolescence (Conti-Ramsden et al, 2001). Secondly, language difficulties (especially in spoken language) are not always identified in secondary school settings and spoken difficulties may be masked and only revealed based on the identification of poor reading ability (Myers & Botting, 2008). Thirdly, there is increasing consensus that this population experience subtle but important cognitive challenges. This was one of the major motivations for changing the term from Specific Language Impairment (SLI), which implies that only language is affected; to the term DLD, which encompasses a broader profile of difficulty (see Reilly et al, 2014; Bishop, 2014; Bishop et al, 2017 for terminology discussions). Cognitive differences in this population include short term memory problems in both verbal (Hick, Botting & Conti-Ramsden, 2001; Botting & Conti-Ramsden, 2001) and non-verbal domains (Bavin et al 2005; Marton, 2008; Botting et al, 2013); procedural memory deficits (Ullman & Pierpont, 2005; Lum et al 2014); and also working memory and executive function impairments (Henry & Botting, 2017; Henry et al, 2012). These specific cognitive profiles may also underpin the decline in non-verbal IQ first reported by Botting, 2005. Conti-Ramsden et al., (2012) later modelled this data and found a largely stable pattern of IQ once measurement issues and attrition were accounted for. However, they still reported that nearly a third (71/242) showed deceleration in nonverbal

trajectories (developmental lag) whilst only 16/242 showed accelerated development (catch-up).

Importantly, research has established that literacy is also affected in many young people with DLD. A number of studies have reported that between 50% (de Bree et al, 2010) and 80% (Botting et al, 2006) of children with DLD also have difficulties with reading and Freed et al, (2015) emphasised the heterogeneity of literacy difficulties for children with DLD. Some studies have indicated a direct role for oral language comprehension (Botting et al, 2006), early reading (Catts et al, 2002) and phonological processing (Loucas et al, 2016) in determining whether a child with DLD will have concomitant reading difficulties. An important longitudinal study of children with pre-school language difficulties by Snowling and colleagues, was one of the first to show that for many young people with DLD, literacy difficulties are a long-term issue (Stothard et al., 1998; Snowling et al, 2000) and may affect the educational status of the young people as they exit full time education (Snowling et al, 2001). Furthermore, expressive grammar intervention has been shown to improve emergent literacy skills in pre-schoolers with DLD (Washington, 2013) suggesting a causal link. There is also a body of evidence suggesting overlaps between dyslexia and oral language difficulties (see Adlof and Hogan, 2018 for an overview). However, for all of these difficulties, a wide range of abilities is noted in DLD as a group, perhaps suggesting it is best conceptualised as a spectrum of difficulties (Lancaster & Camarata, 2019).

Despite the importance of language and literacy throughout the lifespan, very few studies have assessed the language, literacy and cognition of individuals with DLD into adulthood. However there are notable exceptions. Clegg et al (2005) showed that a group of children with severe receptive DLD remained linguistically impaired when reassessed in their 20s and 30s. Their cohort also had changing literacy status over time, showing no deficit at the earlier assessment, but severe literacy difficulties at the latter. Cognitive profiles also showed a

changing pattern but in the opposite direction, that is, IQ scores were depressed at 24 but appeared cognitively normal at 36. An ongoing study by Beitchman and colleagues also showed reading and language impairments compared to typical adults and adults who had grown up with speech problems only (Johnson et al, 2010). Whitehouse et al (2009) followed a small group of participants into their early 20's and again these authors reported persisting difficulties with structural language and literacy compared to peers. Interestingly the type of earlier language profile partly predicted later outcomes. Similar findings have been revealed by Law and colleagues using large scale cohort data from 11,000 participants (Law et al, 2009). Although outcome measures were relatively crude and based on national exam performance rather than direct testing, Law et al also found this pattern of persisting difficulties pattern in the epidemiological sample; and indicated that early language learning difficulties of any sort (at 5 years of age) were a more important predictor than demographic factors.

Much of the research into adult outcomes has focussed on general quality of life (Conti-Ramsden et al, 2016; Johnson et al 2010), behavioural difficulties (Pickles et al, 2016), emotional health (Botting et al, 2016a&b) or employment (Carroll & Dockrell, 2012; Conti-Ramsden et al, 2018). This is not surprising given the important concerns families and individuals have regarding these elements of daily life. However, while wider outcomes are a central issue for young adults with DLD, there is a need to also report the cognitive, language and literacy skills of this population. The motivation for this is fourfold: First, these skills are likely to underpin some aspects of functional activities such as applying for jobs, reading for pleasure, making lists and managing finances; Second, they may also relate indirectly to the increased likelihood of mental health issues in this population (Botting et al, 2016a&b; Clegg et al, 2005); Third, documenting language, literacy and cognition into adulthood gives us a better theoretical understanding of longer term trajectories of these functions more

generally; Finally, it is useful for policy makers, clinicians and theoreticians to understand the adult outcomes of developmental disorders in terms of their primary area of difficulty (i.e. language) in order to inform practice, advise parents and to develop lifespan policies.

The Present Study

This article reports on the language, literacy and cognitive status of a subsample of young adults aged 24 years of age who took part in the *[deleted for anonymity]* study. In total 83 adults with DLD and 86 aged matched peers (AMPs) took part. The study has a mixed cross-sectional and longitudinal design.

Specifically, the following research questions are addressed:

- i) Are levels of language and literacy lower for young adults with DLD compared to age matched peers (AMPs)? Does the pattern of change over time differ between groups?
- ii) Is non-verbal ability different across groups, and does the pattern of change over time differ between groups from 16 to 24?
- iii) Do young adults with DLD experience functional literacy difficulties or report different literacy behaviours when compared to AMPs?

Method

Participants

Both DLD and AMP samples were recruited as part of a wider longitudinal research programme: The Manchester Language Study (MLS). The MLS 24 year data set is open access and available from the UK Data Service (<http://reshare.ukdataservice.ac.uk/852066/>).

Young adults with DLD

In total, 242 children with DLD were originally recruited at 7-years of age as having primary language difficulties. The current study compares the outcomes for a subset of this sample

which remained in the study in young adulthood. In total, 83 participants (55 males, 28 females) with DLD were included in the analyses presented here. The educational and employment status of the group are fully described in Conti-Ramsden et al, (2018) but as an overview the final compulsory-educational placement (i.e. at 18 years) was recorded as mainstream for the majority of the subsample (61/83 - with no support for 20%; with support for 53%). At 24, just under half the sample were in fulltime employment or education (35; 43%). The subsample appears to be representative of the original sample of children with DLD in the Manchester Language Study: No significant differences were found between those who did and did not participate at 24 years on 7-year-old receptive or expressive language scores, nonverbal IQ (NVIQ) or demographic information (family income and maternal education) (all p values >0.2). Attrition over time was higher for males compared to females ($\chi^2(1) = 7.5, p = 0.006$) but the distribution of males : females was not significantly different from the age-matched peer group at 24 years of age (see below). At 16 years of age, the DLD group scaled scores (where 10(3) are the mean(SD) for the population) were 4.7(SD=2.0) for CELF Recalling Sentences (Expressive) and 7.1 (SD=3.6) for CELF Word Classes (Receptive).

Age-matched peers (AMPs)

As a comparison group, 86 AMPs (47 males, 39 females) were recruited at age 16 from the same secondary schools as the DLD participants (except for young people attending specialist placements not attached to mainstream schools). These participants had no history of special educational needs or speech and language therapy provision and were all in mainstream education at the time of recruitment. Note that individuals were not excluded if they subsequently scored low on tests of language. This is because scoring low on one assessment does not necessarily indicate diagnosis or clinical need. Excluding these participants would bias the sample towards the top end of the normal distribution and create inaccurate and

circular comparisons. At recruitment and again when participants were 17 years of age (as part of the wider study) teachers were asked to state whether they thought the participant should have a Statement of Educational Needs, which at the time of testing was a legal document applied to children in UK schools deemed to require educational support. None of the teachers of AMPs felt this should be the case. Thus, a statistically conservative approach has been taken: Including the lower scoring AMPs, which if anything underestimates the true difference between groups. At 24, just over half of the AMP group were in fulltime education or study (57; 66%).

At the current stage, DLD and AMP groups did not differ on gender ($p=0.16$), household income at recruitment ($p=.80$) nor on personal income at age 24 ($p=.40$). The DLD group were slightly older at 24 years 4 months ($SD=8$ months) compared to 24 years 0 months ($SD=10$ months) for the AMP group ($t(170)=3.1$, $p=0.002$).

Measures

Language

The Clinical Evaluation of Language Fundamentals (CELF-4^{uk}, Semel, Wiig, & Secord, 2006) was used to assess language ability. The CELF-4 has norm data available up to the age of 21;11 and was deemed the best fit assessment for the cohort at 24 years of age given the lack of appropriate language measures for young adults. A core language index was created using standard scores (based on 21;11 year norms following Fidler, Plante and Vance, 2011) from the Recalling Sentences, Formulated Sentences, and Word Classes subscales. Note that again, this represents a conservative approach which is more likely to overestimate DLD performance and limit the chances of significant differences between the groups. A core language score was not available at 16 years of age, but the CELF Recalling Sentences subtest (widely reported to be a marker of language impairment; see Conti-Ramsden, Botting & Faragher, 2001; Klem et al, 2015) was used to examine change over time.

Overall the CELF-4 has excellent reliability: test-retest (0.87-0.92), inter-scorer (0.88-0.99), split-half reliability (0.87-0.95). It has sensitivity of 1.00 and specificity of 0.89 when used diagnostically with a -1.5SD threshold. However, it should be noted that these psychometric results hold for younger ages and may not be representative in this sample who were older.

Literacy: formal and functional measures

A number of measures were taken to assess literacy, functional difficulties and reading frequency. The Sight Word Reading subtest of the Test of Word Reading Efficiency (TOWRE-2; Torgesen et al, 2012) was used to assess single word reading and standard scores were calculated. The TOWRE-2 provides normative data up to 24 years and 11 months. Test-retest for the TOWRE-2 is 0.89 to 0.93, inter-rater reliability is 0.99, and criterion validity is between 0.89 and 0.96.

For the functional measures, participants were asked a series of questions about how often they read books; magazine; newspapers and internet material and asked to respond never/sometimes/often. They were also asked to report whether they had difficulties (yes or no) reading each of the following: bills, statements, letters, emails, menus, timetables, forms, texts, websites, and shopping lists. Finally, reported writing difficulties were assessed by asking participants whether they had problems (yes or no) writing each of the following: notes for people, shopping lists, telephone messages, formal letters, emails, texts, and filling out forms.

Cognition: Nonverbal IQ (NVIQ)

At 16 years of age, the Weschler Intelligence Scale for Children (III) was used to measure non-verbal IQ. This test has norms from 6;0 to 16:11 years of age. The test-retest reliability for the 16-17 year age range is 0.89.

At 24 years of age, the Wechsler Abbreviated Scale of Intelligence (WASI, Wechsler 1999) Performance subscale was administered as a measure of nonverbal IQ. This test has norms for individuals aged 6 to 89 years. The test-retest reliability of the Performance IQ scale for the age range 20-24 years is .94.

Procedure

The [deleted for anonymity] Research Ethics Committee, UK approved the study and written informed consent was obtained from the participants themselves. All measures were completed as part of a face-to-face interview with a research associate trained in the administration of the tests, which took place in a quiet room in the participant's home or at an arranged community location. Wherever possible the participant was alone to ensure validity of testing. Questions on functional literacy difficulties and reading behaviour were read out to participants to avoid comprehension problems. The assessments and literacy items were part of a wider interview which for some participants took place over a number of visits within a one month period. For participants with DLD, a number of visits was often necessary because they tired more quickly or took longer to complete the assessments. For AMPs, fewer multiple appointments were needed, and where they were this was usually due to availability rather than fatigue.

Analysis

Data were initially analysed using a simple parametric comparison approach (t-tests) between those with DLD and AMPs. Cohen's d values are reported as effect sizes where over 0.2 is small, 0.5 is medium and over 0.8 is large. Mixed ANOVA analysis was used to compare cognitive and language outcomes over time across groups. Partial eta squared values are reported where over 0.01 is small, 0.06 is medium and 0.14 is large (Cohen, 1988).

Results

Language

Simple comparative analyses showed that young adults originally recruited as having DLD were still performing more poorly at 24 years of age on formal language assessment subtests compared to age matched peers and also compared to published norms. The Core Language Index from the CELF was significantly lower for young adults with DLD ($M=69.9$, $SD=20.5$) compared to AMPs ($M=100.0$, $SD=13.9$; $t(137.8)=-10.98$, $p<0.001$, $d=1.7$). In total, 3 participants with DLD did not have CELF data available; 50% (40/80) fell below -2SD from the mean (standard score <70) and a further 24% (19/80) fell between 70 and 84. The remaining 26% (21/80) scored within the normal range for core language. These proportions compare with AMP distribution of 3.5% (3/86) scoring <70 ; 11.5% (10/86) between 70 and 84; and 85% (73/86) scoring 85 and above which follows the expected normal distribution of scores (whereby 16% of people fall below 1SD by definition). Although formal tests of structural language may not be entirely representative of language ability in adulthood, those with standard scores below 70 are likely to experience some communicative challenges in everyday life.

Language change over time

No Core Language Index was available at 16 years, so CELF Recalling Sentences raw scores were examined over time for those who had both data points available (DLD $n=79$; AMP $n=64$ ¹) using a Group x Time mixed ANOVA. A small but significant 'lag effect' interaction was found ($F(1,141)=12.35$, $p=0.001$, $\eta^2_p=0.08$) with the DLD group raw scores moving from $M=52.94$ ($SD=11.51$) at 16 years to 57.51 (17.22) at 24 years, compared to the

¹ The AMP participants who had both data points available scored significantly lower on recalling sentences at 24 than those AMPs with only 24 year data (those excluded from this analysis; $p<0.001$). This suggests that the lag reported here is an underestimation.

AMP group who changed from $M=70.67$ ($SD=5.65$) at 16 years to 81.45 (14.33) at 24 years. This suggests that the language skills of the DLD group were not developing as fast as those of the AMP group.

Literacy skills as measured by formal assessments

Literacy assessment also showed the DLD group to be performing significantly below their AMPs. When standardised TOWRE scores were calculated, the DLD group scored just outside the normal range ($M=78.8$, $SD=11.6$) whereas the AMP group scored well within the normal range on this measure ($M=94.8$, $SD=12.9$; $t(167)=-8.47$; $p<0.001$). In total 16.9% (14/83) of this subsample of adults with DLD fell below -2SD from the mean (standard score <70) and a further 57.8% (48/83) fell between standard scores of 70 and 84 (-1SD and -2SD) on the TOWRE. The remaining 21/83 (25.3%) scored within the normal range. This positive skew towards low scores compares to the distribution of the AMP group: 1.2% (1/86) scoring <70 ; 24.4% (21/86) between 70 and 84; and 74.4% (64/86) scoring 85 and above.

Literacy change over time

No TOWRE data was available at 16 years. Thus, no time x group analysis was performed for reading.

Non-verbal IQ

At 24, average non-verbal IQ scores were within the normal range for those with DLD but were also significantly lower than AMPs (DLD: $M=98.8$, $SD=15.8$; AMP: $M=111.9$, $SD=10.3$; $t(140.2)=-6.38$, $p<0.001$, $d=-0.97$).

Non-verbal IQ change over time

Non-verbal IQ change patterns were compared over time using a mixed (group x time) ANOVA for those with data available at both time points (DLD=78; AMP=64²). This indicated a small but significant ‘catch-up’ interaction for the DLD group ($F(1,140)=4.3$, $p=0.04$, $\eta^2_p=0.03$) who changed from $M=86.4$ ($SD=19.1$) to 99.9 (14.8) compared to an AMP change from $M=104.3$ ($SD=14.9$) to 113.2 (10.8). This subsample shows a pattern of change that contrasts an earlier trend for falling NVIQ in the wider sample with DLD (Botting, 2005; no earlier data available for AMP group). It is important to note, however, that this analysis is preliminary and does not take into account missing data through attrition, using only those participants with data at both time points.

Fig.1 shows the proportions of individuals with DLD and their AMPs falling into each ability band for language, literacy and cognition at 24 years of age.

[Fig 1 about here]

Functional literacy and reading frequency

Although asking participants about their reading is not as objective a measure as the direct assessments above, it was felt important to include participants’ own experience of functional reading difficulties in everyday contexts. A series of chi-square analyses were completed to assess functional literacy and reading frequency. Overall, results suggest that although there were some differences between young people with DLD and AMPs in relation to functional literacy, there were mostly similarities across the two groups in terms of reading frequency. Tables 1 and 2 summarise the results.

[Tables 1 & 2 about here]

² Those AMPs with IQ data at both time points, and those excluded from this analysis due to missing 16 year data, did not differ on IQ at 24 ($p=0.92$).

As Table 1 reveals, a significant minority of these young people with DLD reported finding all functional reading and writing more difficult than peers, suggesting that for many the formal assessment is not only picking up residual difficulties when tasks are formal and impairment focussed, but also that every day literacy is affected in young adulthood for some of those with DLD.

Interestingly, despite some marked difficulties revealed on standardized tests and reported above, Table 2 data reveal there were no differences between groups on how often individuals read material of various sorts for leisure, the only exception being reading from the internet. Overall, about $\frac{3}{4}$ of both groups reported reading books, magazines and newspapers 'sometimes' or 'often'. Although there was a significant difference seen across groups for reading information from the internet, it should be noted that 94% of people with DLD reported reading in this way 'sometimes' or 'often'. The difference lay in the fact that AMPs were voracious internet readers with 78% of AMPs reading often. No individuals from the AMP group reported never reading internet material. See Table 2 for detailed results.

Discussion

The aim of this article was to document the language, literacy and cognitive status of a group of young people with DLD originally recruited into the Manchester Language Study, who are now in early adulthood. Specifically, in response to our research questions we found that: i) Language, literacy and cognition levels remained low as a group for this sample of people with DLD even as young adults; however while language continues on a slower trajectory over time, there is preliminary evidence that cognitive levels may have risen in the sample relative to AMPs. Various considerations around the robustness of this finding are discussed

further below; ii) The experiences of the group with DLD matched the formal assessment findings in that they reported difficulties across the board in functional and every day reading and writing. However, they did not report lower frequency of reading except for internet based material.

The finding that language and literacy scores remain low in this sample of young adults originally diagnosed with DLD is perhaps not surprising given that other smaller scale studies have also reported continuing difficulties in adulthood (Clegg et al, 2005). However, the participants in previous studies were not as heterogeneous in profile as the current sample and had severe and complex receptive difficulties. This particularly severe profile has sometimes been used to explain the adult outcomes reported in Clegg's study, but the current results suggests that a wider group of individuals who received specialist educational language provision are also at risk of adult language and literacy difficulties. It should also be noted that our participants fell outside the published norm age range for the CELF-IV which means the present findings might underestimate language difficulties in this sample.

Nevertheless, three factors should be noted. First, the current sample was recruited clinically and therefore consisted of children with persistent language disorder, severe enough to warrant attendance for most of their school week in a specialist class by age 7; second, a quarter of the follow-up sample (and potentially more of those lost through attrition) now show normal range scores on language and literacy; third, although the majority of our sample did perceive functional difficulties in everyday life, this was not the case for all participants.

The different patterns of change over time (language showing relative decline; literacy and cognition showing relative catch up) warrant further investigation. It may be that, with time,

young adults with DLD are able to learn functional or alternative strategies for literacy- and cognition-based tasks, which for AMPs are automatically supported by verbal skill. The apparent rise in non-verbal cognition contrasts the decline reported in Botting (2005) in middle childhood, and mirrors the ‘bounce-back’ seen in Clegg et al (2005). This data needs to be treated with some caution, because the sample of Manchester Language Study participants who continued until 24 are in part a self-selected subsample, and it may be that the most able young people were those who remained in the study. Nevertheless, it is worth noting that a) this group of participants were no different at recruitment to those who did not participate at 24 on any measures; and b) their language scores were still very low (and are lagging) making it less likely that this result represents a general bias towards better outcomes. Discussion of statistically modelled NVIQ data from the *[deleted for anonymity]* up to 17 years, highlighted the potential likely effects of measurement error when different instruments were used across time (Conti-Ramsden et al, 2012). However, even taking this into consideration, the authors concluded that the magnitude of the observed drop suggested a decline of nonverbal IQ for at least a proportion of the participants. Their modelled data also presented a slight upward trend at the last data point (p.124, fig 2) which could be argued might indicate the first signs of re-acceleration.

Together with the earlier reports discussed above, the present findings suggest that NVIQ may in fact more fluid in atypical populations. Although the reasons for the apparent rise in NVIQ for some individuals with DLD are not known, one speculation could be that competing demands in adolescence (which might include social, emotional and educational pressures) limit cognitive capacity, and that NVIQ is able to develop faster once other aspects of development are more stable. While competing demands have been documented at task level (for example Just & Carpenter’s (1992) working memory model; Murray, Holland &

Beeson's (1997) investigation into competing demands in adults with aphasia; McClure et al's, 2007 discussion of competing emotional-cognitive processes) it may also be useful to consider this framework developmentally. Alternatively, it may simply reflect that uneven trajectories are characteristic of individuals with DLD. Future studies with more complete data sets are needed to model cognitive change into adulthood.

It is encouraging that young adults with DLD do not report markedly different reading behaviour from their peers. There have been recent arguments made about the potential beneficial distal effects of early identification and intervention like that received by participants in the Manchester Language Study (Winstanley, Webb, & Conti-Ramsden, 2018). The vast majority of adults with DLD does read from internet sources, however a small minority are never accessing this material. Compared to peers who are very high internet consumers, this represents an important functional group difference. It supports previous studies that have shown so called 'new media' to be as difficult for people with DLD, if not more so (Durkin et al, 2011) and report lower engagement with technology for education or leisure use in some young people with DLD (Conti-Ramsden et al, 2010). Given the increased use of these modes of communication, it is possible that this aspect of functional reading might lead to increased risk of social isolation and the various interactions that occur online. To the authors' knowledge, the functional reading behaviour of individuals with DLD (i.e., how often they read; the type of material read) has not been reported previously in the literature and future research using more objective measures could usefully address this gap in the evidence base. If reading for leisure occurs as much as for AMPs it could be a useful mechanism for support and language therapy in adulthood as well as younger ages.

Limitations and future directions

One key limitation is the fact that the dataset contains scores from differing assessments over time. Where data from the same or similar tests were available, these have revealed interesting patterns of change, but it is possible that the changes in NVIQ are an artefact of the change from WISC III to WASI, which have some different features, despite being designed to measure the same skills, and being reported as congruent even in clinical populations (Scott, Austin & Reid, 2007).

As identified throughout the paper, the attrition seen in both groups over time, is a limitation for fully understanding the pathways of young people with DLD (although those remaining in the study at 24 years of age were no different at earlier time points than those who withdrew at earlier phases). Furthermore, those without one of the cognitive scores available were not included by necessity in the 'catch up' analysis, and this may have inflated the catch-up effect. Thus, this result should be treated with some caution. In addition, the AMP group data is only available from age 16, and it would obviously be beneficial to have developmental trajectories from earlier age points. Future research should take several cognitive measures and employ advanced modelling techniques to ascertain whether the changes are similar when missing data is imputed statistically. Further longitudinal studies are needed which recruit DLD and AMP participants in early development, show reduced attrition, and use the same measures at each time point.

The original study recruited AMPs with no clinically identified needs but did not exclude those with low language scores when tested for research purposes, which could be seen as a limitation. However, at this stage of the study, 16% fell below 1SD and this is exactly what we would expect from a normal distribution curve. Because the young people were tested on

a single testing occasion, for the purposes of research, we would not want to categorise these individuals as having a language difficulty as no such clinical concern had been previously raised, and indeed teachers reported none when asked directly as part of this study at recruitment or a year later. While it is always possible that some of the AMPs had completely undetected language disorders, excluding low scoring individuals would bias the AMP data to the top end of the distribution, which we believe would give an inaccurate comparison. Including all AMPs is the most cautious approach scientifically because it increases the chance of non-significant differences between groups.

Although it is important to consider functional reading alongside formal assessments of literacy, there are a number of ways in which future studies could expand on the current study. First, the assessments of functional problems are self-reported and could be affected by the level of the adults' self-awareness. Second, the kinds of reading and writing evaluated here are likely to be less demanding than other forms of reading and writing demanded in other contexts. For example, an adult in a vocational training program may face far more demanding reading than explored here. A study which directly assesses functional reading material of different kinds would therefore be a useful next step.

Clinical Implications

As noted throughout the discussion, the data presented here speaks to potential implications for clinical practice. Firstly, professionals, employers and families of young people with DLD should be aware of the persisting structural language difficulties experienced by this group as a whole. However, the apparent rise in IQ suggests that the needs of individuals with DLD might be more fluid than often assumed (that is they may fluctuate rather than follow a stable pathway), and that despite some reported challenges with cognitive tasks,

these might be less of an issue as adulthood progresses. The data also might suggest that individuals with DLD would benefit from disclosing their communication difficulties in workplaces. Recent data collected by the author suggests that whilst general managers are aware of autism, only a small minority have heard of DLD (or SLI) (Botting, Beauchamp-Whitworth, Chandwani, Gilbert, Holmes, Kranios, de Lemos, Pender, & Whitehouse, in prep). Greater awareness of language and literacy difficulties might result in better support and accommodations for adults with DLD. Finally, the fact that young adults with DLD report reading to the same extent as their peers may be a legacy of the intensive early language environments which they all attended. More support in adulthood to develop reading interests and skills, might also support continued language development.

In conclusion, this study is one of the first to document long-term language, literacy and cognition difficulties for adults with DLD. It also cautiously suggests that these skills may fluctuate over time in relation to AMPs, and that cognitive skills in particular may show some catch up compared to peers. Further work is needed to objectively assess functional reading, to fully understand the most high risk profiles and to confirm pathways of development using larger longitudinal and cross-sectional samples. However it seems clear that at least some young adults with DLD have continuing challenges with language and literacy that may benefit from continued support and awareness at this stage of their lives.

References

ADLOF, S. M., & HOGAN, T. P., 2018. Understanding dyslexia in the context of developmental language disorders. *Language, Speech, and Hearing Services in Schools*, 49(4), 762-773.

ATKINSON, L., BEITCHMAN, J., GONZALEZ, A., YOUNG, A., WILSON, B., ESCOBAR, M., ... & VILLANI, V., 2015. Cumulative risk, cumulative outcome: A 20-year longitudinal study. *PloS one*, 10(6), e0127650.

BAO, L., BROWNLIE, E. B., & BEITCHMAN, J. H., 2016. Mental health trajectories from adolescence to adulthood: Language disorder and other childhood and adolescent risk factors. *Development and Psychopathology*, 28(2), 489-504.

BAVIN, E. L., WILSON, P. H., MARUFF, P., & SLEEMAN, F., 2005. Spatio-visual memory of children with specific language impairment: evidence for generalized processing problems. *International Journal of Language & Communication Disorders*, 40(3), 319-332.

BISHOP, D. V., SNOWLING, M. J., THOMPSON, P. A., GREENHALGH, T., CATALISE-2 CONSORTIUM, ADAMS, C., ... & BOYLE, C., 2017. Phase 2 of CATALISE: A multinational and multidisciplinary Delphi consensus study of problems with language development: Terminology. *Journal of Child Psychology and Psychiatry*, 58(10), 1068-1080.

BISHOP, D. V., 2014. Ten questions about terminology for children with unexplained language problems. *International Journal of Language & Communication Disorders*, 49(4), 381-415.

BISHOP, D. V. M., & EDMUNDSON, A., 1987. Language-impaired 4-year-olds: Distinguishing transient from persistent impairment. *Journal of Speech and Hearing Disorders*, 52(2), 156-173.

BOTTING, N., BEAUCHAMP-WHITWORTH, R., CHANDWANI, A., GILBERT, N., HOLMES, A., KRANIOS, A., DE LEMOS, C., PENDER, A. & WHITEHOUSE, C., in prep. Developmental Language Disorder in the workplace: A survey of general managers' awareness.

BOTTING, N., TOSEEB, U., PICKLES, A., DURKIN, K., & CONTI-RAMSDEN, G., 2016a. Depression and anxiety change from adolescence to adulthood in individuals with and without language impairment. *PloS One*, 11(7), e0156678.

BOTTING, N., DURKIN, K., TOSEEB, U., PICKLES, A., & CONTI-RAMSDEN, G., 2016b. Emotional health, support, and self-efficacy in young adults with a history of language impairment. *British Journal of Developmental Psychology*, 34(4), 538-554.

BOTTING, N., PSAROU, P., CAPLIN, T., & NEVIN, L., 2013. Short-term memory skills in children with specific language impairment: The effect of verbal and nonverbal task content. *Topics in Language Disorders*, 33(4), 313-327.

BOTTING, N., SIMKIN, Z., & CONTI-RAMSDEN, G., 2006. Associated reading skills in children with a history of specific language impairment (SLI). *Reading and Writing*, 19(1), 77-98.

BOTTING, N., & CONTI-RAMSDEN, G., 2001. Non-word repetition and language development in children with specific language impairment (SLI). *International Journal of Language & Communication Disorders*, 36(4), 421-432.

BOTTING, N., 2005. Non-verbal cognitive development and language impairment. *Journal of Child Psychology and Psychiatry*, 46(3), 317-326.

CARROLL, C., & DOCKRELL, J., 2012. Enablers and challenges of post-16 education and employment outcomes: the perspectives of young adults with a history of SLI. *International Journal of Language & Communication Disorders*, 47(5), 567-577.

CATTS, H. W., FEY, M. E., TOMBLIN, J. B., & ZHANG, X., 2002. A longitudinal investigation of reading outcomes in children with language impairments. *Journal of Speech, Language, and Hearing Research*, 45(6), 1142-1157.

CLEGG, J., HOLLIS, C., MAWHOOD, L., & RUTTER, M., 2005. Developmental language disorders—a follow-up in later adult life. Cognitive, language and psychosocial outcomes. *Journal of Child Psychology and Psychiatry*, 46(2), 128-149.

CONTI-RAMSDEN, G., DURKIN, K., TOSEEB, U., BOTTING, N., & PICKLES, A., 2018. Education and employment outcomes of young adults with a history of developmental language disorder. *International Journal of Language & Communication Disorders*, 53(2), 237-255.

CONTI-RAMSDEN, G., DURKIN, K., MOK, P. L., TOSEEB, U., & BOTTING, N., 2016. Health, employment and relationships: Correlates of personal wellbeing in young adults with and without a history of childhood language impairment. *Social Science & Medicine*, 160, 20-28.

CONTI-RAMSDEN, G., ST CLAIR, M. C., PICKLES, A., & DURKIN, K., 2012. Developmental trajectories of verbal and nonverbal skills in individuals with a history of specific language impairment: From childhood to adolescence. *Journal of Speech, Language, and Hearing Research*, 55(6), 1716-1735.

CONTI-RAMSDEN, G., DURKIN, K., & SIMKIN, Z., 2010. Language and social factors in the use of cell phone technology by adolescents with and without specific language impairment (SLI). *Journal of Speech, Language, and Hearing Research*, 53(1), 196-208.

CONTI-RAMSDEN, G., BOTTING, N. SIMKIN, Z. & KNOX, E., 2001. Follow-up of children attending infant language units: Outcomes at 11 years of age. *International Journal of Language & Communication Disorders*, 36(2), 207-219.

CONTI-RAMSDEN, G., BOTTING, N. & FARAGHER, B., 2001. Psycholinguistic markers for SLI. *Journal of Child Psychology and Psychiatry*. 42(6), 741-748.

DE BREE, E., WIJNEN, F., & GERRITS, E., 2010. Non-word repetition and literacy in Dutch children at-risk of dyslexia and children with SLI: Results of the follow-up study. *Dyslexia*, 16(1), 36-44.

DURKIN, K., CONTI-RAMSDEN, G., & WALKER, A. J., 2011. Txt lang: Texting, textism use and literacy abilities in adolescents with and without specific language impairment. *Journal of Computer Assisted Learning*, 27(1), 49-57.

FIDLER, L. J., PLANTE, E., & VANCE, R., 2011. Identification of adults with developmental language impairments. *American Journal of Speech-Language Pathology*. 20(1)2-13.

FREED, J., ADAMS, C., & LOCKTON, E., 2015. Literacy skills in primary school-aged children with pragmatic language impairment: a comparison with children with specific language impairment. *International Journal of Language & Communication Disorders*, 1-14.

HENRY, L. A., & BOTTING, N., 2017. Working memory and developmental language impairments. *Child Language Teaching and Therapy*, 33(1), 19-32.

HENRY, L. A., MESSER, D. J., & NASH, G., 2012. Executive functioning in children with specific language impairment. *Journal of Child Psychology and Psychiatry*, 53(1), 37-45.

HICK, R. F., BOTTING, N., & CONTI-RAMSDEN, G. (2005). Short-term memory and vocabulary development in children with Down syndrome and children with specific language impairment. *Developmental Medicine and Child Neurology*, 47(8), 532-538.

JOHNSON, C. J., BEITCHMAN, J. H., & BROWNLIE, E. B., 2010. Twenty-year follow-up of children with and without speech-language impairments: Family, educational, occupational, and quality of life outcomes. *American Journal of Speech-Language Pathology*, 19(1), 51-65.

JUST, M.A. & CARPENTER, P.A., 1992. A capacity theory of comprehension: Individual differences in working memory. *Psychological Review*, 99, 122–149.

KLEM, M., MELBY-LERVÅG, M., HAGTVET, B., LYSTER, S. A., GUSTAFSSON, J. E., & HULME, C., 2015. Sentence repetition is a measure of children's language skills rather than working memory limitations. *Developmental Science*, 18(1), 146–154.

LANCASTER, H. S., & CAMARATA, S., 2019. Reconceptualizing developmental language disorder as a spectrum disorder: issues and evidence. *International Journal of Language & Communication Disorders*, 54(1), 79-94.

LAW, J., RUSH, R., SCHOON, I., & PARSONS, S., 2009. Modelling developmental language difficulties from school entry into adulthood: Literacy, mental health, and employment outcomes. *Journal of Speech, Language, and Hearing Research*, 52, 1401-1416.

LOUCAS, T., BAIRD, G., SIMONOFF, E., & SLONIMS, V., 2016. Phonological processing in children with specific language impairment with and without reading difficulties. *International Journal of Language & Communication Disorders*, 51(5), 581-588.

LUM, J. A., CONTI-RAMSDEN, G., PAGE, D., & ULLMAN, M. T., 2012. Working, declarative and procedural memory in specific language impairment. *Cortex*, 48, 1138-1154.

MCCLURE, S. M., BOTVINICK, M. M., YEUNG, N., GREENE, J. D., & COHEN, J. D., 2007. *Conflict monitoring in cognition-emotion competition*. *Handbook of Emotion Regulation*, 204-226.

MARTON, K., 2008. Visuo-spatial processing and executive functions in children with specific language impairment. *International Journal of Language & Communication Disorders*, 43(2), 181-200.

MURRAY, L. L., HOLLAND, A. L., & BEESON, P. M., 1997. Accuracy monitoring and task demand evaluation in aphasia. *Aphasiology*, 11(4-5), 401-414.

MYERS, L., & BOTTING, N., 2008. Literacy in the mainstream inner-city school: Its relationship to spoken language. *Child Language Teaching and Therapy*, 24(1), 95-114.

PICKLES, A., DURKIN, K., MOK, P. L., TOSEEB, U., & CONTI-RAMSDEN, G., 2016. Conduct problems co-occur with hyperactivity in children with language impairment: A longitudinal study from childhood to adolescence. *Autism & Developmental Language Impairments*, 1, 2396941516645251.

REILLY, S., WAKE, M., UKOUMUNNE, O. C., BAVIN, E., PRIOR, M., CINI, E., . . . BRETHERTON, L., 2010. Predicting language outcomes at 4 years of age: Findings from Early Language in Victoria study. *Pediatrics*, 126(6), e1530-e1537.

REILLY, S., TOMBLIN, B., LAW, J., MCKEAN, C., MENSAH, F. K., MORGAN, A., ... & WAKE, M., 2014. Specific language impairment: A convenient label for whom?. *International Journal of Language & Communication Disorders*, 49(4), 416-451.

SCOTT, W. C., AUSTIN, D. W., & REID, D. S., 2007. Investigation of the WISC-III and WASI in clinical child populations: A framework for further exploration. *Canadian Journal of School Psychology*, 22(2), 249-254.

SEMEL, E. M., WIIG, E. H. & SECORD, W., 2006. *CELF 4: Clinical Evaluation of Language Fundamentals 4*. London: PsychCorp.

SNOWLING, M., BISHOP, D. V. M., & STOTHARD, S. E., 2000. Is preschool language impairment a risk factor for dyslexia in adolescence?. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 41(5), 587-600

SNOWLING, M.J., ADAMS, J.W., BISHOP, D. V., & STOTHARD, S. E., 2001. Educational attainments of school leavers with a preschool history of speech-language impairments. *International Journal of Language & Communication Disorders*, 36(2), 173-183.

Stothard, S. E., Snowling, M. J., Bishop, D. V., Chipchase, B. B., & Kaplan, C. A., 1998. Language-impaired preschoolers: A follow-up into adolescence. *Journal of Speech, Language, and Hearing Research*, 41(2), 407-418

TORGESSEN, J. K., WAGNER, R. K., & RASHOTTE, C. A., 2012. *TOWRE-2 Examiner's Manual*. Austin, TX: Pro-Ed.

ULLMAN, M. T., & PIERPONT, E. I., 2005. Specific language impairment is not specific to language: The procedural deficit hypothesis. *Cortex*, 41(3), 399-433.

WASHINGTON, K. N., 2013. The association between expressive grammar intervention and social and emergent literacy outcomes for preschoolers with SLI. *American Journal of Speech-Language Pathology*, 22(1), 113-125.

WECHSLER, D., 1999. *Manual for the Wechsler abbreviated intelligence scale (WASI)*. San Antonio, TX: The Psychological Corporation.

Whitehouse, A. J., Line, E. A., Watt, H. J., & Bishop, D. V., 2009. Qualitative aspects of developmental language impairment relate to language and literacy outcome in adulthood. *International Journal of Language & Communication Disorders*, 44(4), 489-510.

Winstanley, M., Webb, R. T., & Conti-Ramsden, G., 2018. More or less likely to offend? Young adults with a history of identified developmental language disorders. *International Journal of Language & Communication Disorders*, 53(2), 256-270.

Table 1: Proportion of each group reporting difficulty in each functional literacy domain


	DLD (n=81)	AMP (n=86)	Fisher's exact p
Difficulty reading:			
Shopping lists	7.4%	0.0%	0.012
Menus	12.3%	1.2%	0.004
Timetables	21.0%	2.3%	<0.001
Bills	24.7%	1.2%	<0.001
Bank statements	23.5%	1.2%	<0.001
Forms	48.1%	4.7%	<0.001
Letters	18.5%	0.0%	<0.001
Emails	9.9%	0.0%	0.003
Texts	13.6%	1.2%	0.002
Websites	16.0%	1.2%	<0.001
Difficulty writing:			
Shopping lists	8.6%	0.0%	0.005
Cheques	32.1%	3.5%	<0.001
Notes for others	16.0%	0.0%	<0.001
Phone messages	37.0%	1.2%	<0.001
Forms	50.6%	7.0%	<0.001
Letters	61.7%	10.5%	<0.001
Emails	19.8%	0.0%	<0.001
Texts	11.1%	0.0%	0.001

Table 2: Reading for leisure behaviour across groups

Subtest		Never	Sometimes	Often	Statistics
Books	DLD	21 (26%)	41 (51%)	19 (23%)	$\chi^2(2)=3.4,$ p=0.18
	AMP	14 (16%)	43 (50%)	29 (34%)	
Magazines	DLD	21 (26%)	43 (53%)	17 (21%)	$\chi^2(2)=0.95$ p=0.62
	AMP	23 (27%)	40 (46%)	23 (27%)	
Newspapers	DLD	22 (27%)	35 (43%)	24 (30%)	$\chi^2(2)=0.58$ p=0.75
	AMP	19 (22%)	40 (47%)	27 (31%)	
Internet	DLD	5 (6%)	36 (45%)	40 (49%)	$\chi^2(2)=16.9,$ p<0.001
	AMP	0 (0%)	19 (22%)	67 (78%)	

DLD n=81; AMP n=86

Figure 1: Number of young adults within standardisation bands in each domain at age 24



Note: Numbers with data available vary slightly for each assessment

■ above -1SD (normal range); ■ between -1 and -2 SD; ■ below -2SD (impaired)