

City Research Online

City, University of London Institutional Repository

Citation: Purssell, E., Gould, D. J. & Chudleigh, J. H. (2020). Impact of isolation on hospitalised patients who are infectious: systematic review with meta-analysis. BMJ Open, 10(2), e030371. doi: 10.1136/bmjopen-2019-030371

This is the published version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: https://openaccess.city.ac.uk/id/eprint/23655/

Link to published version: https://doi.org/10.1136/bmjopen-2019-030371

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.
 City Research Online:
 http://openaccess.city.ac.uk/
 publications@city.ac.uk

Budy Frem: bits result Rek Nors Ref Nors			Not isolated		
Tran 2009 6.1 0.00	Study			Risk Ratio	RR 95%-CI
Mencha (2013) Recurrence includes (Ref. 1) Q26 Q3 Q10 Q30	Tran (2016) Fall (respiratory)*	4.2 100	5.1 100		0.82 [0.23; 2.91]
Methods (2013) Governlessing March 2013) Governlessing March 2013 (Sovernlessing March 2013) (Sovernlessing March 2013) (Sovernlessing March 2014) (Sovernlessin					
Lower (2015) (housed aid messine side effects of methods of metho					
Level (2015) Perived control (sequence) 340 62 750 117 208 [Dote, 1:11] Large (1) (Dit) (Recommend code) (sequence) 450 67 680 103 607 100 608 100.2 850 100.2 850 100 <td></td> <td></td> <td></td> <td></td> <td></td>					
Lives (2015) Neural at all heaves in the main family 460 62 640 116 677 107.8 60.8 Lives (2015) Resonance in optical maximum family 420 30 70.0 114 60.8 107.1 60.8 Lives (2015) Resonance in optical maximum family (very lateral optica					
Lives: [2015] Recommend height be frames on regression (a first of a first of					
Livers (2015) Networked help after presents on all hubbrs (very last sets) (very day last set					
Calley-Landsez (2017) Horv selecting (recyclassical) 25 00 7.7 6.0 0.00 0.74 1.64 Lower (2017) Horv selecting (recyclassical) 0.00 0.74 1.64 0.80 0.74 1.64 Lawer (2007) Horvsouries of n'n 0.00 0.74 1.64 0.80 0.81 0.86 <td></td> <td></td> <td></td> <td><u>-</u></td> <td></td>				<u>-</u>	
Local (2015) Resched Heig with Latificacy/Resignan 190 0.40 6.80 6.80 0.80 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
Evene (2003) ICU ancounters per In 6.0 910 410 680 0.88	Livorsi (2015) Received help with bathroom/bedpan		49.0 68	±	0.88 [0.64; 1.20]
Calify-Lencing (2017) Human relation with HOV (sey/statisfied) 27 50 60 60 0.00					
Livers (2015) Nuese listen acreduly Control (2017) Days (New Yeaken's (very last sheet) Control (2017) Days (New Yeaken's Control (2017)	Guilley-Lerondeau (2017) Human relation with HCW (very/satisfied)			<u>.</u>	0.90 [0.80; 1.01]
Livers (2015) Nuese listen acreduly Control (2017) Days (New Yeaken's (very last sheet) Control (2017) Days (New Yeaken's Control (2017)				-	
Livers (2015) Nuese listen acreduly contexponent (verystatisfied) 2710 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Croft(2015) Preventable non infectioutrs event	37.0 148	41.0 148		0.90 [0.62; 1.32]
Cullip-Lanchezel (2017) Diplip HCW presence (very/statisfied) 27.0 30 50.0 24 100 Tren (2016) Medication incident (MRSA)* 22.0 10.0 24.0 100 24.0 100 24.0 100 24.0 100 24.0 100 24.0 100 24.0 100 120.0 100.0 </td <td></td> <td></td> <td></td> <td></td> <td></td>					
Metroica (2013) Top bots from all discharge information 300 37 450 51 0.02 [0.76] 1.11 Lupper-Mendoza (2015) The room was constrated 510 62 67.0 72 <	Guilley-Lerondeau (2017) Daily HCW presence (very/satisfied)	27.0 30	59.0 60	<u>i</u>	0.92 [0.81; 1.04]
Lupon Mendozia (2015) The room was controllable 62.0 72 72 0.33 0.83 1.04 Lupon Mendozia (2015) Nares notes were recorded every day 64.0 72 70.0 72 0.33 0.83 1.04 Lupon Mendozia (2015) Nares notes were recorded every day 64.0 72 70.0 72 0.033 0.85 1.01 Lupon Mendozia (2015) Black present and temperature recorded all even conce a sky 62.0 77 70.0 72 0.033 0.85 1.01 Lupon Mendozia (2015) Black present recorded all even recorded all even recorded all even conce a sky 62.0 77 70.0 72 0.033 0.85 1.01 Lupon Mendozia (2015) Class regularitified) 27.0 72 0.04 0.83 1.02 0.84 0.81 0					
Evans (2005) Encourters per fr (no) 50 485 110 1002 0.94 (0.33) 2.66) Lupion-Mendoza (2015) Nurses provided before all procedures 620 72 680 72 0.94 (0.84) 1.05) Lupion-Mendoza (2015) Nurses provided before all procedures 620 72 680 72 0.94 (0.85) 1.044 Upion-Mendoza (2015) Norse streat with problem 610 72 0.94 (0.87) 1.02 0.94 (0.87) 1.02 0.94 (0.86) 1.02 0.94 (0.87) 1.02 0.94 (0.87) 1.02 0.94 (0.82) 1.03 <td< td=""><td>Lupion-Mendoza (2015) The room was comfortable</td><td>62.0 72</td><td>67.0 72</td><td>Ē.</td><td>0.93 [0.83; 1.04]</td></td<>	Lupion-Mendoza (2015) The room was comfortable	62.0 72	67.0 72	Ē.	0.93 [0.83; 1.04]
Evans (2005) Encourters per fr (no) 50 485 110 1002 0.94 (0.33) 2.66) Lupion-Mendoza (2015) Nurses provided before all procedures 620 72 680 72 0.94 (0.84) 1.05) Lupion-Mendoza (2015) Nurses provided before all procedures 620 72 680 72 0.94 (0.85) 1.044 Upion-Mendoza (2015) Norse streat with problem 610 72 0.94 (0.87) 1.02 0.94 (0.87) 1.02 0.94 (0.86) 1.02 0.94 (0.87) 1.02 0.94 (0.87) 1.02 0.94 (0.82) 1.03 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
Evans (2003) Encounters per fr (no) 50 485 11.0 1002 0.94 0.33, 2.69 Lupion-Mendoza (2015) Clave sprovided before all procedures 62.0 72 68.0 72 0.94 (0.84, 1.05) Lupion-Mendoza (2015) Nurses provided before all procedures 62.0 72 68.0 72 0.94 (0.87, 1.02) Memotra (2013) Hospital staff help with pain 28.0 37 38.0 61 0.94 (0.87, 1.02) Memotra (2013) Hospital staff help with pain 28.0 30 80.0 62 0.60 12.0 0.85 0.84 (0.7, 2.1, 2.1, 2.1, 2.1, 2.1, 2.1, 2.1, 2.1		33.0 37	49.0 51	-	
Evans (2005) Encourters per fr (no) 50 485 110 1002 0.94 (0.33) 2.66) Lupion-Mendoza (2015) Nurses provided before all procedures 620 72 680 72 0.94 (0.84) 1.05) Lupion-Mendoza (2015) Nurses provided before all procedures 620 72 680 72 0.94 (0.85) 1.044 Upion-Mendoza (2015) Norse streat with problem 610 72 0.94 (0.87) 1.02 0.94 (0.87) 1.02 0.94 (0.86) 1.02 0.94 (0.87) 1.02 0.94 (0.87) 1.02 0.94 (0.82) 1.03 <td< td=""><td></td><td></td><td></td><td>11 A</td><td></td></td<>				11 A	
Evans (2005) Encourters per fr (no) 50 485 110 1002 0.94 (0.33) 2.66) Lupion-Mendoza (2015) Nurses provided before all procedures 620 72 680 72 0.94 (0.84) 1.05) Lupion-Mendoza (2015) Nurses provided before all procedures 620 72 680 72 0.94 (0.85) 1.044 Upion-Mendoza (2015) Norse streat with problem 610 72 0.94 (0.87) 1.02 0.94 (0.87) 1.02 0.94 (0.86) 1.02 0.94 (0.87) 1.02 0.94 (0.87) 1.02 0.94 (0.82) 1.03 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
Evans (2005) Encourters per fr (no) 50 485 110 1002 0.94 (0.33) 2.66) Lupion-Mendoza (2015) Nurses provided before all procedures 620 72 680 72 0.94 (0.84) 1.05) Lupion-Mendoza (2015) Nurses provided before all procedures 620 72 680 72 0.94 (0.85) 1.044 Upion-Mendoza (2015) Norse streat with problem 610 72 0.94 (0.87) 1.02 0.94 (0.87) 1.02 0.94 (0.86) 1.02 0.94 (0.87) 1.02 0.94 (0.87) 1.02 0.94 (0.82) 1.03 <td< td=""><td></td><td></td><td></td><td><u> </u></td><td></td></td<>				<u> </u>	
Lupion-Mendoza (2015) Clear explanations were provided before all procedures 62.0 72 66.0 72 0.94 0.84 1.05 Lupion-Mendoza (2015) Nurses statifactory 66.0 72 70.0 72 0.94 0.85 1.04 Behrotra (2015) Nurses statifactory 66.0 72 70.0 72 0.94 0.85 1.04 Culley-Lerondeau (2017) Global hygiene (very/satisfied) 280 0.95 0.60 0.95 0.86 1.05 Luvers (2015) Nurses ittera with courtesy and respect 31.0 37 45.0 61 0.95 0.86 1.05 Memorta (2013) Top box for all nursing communication 27 37 38.0 61 0.95 0.06 1.22 0.95 0.86 0.77 1.30 Memorta (2013) Top box for all nursing communication 27 37 38.0 61 0.95 0.67 1.22 Lupion-Mendoza (2015) Top bytica visit doctor 26.0 31 94.0 108 107.6 1.22 Lupion-Mendoza (2015) Top bytican visit doctor 26.0				E Contraction of the second se	
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.38 0.174, 1.32 Lupion-Mendoza (2015) Musciss explain things in understandable way 64.0 72 65.0 72 0.98 0.88; 1.10 Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 0.94; 1.03 Lupion-Mendoza (2015) Intrequently felt lonely during admission 17.0 72 72.0 72 0.99 0.96; 1.01 Lupion-Mendoza (2015) Intrequently felt lonely during admission 17.0 72 1.00 10.05; 1.80 Tran (2013) Busces treated the patients in polite and respectful manner 71.0 72 72.0 72 1.00 10.01; 10; 156, 49 Mehrotra (2013) Busces treated the patients 1.01 10.78; 1.30 1.01 10.78; 1.30 Mehrotra (2013) Busces treated the patients 1.01 10.78; 1.30 1.01 10.78; 1.30 Mehrotra (2013) Busces treated the patients 1.01 10.78; 1.20 1.24 1.01 10.78; 1.30 Mehrotra (2013) Busces treated the patients 1.01 1.02 1.02 1.02 1.02 1.0					
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.38 0.174, 1.32 Lupion-Mendoza (2015) Musciss explain things in understandable way 64.0 72 65.0 72 0.98 0.88; 1.10 Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 0.94; 1.03 Lupion-Mendoza (2015) Intrequently felt lonely during admission 17.0 72 72.0 72 0.99 0.96; 1.01 Lupion-Mendoza (2015) Intrequently felt lonely during admission 17.0 72 1.00 10.05; 1.80 Tran (2013) Busces treated the patients in polite and respectful manner 71.0 72 72.0 72 1.00 10.01; 10; 156, 49 Mehrotra (2013) Busces treated the patients 1.01 10.78; 1.30 1.01 10.78; 1.30 Mehrotra (2013) Busces treated the patients 1.01 10.78; 1.30 1.01 10.78; 1.30 Mehrotra (2013) Busces treated the patients 1.01 10.78; 1.20 1.24 1.01 10.78; 1.30 Mehrotra (2013) Busces treated the patients 1.01 1.02 1.02 1.02 1.02 1.0					
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.38 0.174, 1.32 Lupion-Mendoza (2015) Musciss explain things in understandable way 64.0 72 65.0 72 0.98 0.88; 1.10 Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 0.94; 1.03 Lupion-Mendoza (2015) Intrequently felt lonely during admission 17.0 72 72.0 72 0.99 0.96; 1.01 Lupion-Mendoza (2015) Intrequently felt lonely during admission 17.0 72 1.00 10.05; 1.80 Tran (2013) Busces treated the patients in polite and respectful manner 71.0 72 72.0 72 1.00 10.01; 10; 156, 49 Mehrotra (2013) Busces treated the patients 1.01 10.78; 1.30 1.01 10.78; 1.30 Mehrotra (2013) Busces treated the patients 1.01 10.78; 1.30 1.01 10.78; 1.30 Mehrotra (2013) Busces treated the patients 1.01 10.78; 1.20 1.24 1.01 10.78; 1.30 Mehrotra (2013) Busces treated the patients 1.01 1.02 1.02 1.02 1.02 1.0	Lupion-Mendoza (2015) Room cleaning was satisfactory	66.0 72	70.0 72	1	0.94 [0.87; 1.02]
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.38 0.174, 1.32 Lupion-Mendoza (2015) Musciss explain things in understandable way 64.0 72 65.0 72 0.98 0.88; 1.10 Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 0.94; 1.03 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 72.0 72 0.99 0.96; 1.01 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 1.00 10.05; 1.80 Tran (2013) Busces treated the patients in polite and respectful manner 71.0 72 72.0 72 1.00 10.05; 1.80 Mehrotra (2013) Laboratory incident (MRSA)* 0.3 100 0.3 100 1.01 10.78; 1.30 Mehrotra (2013) Boster giving new medicine, hospital staff tells what it is for 30.0 37 41.0 51 1.01 10.78; 1.20 Luviori-Mendoza (2015) Daily glycemic levels were recorded as indicated, everyday (only diabetic patients) 31.0 31 18.0 18 1.00 10.0 1.22 1.44				-	
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.98 [0.17, 1.32] Lupion-Mendoza (2015) Murses explain things in understandable way 64.0 72 65.0 72 0.98 [0.88, 1.10] Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 [0.94, 1.03] Lupion-Mendoza (2015) Introquently felt lonely during admission 17.0 72 72.0 72 0.99 [0.94, 1.03] Lupion-Mendoza (2015) Introquently felt lonely during admission 17.0 72 1.00 [0.56, 1.80] 1.00 [0.68, 1.30] Mehrotra (2013) Bost for all doctor communication 27.0 37 37.0 51 1.01 [0.78, 1.30] Mehrotra (2013) Bost for all doctor communication 27.0 37 37.0 51 1.01 [0.78, 1.30] Mehrotra (2013) Dectors explain things in an understandable way 30.0 37 41.0 51 1.01 [0.82, 1.21] Livorsi (2015) Doctors explain things in an understandable way 50.0 68 99.0 137 1.02 [0.85, 1.22] Livorsi (2015) Room	Livorsi (2015) Written information on problems to look for after discharge	52.0 62	106.0 120	<u> </u>	0.95 [0.84; 1.08]
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.38 0.174, 1.32 Lupion-Mendoza (2015) Musciss explain things in understandable way 64.0 72 65.0 72 0.98 0.88; 1.10 Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 0.94; 1.03 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 72.0 72 0.99 0.96; 1.01 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 1.00 10.05; 1.80 Tran (2013) Busces treated the patients in polite and respectful manner 71.0 72 72.0 72 1.00 10.05; 1.80 Mehrotra (2013) Laboratory incident (MRSA)* 0.3 100 0.3 100 1.01 10.78; 1.30 Mehrotra (2013) Boster giving new medicine, hospital staff tells what it is for 30.0 37 41.0 51 1.01 10.78; 1.20 Luviori-Mendoza (2015) Daily glycemic levels were recorded as indicated, everyday (only diabetic patients) 31.0 31 18.0 18 1.00 10.0 1.22 1.44				+	
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.38 0.174, 1.32 Lupion-Mendoza (2015) Musciss explain things in understandable way 64.0 72 65.0 72 0.98 0.88; 1.10 Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 0.94; 1.03 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 72.0 72 0.99 0.96; 1.01 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 1.00 10.05; 1.80 Tran (2013) Busces treated the patients in polite and respectful manner 71.0 72 72.0 72 1.00 10.05; 1.80 Mehrotra (2013) Laboratory incident (MRSA)* 0.3 100 0.3 100 1.01 10.78; 1.30 Mehrotra (2013) Boster giving new medicine, hospital staff tells what it is for 30.0 37 41.0 51 1.01 10.78; 1.20 Luviori-Mendoza (2015) Daily glycemic levels were recorded as indicated, everyday (only diabetic patients) 31.0 31 18.0 18 1.00 10.0 1.22 1.44	Mehrotra (2013) Top box for all nursing communication	27.0 37	39.0 51	重	0.95 [0.74; 1.22]
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.98 [0.17, 1.32] Lupion-Mendoza (2015) Murses explain things in understandable way 64.0 72 65.0 72 0.98 [0.88, 1.10] Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 [0.94, 1.03] Lupion-Mendoza (2015) Introquently felt lonely during admission 17.0 72 72.0 72 0.99 [0.94, 1.03] Lupion-Mendoza (2015) Introquently felt lonely during admission 17.0 72 1.00 [0.56, 1.80] 1.00 [0.68, 1.30] Mehrotra (2013) Bost for all doctor communication 27.0 37 37.0 51 1.01 [0.78, 1.30] Mehrotra (2013) Bost for all doctor communication 27.0 37 37.0 51 1.01 [0.78, 1.30] Mehrotra (2013) Dectors explain things in an understandable way 30.0 37 41.0 51 1.01 [0.82, 1.21] Livorsi (2015) Doctors explain things in an understandable way 50.0 68 99.0 137 1.02 [0.85, 1.22] Livorsi (2015) Room					
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.38 0.174, 1.32 Lupion-Mendoza (2015) Musciss explain things in understandable way 64.0 72 65.0 72 0.98 0.88; 1.10 Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 0.94; 1.03 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 72.0 72 0.99 0.96; 1.01 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 1.00 10.05; 1.80 Tran (2013) Busces treated the patients in polite and respectful manner 71.0 72 72.0 72 1.00 10.05; 1.80 Mehrotra (2013) Laboratory incident (MRSA)* 0.3 100 0.3 100 1.01 10.78; 1.30 Mehrotra (2013) Boster giving new medicine, hospital staff tells what it is for 30.0 37 41.0 51 1.01 10.78; 1.20 Luviori-Mendoza (2015) Daily glycemic levels were recorded as indicated, everyday (only diabetic patients) 31.0 31 18.0 18 1.00 10.0 1.22 1.44	Saint (2003) Examined by senior resident doctor	26.0 31	94.0 108	重	0.96 [0.81, 1.14]
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.38 0.174, 1.32 Lupion-Mendoza (2015) Musciss explain things in understandable way 64.0 72 65.0 72 0.98 0.88; 1.10 Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 0.94; 1.03 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 72.0 72 0.99 0.96; 1.01 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 1.00 10.05; 1.80 Tran (2013) Busces treated the patients in polite and respectful manner 71.0 72 72.0 72 1.00 10.05; 1.80 Mehrotra (2013) Laboratory incident (MRSA)* 0.3 100 0.3 100 1.01 10.78; 1.30 Mehrotra (2013) Boster giving new medicine, hospital staff tells what it is for 30.0 37 41.0 51 1.01 10.78; 1.20 Luviori-Mendoza (2015) Daily glycemic levels were recorded as indicated, everyday (only diabetic patients) 31.0 31 18.0 18 1.00 10.0 1.22 1.44					
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.38 0.174, 1.32 Lupion-Mendoza (2015) Musciss explain things in understandable way 64.0 72 65.0 72 0.98 0.88; 1.10 Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 0.94; 1.03 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 72.0 72 0.99 0.96; 1.01 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 1.00 10.05; 1.80 Tran (2013) Busces treated the patients in polite and respectful manner 71.0 72 72.0 72 1.00 10.05; 1.80 Mehrotra (2013) Laboratory incident (MRSA)* 0.3 100 0.3 100 1.01 10.78; 1.30 Mehrotra (2013) Boster giving new medicine, hospital staff tells what it is for 30.0 37 41.0 51 1.01 10.78; 1.20 Luviori-Mendoza (2015) Daily glycemic levels were recorded as indicated, everyday (only diabetic patients) 31.0 31 18.0 18 1.00 10.0 1.22 1.44		69.0 72	71.0 72	画	0.97 [0.92; 1.03]
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.98 [0.17, 1.32] Lupion-Mendoza (2015) Murses explain things in understandable way 64.0 72 65.0 72 0.98 [0.88, 1.10] Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 [0.94, 1.03] Lupion-Mendoza (2015) Introquently felt lonely during admission 17.0 72 72.0 72 0.99 [0.94, 1.03] Lupion-Mendoza (2015) Introquently felt lonely during admission 17.0 72 1.00 [0.56, 1.80] 1.00 [0.68, 1.30] Mehrotra (2013) Bost for all doctor communication 27.0 37 37.0 51 1.01 [0.78, 1.30] Mehrotra (2013) Bost for all doctor communication 27.0 37 37.0 51 1.01 [0.78, 1.30] Mehrotra (2013) Dectors explain things in an understandable way 30.0 37 41.0 51 1.01 [0.82, 1.21] Livorsi (2015) Doctors explain things in an understandable way 50.0 68 99.0 137 1.02 [0.85, 1.22] Livorsi (2015) Room				-	
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.38 0.174, 1.32 Lupion-Mendoza (2015) Musciss explain things in understandable way 64.0 72 65.0 72 0.98 0.88; 1.10 Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 0.94; 1.03 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 72.0 72 0.99 0.96; 1.01 Lupion-Mendoza (2015) Integuently felt lonely during admission 17.0 72 1.00 10.05; 1.80 Tran (2013) Busces treated the patients in polite and respectful manner 71.0 72 72.0 72 1.00 10.05; 1.80 Mehrotra (2013) Laboratory incident (MRSA)* 0.3 100 0.3 100 1.01 10.78; 1.30 Mehrotra (2013) Boster giving new medicine, hospital staff tells what it is for 30.0 37 41.0 51 1.01 10.78; 1.20 Luviori-Mendoza (2015) Daily glycemic levels were recorded as indicated, everyday (only diabetic patients) 31.0 31 18.0 18 1.00 10.0 1.22 1.44			106.0 137	両	
Wehrotra (2013) Nurses explain things in understandable way 30.0 37 42.0 51 0.98 [0.17, 1.32] Lupion-Mendoza (2015) Murses explain things in understandable way 64.0 72 65.0 72 0.98 [0.88, 1.10] Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 [0.94, 1.03] Lupion-Mendoza (2015) Introquently felt lonely during admission 17.0 72 72.0 72 0.99 [0.94, 1.03] Lupion-Mendoza (2015) Introquently felt lonely during admission 17.0 72 1.00 [0.56, 1.80] 1.00 [0.68, 1.30] Mehrotra (2013) Bost for all doctor communication 27.0 37 37.0 51 1.01 [0.78, 1.30] Mehrotra (2013) Bost for all doctor communication 27.0 37 37.0 51 1.01 [0.78, 1.30] Mehrotra (2013) Dectors explain things in an understandable way 30.0 37 41.0 51 1.01 [0.82, 1.21] Livorsi (2015) Doctors explain things in an understandable way 50.0 68 99.0 137 1.02 [0.85, 1.22] Livorsi (2015) Room				-	
Lupion-Mendoza (2015) Medical notes were recorded every day 64.0 72 65.0 72 0.98 [0.88; 1.10] Lupion-Mendoza (2015) Nurses treated the patients in polite and respectful manner 70.0 72 71.0 72 0.99 [0.94; 1.03] Lupion-Mendoza (2015) Physicians treated the patients in polite and respectful manner 70.0 72 72.0 72 0.99 [0.94; 1.03] Lupion-Mendoza (2015) Irrequently felt lonely during admission 17.0 72 17.0 72 1.00 [0.56; 1.80] Tran (2016) Laboratory incident (MRSA)* 0.3 100 .3 100 .101 [0.78; 1.30] Mehrotra (2013) Top box for all doctor communication 27.0 37 37.0 51 1.01 [0.82; 1.24] Lupion-Mendoza (2015) Daily glycemic levels were recorded as indicated, everyday (only diabetic patients) 31.0 31 31 31 130 16 1.02 [0.84; 1.23] Livorsi (2015) Doctors listen carefully 51.0 70 77 99.0 100 1.01 [0.82; 1.23] Livorsi (2015) Doctors listen carefully 51.0 70 98.0 137 1.02 [0.84; 1.23] <td></td> <td>25.0 37</td> <td>35.0 51</td> <td></td> <td></td>		25.0 37	35.0 51		
Lupion-Mendoza (2015) Physicians treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 1.00 Lupion-Mendoza (2015) I frequently felt lonely during admission 17.0 72 17.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0				÷	
Lupion-Mendoza (2015) Physicians treated the patients in polite and respectful manner 71.0 72 72.0 72 0.99 1.01 Lupion-Mendoza (2015) I frequently felt lonely during admission 17.0 72 10.0 [0.65, 1.20] 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 10.0 <td></td> <td></td> <td></td> <td>÷.</td> <td></td>				÷.	
Tran (2016) Laboratory incident (MRSA)* 0.3 100 0.3 100 1.00 [0.01; 156.49] Mehrotra (2013) Top box for all doctor communication 27.0 37 37.0 51 1.01 [0.78; 1.30] Mehrotra (2013) Before giving new medicine, hospital staff tells what it is for 30.0 37 41.0 51 1.01 [0.78; 1.30] Lupion-Mendoza (2015) Daily glycemic levels were recorded as indicated, everyday (only diabetic patients) 31.0 31 18.0 18 1.00 [0.92; 1.09] Mehrotra (2013) Doctors septial intings in an understandable way 50.0 68 90.0 137 1.02 [0.84; 1.23] Livorsi (2015) Doctors explain things in an understandable way 51.0 70 98.0 137 1.02 [0.85; 1.22] Tran (2016) Any adverse event (respiratory)* 9.1 100 8.9 100 1.03 [0.8; 1.24] Livorsi (2015) Doctors ital raing th individual) 24.0 37 32.0 51 1.02 [0.84; 1.23] Livorsi (2015) Docreal rating of hospital =>9/10 44.0 68 85.0 135 1.03 [0.83; 1.28] Mehrotra (2013) Doctors treat with cour					
Tran (2016) Any adverse event (respiratory)*9.11008.91001.02 $[0.42]$ 2.47]Livorsi (2015) Overall rating of hospital =>9/1044.06885.01351.03 $[0.83]$ 1.22]Mehrotra (2013) Area near room quiet at night (individual)24.03732.0511.04 $[0.83]$ 1.24]Evans (2003) Floor encounters per hr4.01668.03441.04 $[0.32]$ 3.39]Lupion-Mendoza (2015) Physicians provided clear information about the health problem66.07262.0721.06 $[0.95]$ 1.20]Mehrotra (2013) Doctors treat with courtesy and respect33.037 42.0 511.08 $[0.91]$ 1.28 Lau (2016) ED visit 30 days22.07519.0 420 1.13 $[0.77]$ 1.62 Tran (2016) Any adverse event (MRSA)*59.073752.07371.13 $[0.79]$ 1.62 Tran (2016) Readmission or ED visit (respiratory)1.14 $[0.96]$ 1.44	Tran (2016) Laboratory incident (MRSA)*				
Tran (2016) Any adverse event (respiratory)*9.11008.91001.02 $[0.42]$ 2.47]Livorsi (2015) Overall rating of hospital =>9/1044.06885.01351.03 $[0.83]$ 1.22]Mehrotra (2013) Area near room quiet at night (individual)24.03732.0511.04 $[0.83]$ 1.24]Evans (2003) Floor encounters per hr4.01668.03441.04 $[0.32]$ 3.39]Lupion-Mendoza (2015) Physicians provided clear information about the health problem66.07262.0721.06 $[0.95]$ 1.20]Mehrotra (2013) Doctors treat with courtesy and respect33.037 42.0 511.08 $[0.91]$ 1.28 Lau (2016) ED visit 30 days22.07519.0 420 1.13 $[0.77]$ 1.62 Tran (2016) Any adverse event (MRSA)*59.073752.07371.13 $[0.79]$ 1.62 Tran (2016) Readmission or ED visit (respiratory)1.14 $[0.96]$ 1.44				皇	
Tran (2016) Any adverse event (respiratory)*9.11008.91001.02 $[0.42]$ 2.47]Livorsi (2015) Overall rating of hospital =>9/1044.06885.01351.03 $[0.83]$ 1.22]Mehrotra (2013) Area near room quiet at night (individual)24.03732.0511.04 $[0.83]$ 1.24]Evans (2003) Floor encounters per hr4.01668.03441.04 $[0.32]$ 3.39]Lupion-Mendoza (2015) Physicians provided clear information about the health problem66.07262.0721.06 $[0.95]$ 1.20]Mehrotra (2013) Doctors treat with courtesy and respect33.037 42.0 511.08 $[0.91]$ 1.28 Lau (2016) ED visit 30 days22.07519.0 420 1.13 $[0.77]$ 1.62 Tran (2016) Any adverse event (MRSA)*59.073752.07371.13 $[0.79]$ 1.62 Tran (2016) Readmission or ED visit (respiratory)1.14 $[0.96]$ 1.44				ž.	
Tran (2016) Any adverse event (respiratory)*9.11008.91001.02 $[0.42]$ 2.47]Livorsi (2015) Overall rating of hospital =>9/1044.06885.01351.03 $[0.83]$ 1.22]Mehrotra (2013) Area near room quiet at night (individual)24.03732.0511.04 $[0.83]$ 1.24]Evans (2003) Floor encounters per hr4.01668.03441.04 $[0.32]$ 3.39]Lupion-Mendoza (2015) Physicians provided clear information about the health problem66.07262.0721.06 $[0.95]$ 1.20]Mehrotra (2013) Doctors treat with courtesy and respect33.037 42.0 511.08 $[0.91]$ 1.28 Lau (2016) ED visit 30 days22.07519.0 420 1.13 $[0.77]$ 1.62 Tran (2016) Any adverse event (MRSA)*59.073752.07371.13 $[0.79]$ 1.62 Tran (2016) Readmission or ED visit (respiratory)1.14 $[0.96]$ 1.44	Lupion-Mendoza (2015) Daily glycemic levels were recorded as indicated, everyday (only diabetic patients)			<u>.</u>	
Tran (2016) Any adverse event (respiratory)*9.11008.91001.02 $[0.42]$ 2.47]Livorsi (2015) Overall rating of hospital =>9/1044.06885.01351.03 $[0.83]$ 1.22]Mehrotra (2013) Area near room quiet at night (individual)24.03732.0511.04 $[0.83]$ 1.24]Evans (2003) Floor encounters per hr4.01668.03441.04 $[0.32]$ 3.39]Lupion-Mendoza (2015) Physicians provided clear information about the health problem66.07262.0721.06 $[0.95]$ 1.20]Mehrotra (2013) Doctors treat with courtesy and respect33.037 42.0 511.08 $[0.91]$ 1.28 Lau (2016) ED visit 30 days22.07519.0 420 1.13 $[0.77]$ 1.62 Tran (2016) Any adverse event (MRSA)*59.073752.07371.13 $[0.79]$ 1.62 Tran (2016) Readmission or ED visit (respiratory)1.14 $[0.96]$ 1.44				+	
Livorsi (2015) Överall rating of hospital =>9/10 44.0 68 85.0 135 1.03 [0.83; 1.28] Mehrotra (2013) Area near room quiet at night (individual) 24.0 37 32.0 51 1.04 [0.82; 3.39] Lupion-Mendoza (2015) Physicians provided clear information about the health problem 66.0 72 62.0 72 1.06 [0.95; 1.20] Mehrotra (2013) Doctors treat with courtesy and respect 33.0 37 42.0 51 1.08 [0.91; 1.28] Lau (2016) ED visit 30 days 22.0 75 109.0 420 1.13 [0.77; 1.66] Tran (2016) Inpatient mortality (MRSA) 59.0 737 52.0 737 1.13 [0.79; 1.62] Tran (2016) Readmission or ED visit (respiratory) 12.4 100 10.7 100 1.14 [0.96; 1.44]	Livorsi (2015) Room quiet at night	51.0 70	98.0 137	1	1.02 [0.85; 1.22]
Mehrotra (2013) Area near room quiet at night (individual) 24.0 37 32.0 51 1.03 [0.75; 1.42] Evans (2003) Floor encounters per hr 4.0 166 8.0 344 1.04 [0.32; 3.39] Lupion-Mendoza (2015) Physicians provided clear information about the health problem 66.0 72 62.0 72 1.08 [0.91; 1.28] Lau (2016) ED visit 30 days 22.0 75 109.0 420 1.13 [0.77; 1.66] Tran (2016) Inpatient mortality (MRSA) 59.0 737 52.0 737 1.13 [0.79; 1.62] Tran (2016) Any adverse event (MRSA)* 12.4 100 10.7 100 1.16 [0.54; 2.50] Tran (2016) Readmission or ED visit (respiratory) 1.14 [0.96; 1.44] 1.14 [0.96; 1.44]					
Lupion-Mendoza (2015) Physicians provided clear information about the health problem 66.0 72 62.0 72 1.06 [0.95; 1.20] Mehrotra (2013) Doctors treat with courtesy and respect 33.0 37 42.0 51 1.08 [0.91; 1.28] Lau (2016) ED visit 30 days 22.0 75 190.0 420 1.13 [0.97; 1.66] Tran (2016) Inpatient mortality (MRSA) 59.0 737 52.0 737 1.13 [0.79; 1.62] Tran (2016) Any adverse event (MRSA)* 12.4 100 10.7 1.06 [0.54; 2.50] Tran (2016) Readmission or ED visit (respiratory) 107 100 1.18 [0.96; 1.44]	Mehrotra (2013) Area near room quiet at night (individual)	24.0 37	32.0 51		1.03 [0.75; 1.42]
Tran (2016) Any adverse event (MRSA)* 12.4 100 10.7 100 1.16 [0.54] 2.50] Tran (2016) Readmission or ED visit (respiratory) 167.0 737 142.0 737 1.18 [0.96] 1.44]					
Tran (2016) Any adverse event (MRSA)* 12.4 100 10.7 100 1.16 [0.54] 2.50] Tran (2016) Readmission or ED visit (respiratory) 167.0 737 142.0 737 1.18 [0.96] 1.44]	Mehrotra (2013) Doctors treat with courtesy and respect	33.0 37	42.0 51	Ē	1.08 [0.91; 1.28]
Tran (2016) Any adverse event (MRSA)* 12.4 100 10.7 100 1.16 [0.54] 2.50] Tran (2016) Readmission or ED visit (respiratory) 167.0 737 142.0 737 1.18 [0.96] 1.44]				圭	
	Tran (2016) Any adverse event (MRSA)*	12.4 100	10.7 100	- <u>-</u> -	1.16 [0.54; 2.50]
0.01 0.1 1 10 100	Tran (2016) Readmission or ED visit (respiratory)	167.0 737	142.0 737		1.18 [0.96; 1.44]
			0.	01 0.1 1 10	100

Risk decreased if isolated Risk increased if isolated