



City Research Online

City, University of London Institutional Repository

Citation: Pothos, E. M., Basieva, I., Khrennikov, A. & Yearsley, J. (2019). Perspectives on Correctness in Probabilistic Inference from Psychology. *The Spanish Journal of Psychology*, 22, E55. doi: 10.1017/sjp.2019.48

This is the accepted version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: <https://openaccess.city.ac.uk/id/eprint/23852/>

Link to published version: <https://doi.org/10.1017/sjp.2019.48>

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

Perspectives on correctness in probabilistic inference from psychology

Emmanuel M. Pothos¹

Irina Basieva¹

Andrei Khrennikov²

James M. Yearsley¹

1. Department of Psychology, City, University of London, London EC1V 0HB, UK.

Irina.Basieva@city.ac.uk, Emmanuel.Pothos.1@city.ac.uk, James.Yearsley@city.ac.uk

2. International Center for Mathematical Modeling In Physics and Cognitive Science, Linnaeus University, Universitetplatsen 1 351 95 Växjö, Sweden. andrei.khrennikov@lnu.se

Funding: EMP was supported by Office of Naval Research Global grant N62909-19-1-2000.

Abstract

Research into decision making has enabled us to appreciate that the notion of correctness is multifaceted. Different normative framework for correctness can lead to different insights about correct behaviour. We illustrate the shifts for correctness insights with two tasks, the Wason selection task and the conjunction fallacy task; these tasks have had key roles in the development of logical reasoning and decision making research respectively. The Wason selection task arguably has played an important part in the transition from understanding correctness using classical logic to classical probability theory (and information theory). The conjunction fallacy has enabled a similar shift from baseline classical probability theory to quantum probability. The focus of this overview is the latter, as it represents a novel way for understanding probabilistic inference in psychology. We conclude with some of the current challenges concerning the application of quantum probability theory in psychology in general and specifically for the problem of understanding correctness in decision making.

1. Introduction

Psychological research is arguably unique in the sense that it is not sufficient to identify descriptive models, we are also concerned with normative models. In other words, we are not just interested in providing models which can adequately describe a set of behaviours, we would also like to know what behaviours can be considered normative, in a certain situation. For many other sciences, inquiry is restricted to descriptive frameworks. For example, in physics no one is asking what the apple 'should' be doing once it is detached from a tree branch. In psychology, there are situations where the 'should' of which decisions are appropriate/ best can be even more important than the actual description of these behaviours. For example, in medical diagnosis (cf. Bergus et al., 1998) or legal decision making (McKenzie, Lee, & Chen, 2002; Trueblood & Busemeyer, 2011), we might be less concerned with typical or spontaneous decisions, rather we would want to be assured that the decisions reached in any one case are the best possible ones.

The notion of normative decision making in psychology can have a number of different facets and it is not always straightforward to disentangle them. At the very least, normative must imply 'correct', at least according to some framework. But normative is also typically taken to imply rational, to mean appropriate in some fundamental sense. Note, lay definitions of rationality typically involve statements along the lines 'having reason or understanding' or 'relating to, based on, or agreeable to reason' (these definitions were obtained from the Merriam-Webster online dictionary). However, in decision theory, rational behaviour goes beyond what is essentially reasonable to imply behaviours which can be justified in some objective, unassailable sense. Note, as introduced here, rational behaviour is somewhat narrow and does not, for example, include considerations about moral norms. It is a curious aspect of the history of decision making research that the long and influential discussions into the foundations of human rationality and the foundations of moral choice have been largely separate (we do not further consider moral choice in this work, but we provide some recent references which illustrate the relevant debates, Gamez-Djokic & Molden, 2016; Kahane & Shackel, 2010; Valdesolo & DeSteno, 2006).

The process of developing a descriptive model of decision making is fairly straightforward. The starting point is some behavioural results, for which a model is developed. The model is assessed against these results and ideally can be used to generate new empirical predictions, which constitute the critical tests of the model. An iterative process of collecting new data, refitting / refining the model, and proposing new empirical tests can continue indefinitely. By contrast, there is no analogous process for normative models. The origins of the development of a normative model are usually some mathematical framework that we consider as embodying an absolute standard of correctness for decision making. But how this mathematical framework is identified or justified is less clear and has led to inconsistent arguments in the history of decision making, that we will briefly introduce in the remainder of the paper.

We will cover two influential approaches to correctness in decision making and introduce a third more recent one. Classical logic and classical probability theory will be considered in the context of the Wason selection task (Wason, 1968; Wason & Johnson-Laird, 1972). Baseline classical probability theory and quantum probability theory will be assessed with the conjunction fallacy (Moro, 2009; Tversky & Kahneman, 1983). Of course, the intention is that all three frameworks have a scope which by far exceeds these particular tasks. Nevertheless, these tasks have had an important role in the development of the corresponding debate. Our focus will be quantum probability theory, because this represents a novel approach to decision making and indeed because quantum probability theory enables a shift into our intuitions regarding correctness that is both radical and has potentially far reaching implications.

2. Classical logic

The proposal that classical logic is the appropriate foundation for rationality in decision making essentially goes back to antiquity. Operationally, the way classical logic can be used to build a psychological model (for rational decision making) typically involves an assumption of a mental logic, that is a set of logical rules represented in the mind, such that any new problem can be cast into a form that can be resolved using some combination of these logical rules (e.g., Braine et al., 1995). For example, consider the Wason selection task (Wason, 1968). Participants are presented with four cards, for example, A, B, 1, 2. They are given this rule “If there is a vowel on one side of a card, there has to be an even number on the other side.” They are told that it is not known whether the rule is correct or not and that their job is to attempt to test the rule, by flipping cards and examining the information on the other side of each card. Note, participants know that all cards with a letter will have a number on the other side and vice versa. For example, in flipping the A card, there may be a 1 or 2 on the other side, the former being inconsistent with the rule and the latter consistent with the rule. According to a mental logic account of reasoning, the problem will be translated into a suitable abstract form (e.g., an “if, then” rule with abstract premises) and then various heuristic principles will dictate how the available cards can be utilized for testing the rule.

There have been several variations of the Wason selection task (e.g., Evans, 1991; Evans et al., 1991), but the typical pattern of results is this: most participants select the A card; many participants select the 2 card, hardly any participants select the B card, and likewise for the 1 card. The selection of the A card is clearly appropriate, since on observing a 2 on the other side we have some confirmation of the rule, but on seeing a 1 the rule is definitely refuted. The 2 card has potential to confirm the rule if, on flipping it, we observe an A on the other side. But if instead we see a B, then there is not much we can say about the rule, since the rule tells us nothing about situations for which there is B on the card. The B card is clearly not very helpful, as the rule does not apply when we have a B card. However, the selection of the 1 card would make sense: if on flipping the 1 card we see an A, then (again) we have definite evidence that the rule is false. The non-selection of the 1 card is the key result from the Wason selection task; it is the result which challenged the assumption that humans are rational (if rationality is understood in terms of classical logic), at the time. Eventually this result has led to decision theorists abandoning the view that classical logic is an appropriate foundation for human rationality (with a degree of self-interest, we could note that this is clearly preferable to a conclusion that humans are irrational).

Why is the non-selection of the 1 card so problematic? Because the 1 (and A) cards are the only ones which offer the potential of definite falsification of the Wason rule and so, according to classical logic (plus a principle that definite conclusions are the most desirable ones), the only rational choices. Note, here there is a slight conflation between classical logic as a rational standard for human decision making and a prerogative to reach definite conclusions, but this is less problematic than it may look, since an approach to human reasoning based on classical logic is essentially one of deductive inference.

The results of the Wason selection task do not necessarily reveal an inconsistency with classical logic, either as a normative or a descriptive framework for human reasoning. From a descriptive point of view, it is possible that the mind embodies a rational, logical module, but that this module operates on representations which are heuristically derived and so may contain inaccurate information (cf. Evans et al., 1991). Or it is possible that reasoning behaviour arises from the operation of multiple processes, such as a normative, logical one and one based on heuristics and biases. It is possible that the latter process is engaged more readily under conditions of time pressure, concurrent cognitive loads, or plain lack of interest – all of these conditions potentially apply in the case of participants taking part in a Wason selection task experiment. Such so-called dual (or multiple) route models of human reasoning and decision making have been popular, exemplifying a general intuition of a more intuitive vs. a more analytic mode to thought (Evans et al., 2007; Elqayam & Evans, 2013; Sloman, 1996; Kahneman, 2001).

Despite these potential ways in which a view of human rationality and behaviour based on classical logic could be salvaged, the overall verdict on classical logic has been diminishing interest. In

modern discussions of reasoning and decision making, classical logic tends not to be considered as a viable proposal (though note there are instances of employing logic in other ways in cognitive explanation, e.g., to measure complexity of composite concepts, Feldman, 2000). Note, one further reason for this diminishing interest regarding classical logic is the growing realization that deductive rules, as exemplified in classical logic, are not suitable for human everyday inference (Chater & Oaksford, 1993). In other words, it seems that it is rarely the case that we can derive monotonic, non-defeasible conclusions in everyday life reasoning situations, as we would be required to do following classical logic.

It is worth briefly mentioning an interesting theoretical variant of mental logic, involving so-called pragmatic reasoning schemas (Cheng & Holyoak, 1985). According to this view, there is no abstract mental logic regardless of content. Rather, there are privileged (how? Because of their importance in our lives) contexts, which benefit from context-specific (logical) rules. So, in this account, logical reasoning would be guided by e.g. obligation or permission schemas, corresponding to obligation or permission reasoning problems. We illustrate a permission schema with one of Cheng and Holyoak's (1985) demonstrations. Consider a postal system such that letters can be posted either sealed or unsealed, but the former have to carry a more expensive stamp than the latter. The given rationale for this rule is that sealed letters are often personal letters and therefore requiring higher postage for such letters would increase corresponding profit. Participants were presented with four stimuli, corresponding to letters, such that for two letters the front was shown (and so it could be determined whether the letter was sealed or not sealed) and for two other letters the back was shown (and so participants could see whether the cheaper or more expensive stamp was used). Participants were then asked whether the rule "if a letter is sealed, it needs to carry the more expensive stamp" was being followed by checking (turning over) some of the envelopes. Note, this is a permission situation because it concerns the circumstances under which one is permitted to use the cheaper stamp. Cheng and Holyoak's (1985) experiment is clearly analogous to the Wason selection task. However, unlike for the Wason selection task, results in this experiment showed close consistency with the prescription from classical logic (when the rationale for the postal rule was included, but not without the rationale; the result was replicated with different materials and rules). However, even when considering these pragmatic reasoning schemas, the assumed normative standard is classical logic. How can the correct selections in the Wason selection task be anything other than the ones recommended by classical logic?

3. Classical probability theory and information theory

Anderson (1990, 1991a, 1991b) advocated an influential view of rationality, according to which rationality is tantamount to optimal adaptation to one's environment. The idea of optimal adaptation is appealing, but one might be concerned that, without further constraints, such a view of rationality might encompass perhaps trivial examples of optimal adaptation. For example, even very basic organisms might be considered as optimally adapted to a restricted environment (for a more recent perspective on optimization, adaption, and rationality, see Asano et al., 2018).

The application of these ideas to the Wason selection task might lead us to approach the reasoning problems as one of identifying the card selections which maximally reduce uncertainty regarding the problem at hand. Specifically, in the Wason selection task we have two hypotheses, concerning whether the provided rule is correct or not correct. Initially, we would have some uncertainty regarding these hypotheses, influenced by our prior assumptions before engaging with the task. We are then faced with a choice of different card selections and the problem of which card selections would reduce our uncertainty the most.

Oaksford and Chater (1994) formalized these intuitions with information theory. The well-known definition of entropy or uncertainty is $I(H_i) = -\sum_{i=1}^n \text{Prob}(H_i) \log_2 \text{Prob}(H_i)$, where H_i are the hypotheses we are trying to discriminate between. We can interpret this quantity in different, equivalent ways. For example, we can interpret this quantity as the average codelength needed per symbol (in this case a symbol is one of the different hypotheses), if we are to identify the shortest code

for representing all symbols in our alphabet. Or it can be seen as the average number of binary questions required to identify any of the hypotheses in the set of available hypotheses. Entropy is higher when there are more equiprobable hypotheses and lower when there are few high probability ones; entropy can be seen as the quantification of uncertainty in a probability distribution. In the context of the Wason selection task, our problem is to identify the correct hypothesis (is the rule correct or is the rule wrong), employing the potential sources of data available.

Let us call $I'(H_i)$ the entropy regarding the available hypotheses, once data D has been observed. Then, $I'(H_i) = -\sum_{i=1}^n \text{Prob}(H_i|D) \log_2 \text{Prob}(H_i|D)$, where marginal probabilities have been replaced with conditional probabilities, depending on data D . So, we can specify a quantity of information gain, from observing data D , as $I_g = I(H_i|D) - I(H_i)$. However, participants would not know in advance what kind of data they will obtain, following different card selections. Let us further assume that different card selections are associated with different probabilities. In the most general case, suppose that data D has m possibilities. Then, the expected information gain from inquiring about data D would be $E(I_g) = [\sum_{k=1}^m \text{Prob}(D_k) I(H_i|D_k)] - I(H_i)$, where the posterior entropy is now weighted by the probabilities of different pieces of data. This expression is simply an average of expected information gain if we ‘inquire’ about data D , where the average is computed across all possible outcomes of this inquiry.

In order to derive predictions from Oaksford and Chater’s (1994) model for the Wason selection task, some assumptions are needed regarding the probability of different card outcomes. Based on such assumptions, the formalism allows quite a different perspective on which cards should be selected. As with classical logic, the A card is recommended for selection. But instead of the 1 card, under most circumstances, the card next most recommended for selection turns out to be the 2 card – just like participants do. The information-theoretic intuition behind these selections is straightforward. Let us recast the Wason selection task in terms of a problem along the lines “if a plate falls there will be a bang”. To test whether this rule is true or not, if we see a plate falling, we would want to listen out for a bang, as long as there are not bangs all the time. Conversely, if we hear a bang, it would make sense to see whether a plate has fallen, as long as both the probability of bangs and of plates falling are reasonably small. This last statement is a telling conclusion from this discussion. Is it not obvious that the card selections recommended by the information-theoretic analysis should be the A and 2 ones, as Oaksford and Chater’s (1994) analysis illustrates?

To sum up so far, we had seen that from the perspective of classical logic, the correct (and normative – so far we have been conflating the two) selection in the Wason selection task concerns the A and 1 cards, because these are the only cards with potential to provide definite conclusions regarding the falsity of the rule. From the perspective of uncertainty reduction, the correct selections are the A and 2 ones, since these are the ones with the potential to provide the most information about whether the hypothesis of interest (the Wason selection rule) is true or not. Arguably this is one of the most significant contributions of decision research, that it has enabled an appreciation that different formal frameworks can lead to alternative notions of correctness, for exactly the same task.

More generally, the assumption that parts of cognition may reflect a prerogative to minimize uncertainty or information complexity has proved very influential and extends the scope of decision making (e.g., see Garner, 1974; Miller, 1958). But note that the modern debate regarding the foundations of decision making has shifted from information reduction to classical probability theory.

Classical (or Bayesian) probability theory concerns the standard rules for probabilistic assignment. In fact, the basic classical probability axioms are so simple that we can state them here. First, the probability of any event is a non-negative number. Second, the probability of something which is definitely true is one. Third, for mutually exclusive events, $\text{Prob}(A \& B) = \text{Prob}(A) + \text{Prob}(B)$. Finally, conditional probabilities are defined through Bayes rule, $\text{Prob}(A|D) = \frac{\text{Prob}(A \& D)}{\text{Prob}(D)}$. More rigorous formalizations of classical probability theory axioms essentially follow the same

pattern (e.g., Kolmogorov, 1933). Note in this work we consider what one might call baseline classical probability theory, that is a straightforward application of classical probability theory rules, without any elaboration e.g. from sampling considerations or pragmatics (cf. Goodman et al., 2105; Griffiths et al., 2015).

A key observation regarding classical probability theory is that its axioms are very intuitive. For example, a favourite quote is from Laplace (1816, cited in Perfors et al., 2011), who noted that "... [CPT] is nothing but common sense reduced to calculation." Employing a formal framework which is intuitive for the purposes of modelling human intuition (in decision making) appears an appropriate approach. Another key observation is that the justification for the putative rational status of classical probability theory has proceeded in a formal way. In psychology, a key argument concerns the Dutch Book Theorem, according to which assigning probabilities in a way consistent with the axioms of classical probability theory protects a decision maker from a sure loss (a Dutch Book; de Finetti et al., 1993; a good introductory discussion is Howson & Urbach, 1993). We can thus see that there is a major difference between the proposal of classical logic vs. classical probability theory, as potential normative frameworks: for the latter, there are formal results supporting a normative status, so that the meaning of rationality becomes more operational (in terms of vulnerability to a sure loss; see also Oaksford, & Chater, 2009).

Classical probability theory remains the basis for many decision models (but in practice note that technical elaborations are employed, e.g., to deal with the complexity of classical probability distributions, e.g., Tenenbaum et al., 2011; Lake et al., 2015). However, there have also been compelling demonstrations of inconsistencies between human behaviour and (baseline) classical probability theory principles (note, henceforth we will not include the qualification 'baseline', but it is implied in all mentions of classical probability theory). Such inconsistencies have been the motivation for exploring yet an alternative notion of correctness, that we will consider next.

4. Quantum probability theory

Tversky, Kahneman, Shafir and others initiated an extremely influential research programme challenging the descriptive adequacy of classical probability theory in cognition (e.g., Tversky & Kahneman, 1983; Kahneman et al., 1982; Shafir & Tversky, 1992), to advocate instead a view of human competence in decision making based on heuristics and biases. We restrict the discussion in this section on the conjunction fallacy (see shortly), as this is arguably the most famous empirical result (superficially) inconsistent with classical probability theory. This restriction does not limit our conclusions, however.

We follow an example based on the task employed by Tentori et al. (2004; Wedell & Moro, 2007), as this example makes it easier to consider the extent to which the conjunction fallacy is paradoxical from a classical perspective. Participants were presented with a brief vignette about how common it is in the Scandinavian peninsula to come across people with both blond hair and blue eyes. They were asked to imagine that a person from the peninsula is selected at random. They were then told to consider 'the most probable' between the following three statements: the individual has blond hair; the individual has blond hair and blue eyes; the individual has blond hair and does not have blue eyes. The conjunctive statement 'the individual has blond hair and blue eyes' was preferred to the marginal. Ignoring for the moment formal considerations, we can consider whether such a result seems intuitive or not: is it not reasonable that a randomly picked Scandinavian person would have blond hair and blue eyes?

Probabilistic computation in classical probability theory involves a sample space of all possible events, with particular questions corresponding to subsets in this sample space. Let us consider a sample space of Scandinavian people, that is, a set of all Scandinavian people we can imagine. Suppose we have seven individuals. However, many there are with blue eyes and blonde hair, this number can never be higher than the ones with just blond hair. The conjunctive statement blue eyes and blond hair is an intersection of individuals across two sets, the set of individuals with blue eyes and the set of individuals with blond hair. At worst, we would have that the number of

individuals with blond hair and blue eyes is the same as the number of individuals with just blond hair (which would occur if there are no individuals with blond hair without also blue eyes). However, the intersection cannot have higher cardinality than either of the constituent statements (Figure 1).

-----FIGURE 1 ABOUT HERE-----

Part of the reason why the conjunction fallacy has been so influential is that, even after the relevant classical probability picture is explained, there is a ‘feeling’ that the statement ‘the individual has blond hair and blue eyes’ seems more correct than the statement ‘the individual has blond hair’. It is this persistence that has often been considered the hallmark of probabilistic paradoxes (Gilboa, 2000).

In the case of the Scandinavian person, the application of classical probability theory is very direct (because of the set-theoretic nature of the problem). In the original demonstration Tversky and Kahneman (1983) reported, the constraint may appear superficially less strong. In one of their experiments, a hypothetical person, Linda, was described very much like a feminist and not at all like a bank teller. Participants were asked to rank order according to relative probability a series of statements about Linda, including the statements that she is just a bank teller (considered unlikely given the description) and that she is a bank teller and a feminist (the feminist property by itself would be seen as very likely). Many participants (well over 50%) ranked the conjunction as more likely than the individual premise. One might think that, as in this case there is no obvious sample space, the conjunction constraint may apply more loosely. But this is incorrect. All inferences according to classical probability theory require a sample space and in this case the relevant one consists of all possible Linda’s we can imagine, following the initial description.

Classical probability theory cannot allow e.g. $Prob(F\&BT) > Prob(BT)$, where F=feminist, BT=bank teller in the Linda problem, that is, a conjunction can never be more likely than the marginal. A straightforward application of classical probability theory in the case of the conjunction fallacy would assume that the evaluation participants are making exactly corresponds to a comparison of $Prob(F\&BT)$ with $Prob(BT)$. So, if participants consider the former as more likely than the latter, then they are incorrect. However, what if instead participants mentally compute probabilities in a different way? Notably, suppose that when they compute the conjunction they make one set of assumptions about Linda and when they compute the marginal a *different* set of assumptions. Call these different sets of assumptions A1 and A2. Then, participants would be comparing $Prob(F\&BT|A1)$ with $Prob(BT|A2)$, and (fairly trivially) observe that the conditionalizations are now on different variables. Under such circumstances, depending on exactly how A1 and A2 affect the corresponding inferences for the conjunction and the marginal, we can have any of $Prob(F\&BT|A1) > Prob(BT|A2)$, $Prob(F\&BT|A1) = Prob(BT|A2)$, $Prob(F\&BT|A1) < Prob(BT|A2)$, and there is no longer a conjunction fallacy! However, decision theorists rarely consider such models, because there are no prior grounds for assuming differences in e.g. assumptions for considering each probability term, as above.

Note that the conjunction fallacy has been extensively replicated. There has been a consideration of a large number of possible confounds, including relating to conversational implicatures (cf. Dulany & Hinton, 1991; Grice, 1975), possible misunderstanding on the meaning of the conjunction etc. (Moro, 2009, provides a review of these issues). The overall conclusion is that, even when all corrective procedures are employed, there is a residual conjunction fallacy.

Even though the conjunction fallacy is a judgment inconsistent with the rules of classical probability theory, this does not preclude that there is an alternative system for probabilistic assignment which might allow probabilities as $Prob(F\&BT) > Prob(BT)$. Our main focus is quantum probability theory, the rules for how to assign probabilities to events from quantum mechanics, without any of the physics. Quantum mechanics is of course a theory of physics, but the pioneering scientists who developed quantum mechanics also had to invent a new theory of

probability, as classical probability theory is inconsistent with many of the processes assumed by quantum mechanics. Quantum probability theory has had a fruitful history of application in cognitive science (e.g., Asano et al., 2012; Busemeyer & Bruza, 2011; Haven & Khrennikov, 2013; Khrennikov, 2010; Pothos & Busemeyer, 2013) and additionally there have been some fairly precise proposals for how quantum-like representations can emerge from neuronal interactions (e.g., Khrennikov et al., in press).

Quantum probability theory approaches probabilistic assignment in a radically different way, compared to classical probability theory. In classical probability theory, the basis for probabilistic assignment is subsets of sample spaces. In quantum probability theory, instead question outcomes corresponds to subspaces in a multidimensional vector space, and probabilistic assignment concerns the overlap between subspaces and a so-called state vector, which represents the system of interest. Many of these concepts might be unfamiliar to readers, so we proceed with a brief introduction to quantum theory, eschewing most technical detail and technical elaborations (for a more rigorous introduction for psychologists see e.g. Yearsley & Busemeyer, 2016).

In quantum theory question outcomes are represented as subspaces in a large vector space (this vector space has some additional properties, which we need not consider here). In most introductory illustrations of quantum theory, such subspaces are one-dimensional (in which case they can be called rays). For example, in Figure 2, we are representing a binary question B with two rays, one corresponding to an affirmative response for B (which we denote as B , slightly abusing notation) and one corresponding to a negative response for B (denoted as $\sim B$). Subspaces can be of any dimensionality and there is an expectation that more complex concepts would be represented with subspaces of higher dimensionality (Pothos et al., 2013). Probabilistic inference in quantum theory depends on the state vector, mentioned above, which is a normalised vector. The state vector is a representation of all the information we know about the relevant system, whether this is a physical system (in the original applications of quantum theory in physics) or a psychological system, e.g., the mental state of a participant just before answering some questions relevant to an experiment. In Figure 2, the state vector is represented by the vector labelled S . With subspaces and the state vector, we can compute probabilities as the squared length of the *projection* of the state vector onto the relevant subspace (this way to associate probabilities to subspaces is a fundamental aspect of quantum theory called Born's rule). Projection is an operation of taking a vector and 'laying it down' onto a relevant subspace. For example, in Figure 2, if we are interested in the probability that a participant with mental state S responds affirmatively to the B question, then we have to measure the square of the projection of S along the B ray.

Let us introduce some notation. Suppose we are interested in computing probabilities relevant to the Linda version of the conjunction fallacy. Then, envisage two subspaces, one corresponding to the question outcome that she is a BT and one that she is a F . Each subspace is associated with a projector operator, a linear operator which can project the state vector onto the relevant subspace. For the F and BT question outcomes, the projectors can be denoted as P_{BT} and P_F . Then, the projection of the state vector onto e.g. the BT subspace is denoted as $P_{BT}|S\rangle$ and the squared length of the projection as $|P_{BT}|S\rangle|^2$, that is, $Prob(BT) = |P_{BT}|S\rangle|^2$. Note, we employ here Dirac's bracket notation, with $|S\rangle$ corresponding to a column vector and $\langle S|$ to the complex conjugate transpose of $|S\rangle$ (and so a row vector).

The most important distinguishing aspect of quantum probability theory relative to classical probability theory that is presently relevant is that in the former there are two types of questions, compatible and incompatible, while in the latter there are only compatible questions. Incompatible questions are ones for which it is impossible to provide a joint probability distribution. The paradigmatic case of incompatible questions in physics concerns the momentum and position of a microscopic particle. The quantum mechanics implication is that it is impossible to simultaneously know both the position and momentum of such a particle. In psychology, we can think of incompatible questions as ones such that resolving one question creates a different context or

perspective for another. The issue of incompatibility in cognition deserves additional remarks that we will further consider shortly.

Let us reiterate the key point that probability is computed through projection (specifically, as the squared length of the projection of the state vector onto the relevant subspace). This should make it clear that certainty, i.e., $Prob(premise) = 1$, corresponds to having the state vector 'contained' within the relevant subspace. In Figure 2, for example, if the state vector is aligned with the A subspace, then we would have that $Prob(A) = 1$. We are thus led to a simple operational approach to what incompatibility is about, namely, it concerns questions such that the relevant subspaces are at oblique angles, so that certainty for one question outcome implies non-zero probability for the outcomes of an alternative question. For example, in Figure 2, we consider two questions, A and B . Question outcome A appears likely given the mental state, represented here as S , since $clearly P_A|S\rangle$ would be quite long (this projection is not shown in the figure). By contrast, question outcome B would be less likely, as $P_B|S\rangle$ short. In Figure 2, incompatibility between questions A, B simply means that a state vector aligned with question A has non-zero projections to both B and $\sim B$ and vice versa – it is impossible to find a state vector such that we are simultaneously certain about A or $\sim A$ and B or $\sim B$; the two questions cannot be simultaneously resolved.

The crucial point is what happens when we want to assess the conjunction A and then B . Because the two questions are assumed to be incompatible, it is not possible to employ the notion of conjunction from classical probability theory (we cannot resolve both A and B simultaneously). Instead, the closest analogue is sequential conjunction, that is, a process of resolving the first conjunct and then the second, $Prob(A \& \text{ then } B)$. This definition is appropriate because it decomposes into the product of a marginal and a conditional, exactly as we would expect from a classical conjunction, that is, $Prob(A \& \text{ then } B) = Prob(A)Prob(B|A)$. The sequential conjunction corresponds to a sequential projection, in a way analogous to how the probability for a single question outcome corresponds to a single projection. Specifically, $Prob(A \& \text{ then } B) = |P_B P_A |S\rangle|^2$. This operation involves projecting the state vector first onto the A subspace, which is $P_A |S\rangle$, and then taking the $P_A |S\rangle$ vector and projecting it onto the B subspace, exactly as shown in Figure 2. But, it can be immediately seen in Figure 2 that $|P_B P_A |S\rangle|^2 > |P_B |S\rangle|^2$. We have produced an example in quantum theory which shows $Prob(A \& \text{ then } B) > Prob(B)$.

Let us illustrate how this can be done numerically. Let us introduce angle s , corresponding to the angle between state vector S and question outcome $\sim B$ and angle t , corresponding to the angle between state vector S and question outcome A . We also note projectors for one-dimensional subspaces can be computed in a simple way as, e.g., $P_B = |B\rangle\langle B|$. Recall that $|B\rangle$ is a column vector and in a real space $\langle B|$ would be the corresponding transpose. For example, if $|B\rangle = \begin{pmatrix} a \\ b \end{pmatrix}$, then $|B\rangle\langle B| = \begin{pmatrix} a \\ b \end{pmatrix} (a \quad b) = \begin{pmatrix} a^2 & ab \\ ab & b^2 \end{pmatrix}$. Note that $\langle B|B\rangle = (a \quad b) \begin{pmatrix} a \\ b \end{pmatrix} = a^2 + b^2$, i.e., this is a scalar product. In general, in a real space, for two normalized vectors x, y , the scalar product is $\langle x|y\rangle = \cos \theta$, where θ is the angle between the two vectors. Accordingly, we have $Prob(B) = |P_B |S\rangle|^2 = |B\rangle\langle B|S\rangle|^2 = |\langle B|S\rangle|^2 = \cos^2(\pi/2 - s) = \sin^2(s)$. Note that in $|B\rangle\langle B|S\rangle|^2$ we basically have a vector, $|B\rangle$, and a scalar product, and the length of the former is one – hence, $|B\rangle\langle B|S\rangle|^2 = |\langle B|S\rangle|^2$. Regarding the sequential conjunction, $Prob(A \& \text{ then } B) = |P_B P_A |S\rangle|^2 = |B\rangle\langle B|A\rangle\langle A|S\rangle|^2 = |\langle B|A\rangle\langle A|S\rangle|^2 = \sin^2(s + t) \cos^2(t)$. So, if one measures the rate of conjunction fallacy as $Prob(A \& \text{ then } B) - Prob(B)$, then this simple computation would allow a conjunction fallacy as long as $\sin^2(s + t) \cos^2(t) > \sin^2(s)$. There are several combinations of s, t which allow a conjunction fallacy.

-----FIGURE 2 ABOUT HERE -----

There are several points to make. First, this shows how the result $Prob(A \& \text{ then } B) > Prob(B)$ can be correct when using quantum probability theory. So, we have two different perspectives on correctness regarding the conjunction fallacy, from classical probability theory (not

allowed under any circumstances, unless of course someone introduces conditionalizing variables, as discussed) and quantum probability theory (can be allowed, depending on the precise arrangement of subspaces and the mental state). Second, the Figure 2 illustration is extremely restricted. All subspaces are one dimensional subspaces; in general they could have higher dimensionalities. All rays are coplanar, in general they do not have to be. Third, the result $Prob(A \& \text{ then } B) > Prob(B)$ can be produced only if we project to the A subspace first and then the B one; with this approach, we cannot have a conjunction fallacy in a different order. However, we think it is a desirable feature of this approach that not all arrangements of mental states and subspaces can produce a conjunction fallacy. Finally, and most importantly, the fact that quantum probability theory allows the conjunction fallacy as a correct conclusion does not mean that we have an adequate psychological model of what happens in the corresponding empirical situations.

Let us consider first the case of the conjunction fallacies in Tversky and Kahneman (1983), as exemplified by the Linda problem. The mental state vector can be reasonably said to be close to the ray for feminism ($=A$ in Figure 2) and away from the ray for bank teller ($=B$ in Figure 2). Then, computing the conjunction in the order of feminism first and then bank teller, we have $|P_{BT}P_F|S|^2 > |P_{BT}|S|^2$, as required. Busemeyer et al. (2011; Asano et al., 2013) essentially modelled the conjunction fallacy and related fallacies with a quantum probability model along these lines (but not restricted to one dimensional subspaces or a two dimensional overall vector space). Psychologically, we require the assumptions that the questions of feminism and bank teller are incompatible and that the feminism question is evaluated before the bank teller one. The former assumption appears fairly natural for the Linda problem, for example, perhaps accepting that Linda is a feminist can lead to a perspective or context that makes us re-evaluate the possibility that she is a bank teller. The latter assumption is perhaps benign as well, since there are various psychological views according to which more likely premises benefit from a degree of primacy (e.g., Gigerenzer & Goldstein, 1996).

Let us consider next how quantum probability theory could accommodate the conjunction fallacy in Tentori et al. (2004). In this case, the application of quantum theory would have to involve a computation like $|P_{BE}P_{BH}|S|^2 > |P_{BE}|S|^2$ (we can reassure ourselves that there would be some arrangement along the lines of Figure 2 that would reproduce the conjunction fallacy, that is, by having rays for the question outcomes BE and BH analogous to the rays for A and B). In this case, however, the intuition from classical probability theory is extremely strong. In other words, understanding the question of whether a Scandinavian person is likely to have blue eyes vs. blonde hair and blue eyes evokes a picture of probabilities as subsets of an overall sample space: there is a subset of Scandinavian individuals with blonde hair, a subset with blue eyes etc. With such a (classical) picture of probabilities it is very difficult to see how the intersection (i.e., conjunction) could ever be more probable than either marginal (cf. Figure 1). The application of quantum theory in this case, requires a rethinking of how questions can be interpreted within a quantum cognitive model.

To address this conundrum we need to recognize the semantics of what it means in quantum probability theory to resolve sequences of incompatible questions. Resolving a question implies a unique perspective for other incompatible questions. Therefore, the same question A resolved from a baseline perspective vs. the perspective following the resolution of an incompatible question B should be considered as separate questions. In classical terms, we must separate out the sample spaces. We have one for the baseline perspective of A and a different sample space for each version of A following resolution of each different question incompatible with A . That is, if a series of questions is incompatible, every time we respond to a question, this creates a different perspective for the probabilities relevant to subsequent questions. In more psychological terms, resolving a question creates a unique context for subsequent incompatible questions, so that these subsequent questions have to be understood as different, compared to version answered either in isolation or prior to other incompatible questions.

Given these ideas, if we want to apply quantum probability theory to Tentori et al. (2004) example, we have to recast our notion of sample space as in Figure 3. First of all, assume that the questions ‘does a person have blue eyes’ and ‘does a person have blonde hair’ are mentally represented as incompatible (we discuss shortly whether representing the two questions as incompatible can be justified in this case). Following from the ideas in the previous paragraph, resolving one question after the other vs. in isolation should correspond to slightly different versions of the question. Let us consider the question ‘does a person have blue eyes’ and assume that in isolation the meaning of the question is exactly as stated. The sample space in the top of Figure 3 corresponds to asking the question ‘does a person have blue eyes’ in isolation and so we can easily compute that $Prob(blue\ eyes) = 1/3$. If we now ask ‘does a person have blonde hair and (then does a person have) blue eyes’, then incompatibility means that the blue eyes question has to be interpreted somewhat differently, compared to isolation. What would be this different interpretation? Without a more detailed model it is impossible to know. But, for the purposes of illustration, we can make some assumption, for example, let us suppose that the different meaning is ‘blond eye lashes’ (perhaps our participant is confused when seeing the blonde hair question and, by association, instead of understanding the blue eyes question as intended, he confuses it with one about blonde eye lashes). In Figure 3, calculation is now based on the sample space in the bottom, so that $Prob(blond\ hair\ \&then\ blue\ eyes_{blond\ hair}) = 4/5$. To reiterate the key point, $blue\ eyes_{blond\ hair} = \text{‘blond eye lashes’}$. Crucially, there is no fallacy any more, since we can have $Prob(blond\ hair\ \&then\ blue\ eyes_{blond\ hair}) > Prob(blue\ eyes)$. The marginal is taken from one sample space and the (sequential) conjunction from a different sample space. Because these probabilities are taken from different sample spaces, they no longer have to be consistent with each other, as required by classical probability theory, and the conjunction can appear as higher than the marginal (for a more detailed exposition of these ideas see Pothos et al., 2017).

-----FIGURE 3 ABOUT HERE -----

Would participants be justified in employing two different versions of the blue eyes question in Tentori et al.’s (2004) experiment? No and so we have to conclude that the result of Tentori et al. (2004) does indeed reflect a fallacy, though possibly one of misrepresenting as incompatible questions which are in reality compatible. What about the Linda example (and its variants) in Tversky and Kahneman (1983)? In this case there are more grounds to expect that participants may interpret the question about whether Linda is a bank teller or not differently, depending on whether there is a prior question about feminism or not. In isolation, the question perhaps is interpreted as one corresponding to whether Linda is employed as a bank teller. After the feminism question, the bank teller one is perhaps interpreted as a question of whether being a bank teller is a typical profession for feminists (perhaps it is not the most likely profession for feminists, in the 80s, but it would not be entirely unlikely either). Either way, the point is that in order to reconcile correctness in probabilistic inference with quantum probability theory, we have to acknowledge that responding to sequences of incompatible questions generates different versions of the questions.

The issue of correctness is somewhat separate from the issue of rationality. Quantum probability theory is a formal framework for probabilistic inference and responding in a way that is consistent with the constraints from quantum probability theory is equivalent to a statement that responding is according to a coherent set of principles. But this falls short of a justification for the rational status of quantum probability theory. However, Pothos et al. (2017) argued that the requirements for the Dutch Book Theorem are fulfilled for quantum probability theory too. So, one of the major formal justifications for the rational status of classical probability theory applies to quantum probability too.

A final issue to address concerns the relevance of quantum probability theory to cognition. It seems there is no doubt that, in some cases at least, human decision makers employ incompatible representations, as is indicated by the several reports of behaviour inconsistent with classical

probability theory, but for which simple quantum cognitive models are possible (e.g., see the overviews in Bruza, Wang, & Busemeyer, 2015, Pothos & Busemeyer, 2013, or Wang et al., 2013). So, regardless of whether employing incompatible representations is justified or not, it appears that this occurs. But would there be situations when it is justified too? We think this would be the case, for example, when questions can have different meanings depending on context (which could be generated by other questions). That is, in the macroscopic world that concerns most of the decisions we are likely to have to make, incompatibility reflects some kind of contextuality, where the presence of questions can alter the meaning of other ones (note we are employing here the term contextuality in a fairly lay way, to imply dependence on context; in quantum theory there is a more specific sense of contextuality which is presently less relevant, e.g., Cervantes & Dzhamfarov, 2018; Dzhamfarov et al., 2016). Additionally, there will be situations when a decision alters the state that is relevant for responding to subsequent questions and, in such cases (where there is a possibility of so-called ‘disturbing measurements’) there will be potential for formal understanding employing the notion of incompatibility (Pothos et al., 2017; White et al., 2014).

5. Concluding comments

We have seen three frameworks for understanding correctness and rationality, classical logic, classical probability theory, and quantum probability theory. The relevance of classical logic could be discounted fairly easily, e.g., employing arguments concerning the general applicability of deductive rules in everyday decision making (cf. Chater & Oaksford, 1993). Note, there is an additional layer of subtlety here, in that the algebraic foundations of classical probability theory actually embody classical logic, but we will ignore this issue here.

Classical probability theory and quantum probability theory provide two strikingly different intuitions for probabilistic inference (and in fact challenge some convergence results in classical probability theory, e.g., Khrennikov & Basieva, 2014). Note that some of this dependence of context that is one hallmark of quantum incompatibility could be accommodated with classical probability theory too, e.g., through appropriate conditionalizations. But, while such conditionalizations are post hoc, we think it is unlikely that they be convincing to the scientific community. One origin of the radically different pictures for probabilistic inference embodied in these two theories is the reliance of one on sample spaces and set-theoretic operations and the other on vector spaces and the geometry of subspaces/ projections.

Classical and quantum probability theories hardly exhaust the possibilities for formal systems for probabilistic inference. It is possible to specify a hierarchy of probabilistic frameworks, organised in terms of the complexity of the probability rules which are employed (here, complexity has a specific meaning in terms of additional terms which arise in the law of total probability, Sorkin, 1994). In such a hierarchy the very first element is classical probability theory and the next element quantum probability theory. Thus, it is entirely possible that future work will motivate alternative probability theories in psychology applications, which would themselves lead to alternative notions of correctness (perhaps invoking more elaborate versions of the idea that previous questions can affect the meaning of subsequent ones). Even though it seems unlikely that more elaborate probability theories will be relevant in the modelling of behaviour specifically, there may be applications in e.g. artificial intelligence. Either way, the development of decision theory in psychology has brought into sharp focus the idea that correctness in decision making is far from a singular notion and one has to consider carefully how different approaches compare and can be justified.

Acknowledgments

EMP was supported by Leverhulme Trust grant RPG-2015-311 and ONRG grant N62909-19-1-2000; IB was supported by grant H2020-MSCA-IF-2015 696331.

References

- Anderson, J. R. (1990). The adaptive character of thought. Hillsdale, NJ: Erlbaum.
- Anderson, J. R. (1991a). Is human cognition adaptive? *Behavioral and Brain Sciences*, 14, 471-517.
- Anderson, J. R. (1991b). The adaptive nature of human categorization. *Psychological Review*, 98, 409-429.
- Asano, M., Basieva, I., Khrennikov, A., Ohya, M., & Tanaka, Y. (2012). Quantum-like generalization of the Bayesian updating scheme for objective and subjective mental uncertainties. *Journal of Mathematical Psychology*, 56, 166-175.
- Asano, A., Basieva, I., Khrennikov, A., Ohya, M., & Yamato, I. (2013). Non-Kolmogorovian approach to the context-dependent systems breaking the classical probability law. *Found. Phys.* 43, 895-911.
- Asano, M., Basieva, I., Pothos, E. M., & Khrennikov, A. (2018). State entropy and differentiation phenomenon. *Entropy*, 20, 394-408.
- Bergus, G. R., Chapman, G. B., Levy, B. T., Ely, J. W., & Oppliger, R. A. (1998). Clinical diagnosis and order of information. *Medical Decision Making*, 18, 412-417.
- Braine, M. D. S., O'Brien, D. P., Noveck, I. A., Samuels, M. C., Lea, B. L., Fisch, S. M., Yang Y. (1995). Predicting Intermediate and Multiple Conclusions in Propositional Logic Inference Problems: Further Evidence for a Mental Logic. *Journal of Experimental Psychology: General*, 124(3), 263-292.
- Bruza, P. D., Wang, Z., & Busemeyer, J. R. (2015). Quantum cognition: a new theoretical approach to psychology. *Trends in Cognitive Sciences*, 19, 383-393.
- Busemeyer, J. R. & Bruza, P. (2011). *Quantum models of cognition and decision making*. Cambridge University Press: Cambridge, UK.
- Busemeyer, J. R., Pothos, E. & Franco, R., Trueblood, J. S. (2011) A quantum theoretical explanation for probability judgment 'errors'. *Psychological Review*, 118, 193-218.
- Cervantes, V. H. & Dzhaferov, E. N. (2018). Snow queen is evil and beautiful: experimental evidence for probabilistic contextuality in human choices. *Decision*, 5, 193-204.
- Chater, N., & Oaksford, M. (1993). Logicism, mental models and everyday reasoning. *Mind and Language*, 8, 72-89.
- Cheng, P. W., Holyoak, K. J. (1985): Pragmatic Reasoning Schemas. *Cognitive Psychology*, 17, 391-416.
- de Finetti, B., Machi, A., Smith, A. (1993). *Theory of Probability: A Critical Introductory Treatment*. New York: Wiley.
- Dulany, D. E., & Hilton, D. (1991). Conversational implicature, conscious representation, and the conjunction fallacy. *Social Cognition*, 9, 85-110.
- Dzhaferov, E. N., Kujala, J. V., Cervantes, V. H., Zhang, R., & Jones, M. (2016). On contextuality in behavioural data. *Philosophical Transactions of the Royal Society A*, rsta.2015.0234
- Elqayam, S., & Evans, J. S. B. T. (2013). Rationality in the new paradigm: strict versus soft bayesian approaches. *Thinking and Reasoning*, 19, 453-470.
- Evans, St B. T. J. (1991). *Theories of Human Reasoning: The Fragmented State of the Art*. *Theory & Psychology*, 1, 83-105.
- Evans, St B. T. J., Newstead, S. E., Byrne, R. J. M. (1991). *Human Reasoning: The Psychology of Deduction*. : Hove: Lawrence Erlbaum Associates.
- Evans, J. S. B. T., Handley, S. J., Neilens, H., & Over, D. E. (2007). Thinking about conditionals: A study of individual differences. *Memory and Cognition*, 35(7), 1772-1784.
- Feldman, J. (2000). Minimization of Boolean complexity in human concept learning. *Nature*, 407, 630-633.
- Gamez-Djokic, M. & Molden, D. (2016). Beyond Affective Influences on Deontological Moral Judgment. *Personality and Social Psychology Bulletin*, 42, 11, 1522 – 1537.
- Garner, W. R. (1974). *The Processing of Information and Structure*. LEA: New York.

- Gigerenzer, G. & Goldstein, D. (1996). Reasoning the fast and frugal way: models of bounded rationality. *Psychological Review*, 103(4), 650-669.
- Gilboa, I. (2000). *Theory of decision under uncertainty*. Cambridge University Press: Cambridge, UK.
- Goodman, N. D., Tenenbaum, J. B., & Gerstenberg, T. (2015). Concepts in probabilistic language of thought. In Eds. E. Margolis & S. Laurence, *New Directions in the Study of Concepts*, pp.623-653. MIT Press: Cambridge.
- Grice, H. P. (1975). Logic and conversation. In P. Cole & J. L. Morgan (Eds.), *Syntax and semantics 3: Speech acts* (pp. 41-58). San Diego, CA: Academic Press.
- Griffiths, T. L., Lieder, F., & Goodman, N. D. (2015). Rational use of cognitive resources: levels of analysis between the computational and the algorithmic. *Topics in Cognitive Science*, 7, 217-229.
- Haven, E. and Khrennikov, A. (2013). *Quantum Social Science*. Cambridge University Press: Cambridge, UK.
- Howson, C. & Urbach, P. (1993). *Scientific reasoning: The Bayesian approach*. Chicago: Open Court.
- Kahane G., & N. Shackel. (2010). Methodological issues in the neuroscience of moral judgement. *Mind & Language*, 25, 561–582.
- Kahneman, D. (2001). *Thinking fast and slow*. Penguin: London, UK.
- Kahneman, D., Slovic, P., & Tversky, A. (1982). *Judgment Under Uncertainty: Heuristics and Biases*. New York: Cambridge University Press.
- Kolmogorov, A. N. (1933). *Foundations of the theory of probability*: New York: Chelsea Publishing Co.
- Khrennikov, A. Y. (2010). *Ubiquitous quantum structure: From Psychology to Finance*: Springer.
- Khrennikov, A. & Basieva, I. (2014). Possibility to agree on disagree from quantum information and decision making. *Journal of Mathematical Psychology* 62, 1–15.
- Khrennikov, A., Basieva, I., Pothos, E. M., & Yamato, I. (in press). Quantum probability in decision making from quantum information representation of neuronal states. *Scientific Reports*.
- Lake, B. M., Salakhutdinov, R., & Tenenbaum, J. B. (2015). Human-level concept learning through probabilistic program induction. *Science*, 350, 1332-1338.
- McKenzie, C. R. M., Lee, S. M., & Chen, K. K. (2002). When negative evidence increases confidence: Change in belief after hearing two sides of a dispute. *Journal of Behavioral Decision Making*, 15, 1–18.
- Miller, G. A. (1958). Free Recall of Redundant Strings of Letters. *Journal of Experimental Psychology*, 56, 485-491.
- Moro, R. (2009). On the nature of the conjunction fallacy. *Synthese*, 171, 1-24.
- Oaksford, M. & Chater, N. (1994). A Rational Analysis of the Selection Task as Optimal Data Selection. *Psychological Review*, 101, 608-631.
- Oaksford, M. & Chater, N. (2009). *Précis of Bayesian rationality: the probabilistic approach to human reasoning*. *Behavioral and Brain Sciences*, 32, 69-120.
- Perfors, A., Tenenbaum, J. B., Griffiths, T. L., & Xu, F. (2011). A tutorial introduction to Bayesian models of cognitive development. *Cognition*, 120, 302-321.
- Pothos, E. M., & Busemeyer, J. R. (2013). Can quantum probability provide a new direction for cognitive modeling? *Behavioral & Brain Sciences*, 36, 255–327.
- Pothos, E. M., Busemeyer, J. R., & Trueblood, J. S. (2013). A quantum geometric model of similarity. *Psychological Review*, 120, 679-696.
- Pothos, E. M., Busemeyer, J. R., Shiffrin, R. M., & Yearsley, J. M. (2017). The rational status of quantum cognition. *Journal of Experimental Psychology: General*, 146, 968-987.
- Shafir, E. & Tversky, A. (1992). Thinking through uncertainty: nonconsequential reasoning and choice. *Cognitive Psychology*, 24, 449-474.
- Sloman, S.A. (1996). The empirical case for two systems of reasoning. *Psychological Bulletin*. 119: 3–22.
- Sorkin, R. D. (1994) Quantum Mechanics as Quantum Measure Theory. *Modern Physics Letters A*. 9, 33, 3119-3127.

- Tenenbaum, J. B., Kemp, C., Griffiths, T. L., & Goodman, N. (2011). How to grow a mind: statistics, structure, and abstraction. *Science*, 331, 1279-1285.
- Tentori, K., Bonini, N., & Osherson, D. (2004). The conjunction fallacy: a misunderstanding about conjunction? *Cognitive Science*, 28, 467-477.
- Trueblood, J. S. & Busemeyer, J. R. (2011). A quantum probability account of order effects in inference. *Cognitive Science*, 35, 1518-1552.
- Tversky, A., & Kahneman, D. (1983). Extensional versus intuitive reasoning: The conjunctive fallacy in probability judgment. *Psychological Review*, 90, 293-315.
- Valdesolo, P. & DeSteno, D. (2006). Manipulations of Emotional Context Shape Moral Judgment. *Psychological Science*, 17, 476-477.
- Wang, Z., Busemeyer, J. R., Atmanspacher, H., & Pothos, E. M. (2013). The potential of using quantum theory to build models of cognition. *Topics in Cognitive Science*, 5, 672-688.
- Wason, P. C. (1968). Reasoning about a rule. *Quarterly Journal of Experimental Psychology*. 20, 273–281.
- Wason, P. C. & Johnson-Laird, P. N. (1972). *The psychology of reasoning: Structure and content*. Cambridge, MA: Harvard University Press.
- Wedell, D. H. & Moro, R. (2007). Testing boundary conditions for the conjunction fallacy: effects of response mode, conceptual focus, and problem type. *Cognition*, 107, 105-136.
- White, L. C., Pothos, E. M., & Busemeyer, J. R. (2014). Sometimes it does hurt to ask: the constructive role of articulating impressions. *Cognition*, 133, 48-64.
- Yearsley, J. M. & Busemeyer, J. R. (2016). Quantum cognition and decision theories: a tutorial. *Journal of Mathematical Psychology*, 74, 99-116.

FIGURE CAPTIONS

Figure 1. The impossibility of the conjunction fallacy.

Figure 2. An illustration of how a conjunction fallacy can arise with quantum probability theory inference.

Figure 3. How having different sample spaces can allow the conjunction fallacy.

FIGURES




FIGURE 1




FIGURE 2




FIGURE 3