



City Research Online

City, University of London Institutional Repository

Citation: Dipper, L., Marshall, J., Boyle, M., Hersh, D., Botting, N. & Cruice, M. (2021). Creating a theoretical framework to underpin discourse assessment and intervention in aphasia. *Brain Sciences*, 11(2), 183. doi: 10.3390/brainsci11020183

This is the accepted version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: <https://openaccess.city.ac.uk/id/eprint/25556/>

Link to published version: <https://doi.org/10.3390/brainsci11020183>

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

Article

Creating a theoretical framework to underpin discourse assessment and intervention in aphasia

Lucy Dipper^{1*}, Jane Marshall¹, Mary Boyle², Deborah Hersh³, Nicola Botting¹ and Madeline Cruice¹

¹Division of Language and Communication Science, School of Health Sciences, City, University of London, UK.

²Department of Communication Sciences and Disorders, Montclair State University, USA.

³School of Medical and Health Sciences, Edith Cowan University, Australia.

* Correspondence: l.t.dipper@city.ac.uk

Received: date; Accepted: date; Published: date

Abstract: Discourse (a unit of language longer than a single sentence) is fundamental to everyday communication. People with aphasia (a language impairment occurring most frequently after stroke, or other brain damage) have communication difficulties which lead to less complete, less coherent, and less complex discourse. Although there are multiple reviews of discourse assessment and an emerging evidence base for discourse intervention, there is no unified theoretical framework to underpin this research. Instead, disparate theories are recruited to explain different aspects of discourse impairment; or symptoms are reported without a hypothesis about the cause. What is needed is a theoretical framework that would clarify the specific linguistic skills that create completeness, coherence, and complexity (i.e. richness) in discourse; and illuminate both the processes involved in discourse production and the reasons for breakdown. This paper reports a review and synthesis of the *theoretical* literature relevant to spoken discourse in aphasia discourse; and we propose a novel theoretical framework which unites these disparate sources. This framework is currently being tested as the foundation for LUNA (Linguistic Underpinnings of Narrative in Aphasia) treatment research. In this paper we outline the novel framework and exemplify how it might be used to guide clinical practice and research. Future collaborative research is needed to progress this framework into a processing model for spoken discourse.

Keywords: 1. discourse, 2. narrative, 3. storytelling, 4. connected speech, 5. aphasia, 6. theory

1. Introduction

Aphasia is a communication difficulty which can happen after a stroke or other damage to the brain, leaving a person with difficulties speaking and understanding others. Although each person experiences aphasia differently, a commonly expressed frustration is the reduced ability to

communicate in everyday situations. Spoken discourse is key to everyday communication and so the detrimental effect that aphasia has on the form and content of discourse can have a huge impact on people's everyday lives and those around them [1].

Discourse is often described in the theoretical literature as a unit of language larger than a single clause [2, 3], forming a meaningful unit of language [4], and used for a specific purpose or function [5]. This characterization emphasizes the key role of spoken discourse in everyday interaction, for example talking about your day, describing a beautiful scene, or expressing your opinion about current affairs. In this paper, we focus on monologic discourse although discourse occurs most often within a conversation, for example when one person takes a 'turn' for an extended period in conversation such as recounting an event when talking to friends. This focus on monologic discourse reflects the focus in recent aphasia assessment research [6-7] and in clinical practice [8].

Discourse has received a good deal of attention in aphasia research in recent years, most commonly in the form of monologues, as noted above. People with aphasia describe discourse as a *treatment* priority [9], although the evidence base largely addresses *assessment*. The assessment research literature describes people with aphasia as having trouble in a broad range of areas in the production of discourse. The evidence indicates that discourse can be impaired at a number of different linguistic levels: the *language* that speakers use; the *information* that speakers communicate; and the *links* that speakers are able to convey between pieces of information [6, 7, 10]. Therefore, there is a need to assess and treat different discourse and linguistic levels, and an emerging body of work describing multilevel assessment and treatment bears this out [11-14]. Whilst recent reviews revealed more than five hundred ways to measure discourse as reported in aphasia research over the last 40 years [6, 7], thereby reflecting multiple approaches to discourse assessment, the key linguistic levels inherent in discourse production remain currently underspecified. The multiplicity of measures, coupled with the lack of a unifying underlying theoretical framework, leaves the onus on researchers and clinicians to select which aspects of discourse to measure and remediate without explicit guidance.

There is a smaller body of evidence to support the treatment of spoken discourse. A recent review of spoken discourse treatment [15] has highlighted the heterogeneity of treatment approaches aimed at improving discourse and to evaluate outcomes, even within this small field (25 papers, reporting on 127 participants). Moreover, eight of these 25 reviewed papers reported *complex interventions*, targeting multiple linguistic levels (discourse macrostructure, sentence and word). Best practice with complex interventions [16] is to develop them systematically, using the best available evidence and theory. However, only three of the reviewed papers explicitly reported their theoretical foundation, and they took diverse perspectives. A key theoretical basis for spoken discourse comes from linguistic theory, but there are multiple perspectives to draw on [17] which has created a challenge for researchers and has likely led to the paucity of theory in discourse treatment reporting.

Theoretical *frameworks* and *models* are important in guiding clinical assessment to identify intact and impaired processes [18] which then allows a judgement to be made about which linguistic skill to target in treatment (both clinically and in research). In the broad field of psychology (encompassing psycholinguistics and aphasiology), a distinction is drawn between frameworks and models. Although both arise from theory, they differ in their purpose such that: a *framework* accounts for a phenomenon by providing a structure or outline consisting of descriptive categories (theoretical concepts or constructs) and the relations between them; while a *model* represents the system underlying the phenomenon [19, 20, 21]. For spoken discourse, however, there is little or no use of frameworks or models to underpin assessment and treatment planning or research.

This lack of theoretical underpinning in spoken discourse is not due to an absence of theory. There are numerous theoretical perspectives available to researchers and clinicians interested in discourse,

which arise from diverse linguistic fields (including cognitive linguistics, psycholinguistics, sociolinguistics and pragmatics). These theories differ in the extent to which they are purely theoretical or empirically based, and so they consist of both frameworks and models although there is very little explicit signaling of this difference in the reporting. There are isolated examples of spoken discourse assessment or treatment research referring to these linguistic theories but overall, there is a lack of theoretical underpinning in this field of aphasiology and an absence of consensus about which theory or combination of theories to use. In a review of discourse assessment measures in aphasia by Pritchard and colleagues [7], it was found that although, post hoc, all of the measures surveyed could be broadly related to a clinical discourse processing model [22], none had been developed with explicit reference to it, or to any other theory.

There is a need for a *unified theoretical framework* to move the field of spoken discourse research in aphasia forward. In the absence of such a framework, the evidence base is characterized by inconsistency, with research tending to report the surface characteristics of impaired discourse (the symptoms) rather than hypothesizing about how they might have arisen linguistically (the cause). Such hypothetical reasoning would require an underlying theoretical model. In the few instances where theory is referred to, disparate theories are recruited to explain different aspects of discourse impairment, thus limiting a synthesis of the evidence. The development and use of a theoretical framework would improve the relevance, comparability and validity of the evidence base for discourse assessment and treatment in aphasia; and furthermore, it would allow us to better synthesize, evaluate, adapt, and expand this field of research. Such a framework could shape clinical discourse practice and future research, and eventually result in a more fully specified processing model of spoken discourse.

In this paper, we describe the development of a novel theoretical framework for spoken discourse in aphasia. This was achieved through a review and synthesis of existing theoretical literature, starting with the literature referenced in the evidence base for the assessment and treatment of discourse in aphasia and expanding to also encompass related literature from the field of linguistics. The goal of this review and synthesis was to create the novel, unified, framework and to show how it can be used to describe spoken discourse difficulties in aphasia, and to inform novel treatment research.

2. Materials and Methods

The methods outline here constitute a type of metasyntesis, called metatheory, which is used to review and synthesize existing qualitative data (in this case, the discourse theory literature) for the purpose of theory building [23, 24]. The methodology used for metatheory involves the analysis of theoretical perspectives, sources and assumptions across multiple relevant studies [24]. An expansive literature search was conducted in order to identify the relevant studies. An *expansive* search contrasts with the *exhaustive* search that is necessary for systematic reviews of quantitative or qualitative data. An expansive search (recommended for a metatheory reviews such as this one) aims to find multiple presentations of relevant theoretical concepts, but the search is stopped when the information found is sufficient to clarify, explain and inter-relate those concepts [25].

As a starting point, we searched the studies reviewed in four published systematic reviews of discourse assessment and treatment in the field of aphasiology [6, 7, 10, 15]. The papers included in these reviews were examined to identify any underpinning theoretical frameworks or models related to spoken discourse. All explicitly mentioned theories (n=7) were compiled into a list, which was then circulated to experts in the field (via social media channels). These experts (as defined by experience, reputation or research track record in linguistics, aphasia and/or discourse) were invited to comment on the completeness of the list of references derived from the reviews and

asked to identify any missing frameworks or models. Nine experts responded, confirming the list and suggesting additional theories. The resulting list of theories (n=10) is reported in the Results section.

The next stage in the metatheory procedure was to identify a representative publication relating to each of the identified frameworks for reading; this constituted the 'source material'. Half of the list was read in full by the lead author, and the other half by a postdoctoral researcher. Each researcher read the complete publication and made notes about the following: *concepts or constructs* relating to discourse production; their description or definition; and any hypothesized inter-relationships between the concepts/constructs. This note making processes constituted the 'data extraction'. Page numbers relating to where the data was extracted from was recorded. Following usual practice in psychology, a distinction was drawn between *concepts* and *constructs*. While both are considered to be descriptions of generalizable properties, patterns and characteristics associated with a phenomenon (in this case with spoken discourse), a *concept* is a precise and measurable idea used to describe a pattern or property that can be observed (e.g. lexical diversity) whereas a *construct* is an abstract concept which is created to explain a pattern or property and which is hypothesized (e.g. lexical category). The extraction process revealed examples of both concepts and constructs in the source material, with no explicit acknowledgement of the difference. In order to check for the completeness and accuracy of the data extraction, each then read relevant extracts of the publications from the other half of the list, guided by the other researcher's notes. Any differences in interpretation were discussed and resolved at this stage, and missing information was added to the notes.

The extracted information contained in the notes (the 'data') was then synthesized and categorized using a qualitative content analysis approach [26, 27]. This entailed coding the extracted concepts/constructs into a categorization matrix, using an iterative process which involved inductive content analysis of the notes as well deductive reasoning. The aim was to separately categorize or to synthesize concepts/constructs based on the extracted description/definition and/or theoretical grounds (i.e. based on reasoning from first principles). All data extracted from the source material was coded for correspondence with the concepts identified in the matrix. A draft concept matrix was created by the first author and the postdoctoral researcher who completed the data extraction. This matrix was then refined by further consensus discussions, firstly with the wider research team (the other authors) and subsequently with experts in the field once again, this time through organized presentation and feedback sessions at three international conferences (2018-2019). The resulting matrix, judged to be the 'best fit' for the data, is outlined in the Results section (Table 1).

The methodological process described above is visually represented in Figure 1.




Figure 1: The metatheory process for the LUNA framework

3. Results

Ten publications were identified to represent the theories (frameworks and models) which emerged from the expansive literature search process and expert consultation. This source material spanned the fields of linguistics, cognitive linguistics, psycholinguistics, sociolinguistics, and pragmatics; and consisted of both books and journal articles. These 10 publications are by the following authors: Frederiksen and colleagues [28], Halliday & Matthiessen [29], Kintsch & van Dijk [30], Labov [31], Levelt [32], Rumelhart [33], Sherratt [22], Slobin [34], Sperber & Wilson [35], and Stein & Glenn [36]. The core concepts/constructs extracted from these 10 publications are categorised in Table 1 (below) and described in the text that follows, which highlights similarities and differences in the source material as well as the overall complexity of spoken discourse theory. The categorisation and descriptive summaries then lead to the proposed unified framework (depicted later in this section, in Figure 2) that is structured around the core categories: pragmatic, macrostructure planning, propositional and linguistic. The next section briefly reviews the theories reported in the 10 publications.

Table 1: Categorisation matrix for data extracted from the spoken discourse source material

Category	Pragmatic	Macrostructure Planning	Propositional	Linguistic
List of the constructs and concepts extracted	Situational and external influences on discourse	Organisation Structure Gist	Pre-linguistic Micro-planning Conceptualization	Language Syntax Lexical semantics

from the source material	Context	Story content	Thinking for speaking	Lemma & lexeme
	Interpersonal factors Interactional factors	Macro-structure, frames, genres Semantic memory ¹ Episodic memory Macro-planning Coherence	Propositional information Utterance planning Sequencing Semantic content Sentence Semantics Information dependency relations Clausal planning Cohesion	Phonology

182

183 *3.1 Summary of frameworks and models and in the source material*

184 The 10 publications report six frameworks and four models (Frederiksen; Levelt; Sherratt; Sperber
185 & Wilson). These 10 theories can be grouped into eight distinct groups, each of which is described
186 in a separate paragraph below.

187 The framework proposed by Frederiksen and colleagues [28] is derived from a range of discourse
188 types (e.g., narratives and procedural) and describes three main levels of discourse processing
189 (macrostructure planning, propositional, and linguistic), proposed to operate sequentially in
190 discourse production. At the macrostructure planning level, discourse macrostructure is generated
191 or retrieved from memory, as an overall template or frame. Also at this level, the schematic
192 macrostructure is enriched with informational detail (such as factual and descriptive information
193 about the events, participants and context of the discourse); this information must then be further
194 organised in order to select, foreground, prioritise or otherwise arrange informational components
195 as required by the linguistic system. At the propositional level, a set of propositions is generated
196 from the organised information produced earlier at the macrostructure planning level. The
197 sequence of propositions is decided at this level, making use of principles of inference and
198 coherence; propositions are also grouped to ensure that there are an easy number to understand in
199 each subsequent linguistic structure (e.g. in each clause or in each story episode). At the linguistic
200 level, clauses are generated, syntax is assigned, content words within sentences are specified, and
201 cohesion is created (such as by the use of reference chains).

¹ Whilst the distinction between semantic and episodic memory is controversial, we have retained it here because it reflects the content of the source material. Halliday, Kintsch, Frederiksen and Sherratt all use the term to distinguish two sub-systems of long-term memory: ‘semantic’ for factual knowledge and ‘episodic’ for recall of events.

To the framework described by Frederiksen and colleagues [28], Sherratt [22] adds a more explicit role for pragmatics at each level as well as hypothesising processing (thereby creating a model). Firstly, she highlights the pragmatic purpose of telling a discourse, by noting that there will be an initial 'input trigger' such as a direct request for a narrative or procedure, an auditory discourse to be recalled, or a visually presented narrative (e.g., picture or video) to be described. To the propositional level of the model, she adds a pragmatic component which is used as one of the principles for organising propositions; and to the linguistic level, she notes that pragmatic constraints will also influence linguistic formulation choices. In addition to the greater emphasis on pragmatics in this model, Sherratt also explicitly adds retrieval of information from long term memory, including semantic and episodic information, to the macrostructure planning level, making clearer the role of other cognitive systems and structures in discourse production (such as remembering, evaluating, reasoning, and establishing cause/effect.)

In his framework, Halliday (see [29], for example) emphasises both the structure and function of language, thus highlighting the linguistic ways in which meaning is achieved in discourse. Halliday also emphasises the choice inherent in the language system at each linguistic level, asserting that when we analyse the language of a discourse, we are revealing the meaningful choices that have been made [29]. He uses the phrase 'clause as a message' to also emphasise the propositional content of language and creates a taxonomy of ways in which the language of a discourse might be used to achieve different meanings. The meanings he highlights variously underline different aspects of language use: the pragmatic role played by language (the way it affects or reflects the relationship among interactants), the propositional content the language represents (the information conveyed); and the effects of linguistic form used (differential effects from the choice, for example, between declarative vs imperative sentence structures). One effect of linguistic form that is especially emphasised in the Halliday framework is cohesion (see also [2]), which defines the meaning relationships between certain linked words in discourse (for example between pronouns and a related proper noun). Although cohesion consists of semantic links, its form is lexical and structural, and therefore this approach emphasises the linguistic. Overall, Halliday's framework provides a taxonomy of methods for conveying meaning in discourse. The emphasis is linguistic, focusing on the content and form of language, but also referring to propositional information and pragmatic effect. This theoretical framework is descriptive rather than intending to model processing.

Kintsch and van Dijk's framework [30, 37] focusses on comprehension of expository discourse, although they explicitly state that the processes they discuss are likely to form the basis for production as well as comprehension. The arrangement and effect of these processes will be different as a reflection of the differential demands of language production versus comprehension [38]. The basis of this framework is the idea that, in order to understand a discourse, a mental representation of the story content must be created through a series of cognitive processes. This model presents a full description of discourse comprehension, but arguably its most distinctive contribution to this theoretical field is in its conception of the cognitive processes underlying propositional information. The authors posit mental representations which consist of propositional information, organised and synthesised into an essential macrostructure (or 'gist'). In order to derive the gist from a text, three main types of processing are used: propositional, local coherence (meaning links between propositions), and global coherence. This processing results in a mental representation of the macro-structural properties of the discourse.

Labov's framework [31] describes the resulting structure of discourse, rather than the processing needed to produce it. In his search for authentic, natural language for his sociolinguistic studies of sound change, he analysed personal narratives about a frightening situation. His analysis identified the following six recurring elements: abstract, orientation, complicating action, resolution, coda, and evaluation. Labov proposed that these elements are core to many different types of narratives, not just narratives of fear, and later work revealed similar narrative elements in, for example, oral memoirs, traditional folk tales, and narratives of everyday life. Similarly, Stein and Glen [36] identified seven elements of narrative discourse (setting, initiating event, internal response, internal plan, attempt + resolution, direct consequence, and reaction) and Rumelhart [33] identified ten elements (setting, episode, event, reaction, internal response, overt response, attempt, application, preaction, consequence). Although the elements are labelled slightly differently in these 'story grammars', there is a great deal of overlap in terms of the units of information that are being described. In Labov's work, in addition to the findings about recurring macrostructural elements, there is also reference to some aspects of propositional content. For example, he distinguishes 'free clauses', which contain information that can occur anywhere within the story, from 'narrative clauses', which contain information that needs to occur within a particular place or a particular sequence in the discourse. He also describes some linguistic 'devices' which can be used to achieve evaluation, including adverbs, conjunctions, manner adverbs, and comparatives.

Levelt [32, 39] provides a processing model to characterise the stages of speech production, incorporating pragmatic, macrostructure planning, propositional, and linguistic levels. The model begins with a 'discourse model' which incorporates pragmatic information (such as context and assumed shared knowledge) and cognitive information (such as information or knowledge from long-term memory). These two sources of information come together through macro-planning, which is "the process by which the speaker decides what to say next" [32] (p. 90) a process which involves planning an overall structure, which monitors reference and controls the discourse focus by guiding attention from topic to topic. This information is fed into a propositional level of processing that Levelt calls 'the conceptualizer', where micro-planning of the discourse occurs. At this stage, a propositional unit called a 'pre-verbal message' is created to turn pragmatic and cognitive components into the conceptual conditions that activate lexical items [39], thus creating the propositional format that will facilitate access to the linguistic system. This same process of synthesis is referred to by Slobin [34] as 'thinking for speaking', who expands on this aspect of processing to describe how information is packaged differently for different languages. Slobin's description of conceptualization processing can be used to explain some of the difficulties experienced by people with aphasia when trying to express their thoughts [38]. As part of the conceptualization process, meaningful connections are also established between propositions using principles of local coherence. At the linguistic level of Levelt's model, propositions (and the links between them) are grammatically encoded, and words are accessed.

Sperber and Wilson proposed Relevance Theory [35], which is a processing model for explaining how we express and recognise meaning in language, allowing the exploration of the linguistic and structural choices we make to express meaning in discourse. This model highlights the influence of both cognitive and pragmatic processes, through its two key principles: human cognition is geared to maximise relevance (The Cognitive Principle); listeners expect utterances to be as relevant as possible (The Communicative Principle). In discourse terms this means that, at a pragmatic level, discourse should be constructed with consideration for the way people will interpret it; and,

at a macrostructure planning level, structure and story content should be organised in a manner that facilitates finding the relevant interpretation. Together these principles guide the construction of a discourse, whenever there is a choice (for example between one word and another; between sentence structures and ways to link them; and in the overall structure of information), towards the option that best balances the cognitive effort of the hearer with the reward of finding the relevance of each part of the discourse.

As the summaries above show, the source materials refer to a range of concepts and constructs involved in the description of spoken discourse. Through the metatheory synthesis process, four categories were identified (linguistic, propositional, macrostructure planning, pragmatic) into which these concepts/constructs could be grouped. Each theory (framework or model) in the source material referred to concepts or constructs in one or more of these categories – the categories are cross-referenced with the 10 theories in Table 2 (any additional texts relating to the same theories that were consulted are added here, alongside the main text for that theory). On the basis of this synthesis, we created a unified theoretical framework in which each category is depicted as a core component underpinning spoken discourse – see Figure 1. The validity of these categories can be initially evaluated by using the framework to describe case example, to explain assessment findings, and to motivate treatment (as we do in section 3.3, below) but for a more thorough evaluation further empirical research is needed.

Table 2: Source material mapped against four categories of concept/construct in spoken discourse - the shaded cells indicate which sources contain information relating to each category.

	Pragmatic	Macrostructure Planning	Propositional	Linguistic
Frederiksen and colleagues [28]				
Halliday & Matthiessen [29] Halliday & Hasan [2]				
Kintsch & van Dijk [30] van Dijk and Kintsch [37]				
Labov [31]				
Levelt [32] Levelt & Schriefers [39]				
Rumelhart [33]				
Sherratt [22]				
Slobin [34]				
Sperber & Wilson [35]				
Stein & Glenn [36]				

Pragmatics component




Figure 2: The LUNA framework for spoken discourse – see section 3.2 for information about each component

3.2 Overview of the LUNA framework for spoken discourse

The individual frameworks and models cover many of the concepts and constructs of spoken discourse commonly referred to in the aphasia literature. However, none of these theoretical perspectives covers all of the relevant concepts/constructs nor covers them in sufficient detail to be clinically useful or to underpin assessment and treatment research. Also lacking was a clear account of the relationship of one concept/construct to another.

Our unified framework (the LUNA framework - see Figure 2) aims to address these concerns. We propose that discourse production involves four categories (hypothesised processing components). The first is 'Pragmatics'. This acts as a 'filter' or overall influence on spoken discourse. Here the speaker makes decisions based on environmental, interpersonal and interactional factors. For

example, the context in which the discourse is delivered must be taken into account (at home vs an institutional setting) and the effect of different interlocutors (a familiar conversation partner vs a stranger) must be considered. These factors will, for example, influence language formality and the degree to which shared knowledge can be assumed. Interactional factors involve monitoring what is said against the developing linguistic context. For example, the speaker has to be aware whether s/he is introducing a novel topic or building on what has already been said. The interactional purpose of the discourse must be understood: is it to inform or entertain, reassure or surprise? Abilities required by the pragmatic component include working memory, to monitor the environmental and linguistic context, and Theory of Mind, in order to reflect on the informational needs of the conversational partner. Social awareness will also be required, so that judgements can be made about whether particular usage (slang, swearing) is appropriate for the context.

The 'macrostructure planning' component involves the creation of an organisational frame or macrostructure for the discourse. The literature suggests that this frame is often composed from recurring structural elements, for example, to set the scene, outline the developing events, resolve the narrative and evaluate/react to it [31, 33, 36]. This, in turn, suggests that the macrostructure planning component may draw on familiar templates, rather than having to build structures 'de novo' on each occasion. However, online structural decisions will be required. For example, different genres (telling a narrative vs describing a procedure) require different frames and the speaker will need to ensure that all key information is covered. Some information may also need to be given more prominence in the structure than others, for example, in response to the pragmatic and social context. Although cognitive skills are relevant to all components of the LUNA framework, there are number of cognitive skills and structures that are of particular importance in macrostructure planning. In addition to working memory, access to episodic memory will be needed, for example, to recall relevant events. Planning will call upon executive function, as will the need to monitor what has and has not been conveyed in the developing narrative (prospective memory and working memory).

The third, 'propositional' component is a prelinguistic organisational component that feeds into linguistic processing. This parcels the structural organisation or macro- 'plans' into the micro- 'plans' for individual utterances. For example, orientation elements of the structure will map onto utterances that set the scene ('This happened last year in Italy') while event elements will require utterances that convey actions ('I was sailing the boat'). Local decisions are needed about entities to include (or omit) from propositions, and their role. For example, one entity may play the role of agent in a proposition while another may be the theme, or the object that is acted upon. The sequence of propositions is also determined, according to information dependency relations. For example, this may follow the logical steps of a procedure, cause and effect relationships, or a chronology. The propositional component builds the meaning relationships of individual utterances, and so involves semantic processing. As covered in our overview of the literature, it calls upon what Slobin [34] describes as 'thinking for speaking' and Levelt [32] describes as 'conceptualization', which involves cognitive skills such as perspective taking, selection, organisation, and attention; as well as linguistic skills such as lexical and sentence semantics skills.

The fourth, 'linguistic' component translates each proposition into fully realised utterances. The syntactic form is constructed, and lexical access takes place. Phonological assembly occurs and the utterances are articulated. Linguistic skills in syntactic construction, lexical retrieval and

phonological processing are key to this component. These skills are familiar to clinicians and researchers working in aphasia, and there are other theoretical frameworks and models that can be used to describe and/or explain the hypothesised processing in this component.

Moving on from a description of the *content* of each component, to consider the *structure* of the components, the LUNA framework proposes a specific relationship between components. In line with two of the theoretical frameworks [22, 28] reviewed above, the components of spoken discourse are not considered to be sequential. In the LUNA framework, the relationship between components is conceptualized and depicted using a ‘Russian doll’ analogy, whereby linguistic processes sit inside propositional processes which sit inside macrostructure planning and pragmatic processes. According to this analogy, each component has the potential to influence every other one. Thus, pragmatic features (such as social context) will influence the overall organisation of the discourse, the composition of propositions and even linguistic factors, such as vocabulary and syntax. To illustrate the latter, a formal context will impose vocabulary preferences (‘gentleman’ vs ‘bloke’) and may encourage the use of particular syntactic options, such as the passive voice. We envisage that feedback can occur both ‘upwards’ and ‘downwards’ between all components in the LUNA framework, such that each component from pragmatic through linguistic will feed into the next one but components can also exert an influence in the other direction through revisions and reshaping as the discourse evolves. This would allow, for example, a word-finding or sentence formulation difficulty in the linguistic component to trigger a restructuring of information in the propositional component so as to drive an alternative formulation (a different word or sentence structure). This, in turn, may have wider ramifications for the macro-structure of the discourse.

The proposed LUNA framework enables us to reflect on the possible impact of aphasia on discourse production. For people with aphasia the most obvious site of difficulty will be in the linguistic component. Here, for example, word-finding or sentence processing impairments will limit discourse utterances. It has also been argued that aphasia can lead to difficulties in the semantic/conceptual processes required by the propositional component [38, 40]. For example, individuals may be unable to process event roles, or map these onto semantic verb-argument structures. The interconnected nature of the framework means that ‘local’ impairments may have wide reaching consequences for discourse production. For example, failure in propositional or linguistic processing may derail the macro-structure, or at least make it difficult to realise that structure. Similarly, even if the speaker is sensitive to pragmatic factors, they may be unable to reflect such subtleties in their output. There is the further possibility that the multi-faceted nature of discourse production (reflected in the LUNA framework) prevents the speaker from realising their full linguistic potential. For example, it is known that some people with aphasia have linguistic competencies that are not fully realised in their discourse in all contexts [41]. For example, some individuals who can produce discourse in constrained conditions, such as picture description, cannot do so when faced with a different kind of discourse task, such as recounting their day. It may be that discourse, with its many components, imposes a processing cost that cannot be met by these speakers (especially those with more severe aphasia). Conversely, there is also evidence that for some individuals with aphasia less constrained discourse tasks can reveal a more nuanced pattern of competence and difficulty. For example, Dipper and colleagues [42] compared the discourse produced by healthy speakers and those with mild-moderate aphasia in a picture description and more open discourse task (answering questions related to quality of life). They

found that the more open task generated more mental verbs for both healthy speakers and those with aphasia, revealing competence in the linguistic component of the LUNA framework. There were also differences between the groups, such that the open discourse task resulted in less complex sentence structures for speakers with aphasia only, revealing an impact of genre in the propositional component of the framework.

Problems with discourse may additionally arise from impairments in attention, memory, and executive functions that often accompany aphasia. Murray [43] demonstrated that people with aphasia performed significantly more poorly than a control group in these cognitive domains, and that attention deficits were correlated to language and communication status. In terms of discourse production, any involvement of attention, memory, or executive function would impair the generation of macrostructure and make it difficult to track whether all essential information was being conveyed, resulting in omissions or loss of coherence.

3.3 Use of the LUNA framework for spoken discourse

The overall aim in creating this new framework was to address a gap in the theoretical literature and to provide a structure to guide the assessment and treatment of spoken discourse in research and practice. Our literature synthesis suggested that none of the existing frameworks described all of the theoretical categories of spoken discourse in sufficient detail, nor fully addressed the relationship of one category to another. In the following sections, we exemplify ways in which the LUNA framework proposed here might address these gaps. Firstly, we provide two clinical case examples which are described using the framework. Next, we explore the complexity of spoken discourse assessment in aphasia, from the perspective of the proposed framework; and finally, we briefly outline a new treatment for personal narrative discourse (LUNA treatment – an investigation of which is currently in progress) which has been informed by this framework.

3.3.1 Clinical case examples²

To exemplify the use of the LUNA framework, consider the following examples of discourse produced by speakers with aphasia.

Case 1: this is a speaker with moderate non-fluent aphasia, responding to the prompt, “can you tell me about something that happened on a holiday you’ve been on recently?”.

Good er plane and er er went near it’s er near there and er me and Linda and the bloke says go to the road and get that and oh alright ok oh stupid sorry it was quite good it was two weeks and that was good it was brilliant oh you know people it was quite good it was brilliant it was quite good oh I’m sorry.

The linguistic component of this discourse is characterised by a limited range of nouns and use of semantically light verbs; sentences are mostly single clause (e.g., ‘[it]’s [near there]; [it] was [quite good]); and there is some unclear use of pronouns (e.g. ‘it’s near there’, ‘go and get that’). In the propositional component, there is evidence that the overall topic has been organised into propositions for language, as evidenced by the overall sequence of words used and the combination

² These examples have been extracted, with the speakers consent, from discourse produced either in a research project undertaken by the authors or as part of clinical work with one of the authors.

of words, even where they are not complete utterances (e.g. ‘went near’, ‘the bloke says go and get that’, ‘it was two weeks’) but difficulty accessing words has limited the ability to convey this. In additional there is a lack of coherence - what is being communicated, how it relates to the question, and how each utterance relates to the previous utterance. In the macrostructure planning component, the discourse does not have a clear macrostructure, although some of the expected elements of the orientation section are conveyed - introduction of the characters/participants (‘Linda’, ‘the bloke’), a location (‘it’s near there’) - and there are attempts to describe key ‘events’ (‘go to the road and get that’). In the pragmatics component the key factor is that this discourse was produced in response to a question about a holiday and so the relevance of the informational content should be considered in this context. In this context there are some aspects of the discourse that are clearly relevant (e.g. the word ‘plane’, the information that ‘it was two weeks’ and the evaluation that ‘it was good’, ‘it was brilliant’). Overall though, the relevance of what is being communicated and why is unclear.

Case 2: this is a female speaker with moderate conduction aphasia responding to the prompt, “tell me about when you had your stroke”.

Well I I was on the on the fla ... I was ... I think I was teluk right here on the on the teliff in the feliff first. And um my brother was coming to come over to bazzit. And she was just gone me call me. And all of a sudden that's ... I did ... that's that's all I know. I I was ... I he he and m and she wife t t came from they had to with a cop and get it in min to go the line. And um they had to ma they he went over and da t went went to ... from the t tea the the the light through the kazh and ... When he and my brother and his life come come came they come in the they they found it by uh sent us by the f floor in the ... And that's all I can remember. I ended up in the hospiter. That was it.

The linguistic component of this discourse is characterized by incomplete and inaccurate word retrieval and use of a limited range of semantically light verbs; sentences are revised and abandoned; some complex sentence structures are attempted, but not successfully; and pronouns are used incorrectly or ambiguously (e.g., “and she was just gone”). In terms of the propositional component, there appears to be some organization of the topic into propositions as evidenced by the sequence of verbs and the word combinations (e.g. ‘I was on the X’, ‘I was coming to come over to X’, ‘she was just gone me call me’), but the problems retrieving words and formulating sentences prevent them from being realized. The word and sentence impairments also compromise cohesion and coherence: it is not clear how (or if) an utterance relates to the previous utterance or to the overall topic. In the macrostructure planning component, some elements of the expected macrostructure are attempted, but not always achieved. For example, the sample seems to start with a setting, but we’re not quite sure what the location actually was or why her brother was coming over. There are attempts to convey key events, but since the verbs “came” and “went” predominate, often without their respective arguments, it’s not clear exactly what transpired. In the pragmatic component, some elements of the discourse are clearly relevant to the topic of her stroke (e.g., “they had to with a cop and get it in”, “they found it by uh sent us by the f floor”, “that’s all I can remember”, “I ended up in the hospiter”), while others are more ambiguous (e.g., “I think I was teluk right here on the on the teliff”).

In each case examples above, the word-finding difficulties are notable but this is not the case for all speakers with aphasia. There are people with milder aphasia who nevertheless experience difficulties producing spoken discourse, difficulties that might manifest as coherence and cohesion

issues, as well as and milder linguistic issues such as not being able to access the vocabulary that they were previously able to and having to rely instead on more rudimentary/more accessible vocabulary. The LUNA framework is useful for tracking these 'higher-level' difficulties, since it allows for consideration of the skills needed in the components of propositional, macrostructure planning and pragmatic processing, as well as linguistic skills; and furthermore prompts us to look at the impact of one component on another. .

3.3.2 Assessment of spoken discourse

In the aphasia evidence base, there are numerous ways to assess discourse skills; however, it is not always clear what construct or skill each measure is evaluating, how each measure relates to another, nor how measures should be selected in clinical practice and research. Under consideration here are not discourse protocols or specific tools but rather a metric for measuring aspects of discourse (such as lexical diversity or correctness) which we are referring to with the term 'measure'. To illustrate the point about lack of clarity in the use of measures, consider the 500+ discourse-related measures identified in two recent reviews of the assessment literature [6, 7] with no guidelines about which measure to use with which clients and why. Typically, the objective of researchers and clinicians is to choose one or more discourse-derived outcomes that are representative of an element of a person's spoken discourse skills. For example, assessing the proportion of complete sentences produced in a discourse would provide an assessment of sentence production skill and provide information related to the theoretical construct of syntax.

This distinction between theoretical constructs and related skills is not one routinely made in the aphasia literature, and this has led to some lack of clarity about what it is that discourse measures are measuring. Amongst the mass of discourse measures in the aphasia literature, the following range of constructs have been addressed: macrostructure; coherence; cohesion; informativeness; semantic-conceptual content; syntax; lexical-semantic content; lexical form; and verbal productivity. This has involved the assessments of the following skills, amongst others: production of specific schemas, or story grammar elements; production of linguistic items (words, sentences) relating to the topic or gist of a discourse; production of sentences that relate to each other; production of reference chains, and chains of lexical cohesion; production of linguistic items (words, sentences) denoting relevant semantic-conceptual content; production of linguistic items (words, sentences) with the correct form (syntactic, morphological or phonological); and production of fluent/productive speech. These skills have been assessed by various methods including counts, proportions, evaluations of error or incompleteness, rating scales, and in the case of productivity, by counts per unit of time (e.g. words per minute). It would be helpful to be able to map these constructs and skills onto a framework of spoken discourse so as to begin to highlight the similarities and differences between them (and to illustrate gaps and overlaps in the discourse measures available). This mapping process is attempted in the following sections (and depicted in Figure 2, below).

The connections among the skills and constructs are complex, as demonstrated in the clinical case examples presented earlier. It is difficult, if not impossible, to uniquely assess many of the theoretical constructs listed above because of their interrelatedness and the feedback between components of the LUNA framework. For example, an assessment of the proportion of complete sentences would provide information related to the constructs of syntax, semantic-conceptual content, lexical-semantic content, and lexical form. Some measures assess a theoretical construct

only partially such as Correct Information Units (CIUs, [44]), a measure used to assess the skill of word production and provide information about word-level informativeness, but which does not provide information about the informativeness of the discourse more broadly. In addition, there is often more than one way to measure the same skill, such as assessing sentence production skill using the proportion of complete sentences, a mean predicate-argument structure (PAS, [45]) score, or the proportion of treated sentence structures produced. Finally, there is complexity arising from the lack of theoretical frameworks underpinning discourse assessment, which leads to a lack of specification about what a measure is measuring and how it might relate to another measure. This makes it difficult for researchers and clinicians to decide which measure(s) to use in an assessment, and how impairment in the skill being assessed might affect multiple levels of discourse production. Whilst the unified theoretical framework proposed in this paper cannot solve all of these problems, it can provide a structure in which to organise these interrelated strands (constructs, skills, measures) and which may help identify gaps and overlaps.

In Figure 3, below, we have proposed how the constructs and skills outlined above might be mapped onto the LUNA framework, along with three commonly used discourse measures (CIUs, complete utterances, and Story Grammar). Whilst it is beyond the scope of this paper to map all 500+ discourse measures onto this framework, this could be an informative exercise to pursue in a future endeavour. As Figure 3 shows, there is overlap in terms of which components of the LUNA framework best fit some of the theoretical constructs (e.g. Informativeness, and Cohesion), discourse skills (e.g. production of reference chains) and measures (e.g. CIUs). This overlap might indicate that these constructs, skills and measures would benefit from further specification and decomposition. Alternatively, this overlap might be an intrinsic feature of the hypothesised interaction and feedback among the framework's components. In the latter case, the aim of depicting these overlaps within the framework would be to map them precisely and to be aware of them in planning discourse assessment. There are also gaps in the aphasia literature identified through this mapping process, such as the lack of assessment of pragmatic skills relating to spoken discourse. Although speech and language therapists report *informally* assessing pragmatic skill using discourse [8], there are no commonly used *formal* tools to do this. Thus, mapping the measures onto the LUNA framework could provide direction for the development of needed assessment measures and discourage the proliferation of redundant measures.




Figure 3: An example of the use of the LUNA framework: mapping skills, constructs and the three most commonly used discourse measures

Being able to situate a measure in the LUNA framework would also suggest targets for treatment, and might reveal links among performance in different components, as illustrated in the clinical cases above. For example, word-finding difficulties indicated by a low score in a linguistic measure such as CIUs [44] might occur alongside sentence level difficulties indicated by a measure that sits on the boundary between the linguistic and propositional components of discourse, such as mean PAS score [45]. In the macrostructure planning component, there may additionally be a lack of macrostructure indicated by a measure such as story grammar [14]; and difficulties in the pragmatic component might be indicated by a low score on a measure of listener judgement [46]. Rather than presenting these as the results from diverse assessments of different aspects of processing, the proposed framework unites them into components of spoken discourse. This, in turn, motivates and structures the search for a link between them and guides treatment design.

3.3.3 Treatment of spoken discourse

In proposing a unified theoretical framework, the aim was to guide both assessment and treatment of spoken discourse in aphasia. In our recent systematic review of discourse treatment [15], we found 25 studies reporting on 127 participants with aphasia, indicating that discourse is an under-researched aspect of aphasia treatment. In the LUNA treatment research study currently in progress, we are aiming to develop a feasible and acceptable new discourse treatment for people with aphasia to improve their personal narratives, using the theoretical framework proposed here as a guide.

As noted earlier, LUNA stands for Linguistic Underpinnings of Narrative in Aphasia. It is a novel multi-level intervention which treats the linguistic skills required to tell effective personal narratives. In LUNA, the participant tells a personally-chosen story about themselves, from which treatment targets are identified in the form of words, sentences and elements of discourse macrostructure via linguistic analysis of the story transcript. Based on this analysis, potential lists of treatment targets are offered to the participant for discussion. The discussion aims to find out more about the purpose of the personally-chosen story, the intended audiences for it, and ultimately to select which items (words, sentences, story elements) are to be treated. Treatment targets are then cumulatively addressed over 10 weeks.

The treatment in LUNA is thus organized into activities that target all components of the proposed theoretical framework. Word and sentence activities target the linguistic component; sentence activities simultaneously target the linguistic and propositional components; macrostructure activities target the macrostructure planning component; and the selection of treatment targets addresses the pragmatic component by considering the purpose and audience of the story. The cumulative approach ensures that words targeted at the start of the intervention also occur in the phrases, sentences and story structures targeted later, giving the intervention a strong coherence and allowing the person with aphasia to see the cumulative effect of each week's work towards the improvement of the final story. The coverage of all components of the theoretical framework similarly strengthens the approach and ensures that all core elements underpinning successful spoken discourse are explicitly targeted in treatment.

4. Discussion

The aim of this paper was to review and synthesize the theoretical literature underpinning clinical approaches to discourse in aphasia. Theoretical frameworks and models are important both for research and practice. In clinical assessment they can be used to identify intact and impaired components of processing and to inform treatment planning [18]. There is currently no unified framework routinely used to guide treatment of spoken discourse, either clinically or in research. In a recent review of discourse treatment [15], most studies made no reference to any theoretical rationale for the methods they used. Where theory was explicitly mentioned, it related to just one level of language: discourse macrostructure [14, 47, 48]. The frameworks and models cited in these three treatment studies were part of the current review: Halliday and Hasan [2] for cohesion; and Labov [31], Rumelhart [33], and Stein and Glenn [36] for story grammar. However, discourse macrostructure is not the whole story. There are other levels of language involved in spoken discourse, such as words and sentences, and so there is a need to have an extended framework that covers all components of spoken discourse and which allows the identification of links between

623 them. If our goal is to improve spoken discourse, then we must be aware that focusing treatment
624 on a single discourse component (or single skill from within a component) might or might not affect
625 other discourse components. Understanding how the skills and components are related can help us
626 to predict which components of discourse production might change as a result of our treatment, to
627 monitor for those changes and, if they do not occur, to implement treatment that focuses on the
628 remaining impairments. The LUNA framework can provide a structured, systematic means for
629 researchers seeking to understand how a treatment affects multiple components of discourse
630 production and for clinicians seeking to ascertain whether their client's overall discourse
631 production has improved or needs further intervention.

632 Our review has resulted in the proposal of a novel unified framework outlining theoretically
633 derived components of spoken discourse, with the intent of supporting assessment and treatment
634 in research and practice. The framework is deliberately simple in its graphic presentation, which we
635 hope increases its accessibility for range of audiences including students, clinicians, and
636 researchers. However, the concepts, constructs and interrelationships that it seeks to encapsulate
637 are complex. The next step in developing LUNA as a useful tool would be to conduct an
638 'exhaustive' review of the concepts, constructs, skills, and related measures in order to map some of
639 the major connections delineated in the LUNA framework. In the previous sections we have aimed
640 to emphasize the need for a unified theoretical framework that incorporates multiple components
641 and to illustrate its uses. The need to consider multiple components (the four categories we
642 propose here) in spoken discourse (and not just, for example, word production) is supported by a
643 consideration of the evidence base, which indicates that aphasia affects discourse in a range of
644 ways, including the language elements that speakers use, the information communicated, and the
645 structuring of information in terms of linking ideas to each other and to the discourse
646 macrostructure [6, 7, 10]. What is currently missing is an indication of how these difficulties
647 overlap or otherwise relate to each other. The framework proposed in this paper should allow us
648 to map discourse measures onto skills in a structured way, by organizing those skills into discourse
649 components (linguistic, propositional, macrostructure planning and pragmatic), indicating areas
650 where there are multiple measures that assess the same thing while other components lack any
651 measure.

652 The evidence base for discourse treatment in aphasia would be strengthened by more treatment
653 research underpinned by an explicit theoretical rationale, which would allow for an evaluation of
654 what works and why [49]. Additionally, consensus about which theoretical framework to use
655 would allow for a more systematic approach to assessment and treatment.

656 There are limitations in the current study that should be considered. Although the expansive
657 literature search used here is the appropriate method for theory-building [25] it allows for the
658 possibility that relevant literature has been omitted from the review. Whilst we can be confident
659 that there were no omissions of theory from the field of aphasia assessment and treatment research,
660 since the search method here (inspection of reference lists of papers included in systematic reviews)
661 was exhaustive, we cannot be so sure about relevant theories from wider fields. However, as
662 Finfgeld and Johnson [25] point out, the aim of an expansive search is to find enough source
663 material to fully explicate concepts/constructs and the interrelationships between them. Another
664 limitation is that the review and synthesis presented here was able only to propose a theoretical
665 framework to guide future work, and not a processing model. As noted in the Introduction, a

distinction is commonly drawn between frameworks and models. Both arise from theory although they differ in purpose: a framework *describes* a phenomenon whereas a model *explains* it. There is a consequent difference in the methods used for each approach, with frameworks arising largely from *deductive* (theoretical) methods and models additionally needing *inductive* (empirical) data to validate them [20]. A clear example of model use in assessment and treatment planning (and research) at the single-word level is the PALPA model (Psycholinguistic Assessments of Language Processing in Aphasia) [21]. Here, the data from test results can be used to generate clear hypotheses about strengths and impairments with words; and then treatment aims, methods and tasks can be selected or devised to address a client's specific area of lexical difficulty. A next important step, requiring future collaborative research, would be to validate the framework with empirical findings in order to build a more detailed processing model of spoken discourse, including a consideration of the dynamic nature of the brain.

5. Conclusions

The review and synthesis presented here has resulted in a novel unified theoretical framework for spoken discourse. Our aim in proposing the LUNA framework is to bring order and structure to the aphasia discourse assessment evidence base; and to provide a roadmap for emergent aphasia discourse treatment research. The objective is to improve discourse treatment for people with aphasia by clarifying the specific linguistic skills needed to create completeness, coherence, and richness in their discourse. Just as discourse is fundamental to everyday communication, we believe that theory is fundamental to moving the field of aphasia discourse research forward.

Author Contributions: Conceptualization, methodology, formal analysis, data curation, writing—original draft preparation, Lucy Dipper; validation and writing—review and editing Jane Marshall, Mary Boyle, Deborah Hersh, Nicola Botting and Madeline Cruice; funding acquisition, Madeline Cruice and Lucy Dipper. All authors have read and agreed to the published version of the manuscript.

Funding: This research was funded by the Stroke Association, grant number TSA2017/01

Acknowledgments: The author team would like to thank Dr Madeleine Pritchard for her work on the data analysis.

Conflicts of Interest: The authors declare no conflict of interest. The funders had no role in the design of the study; in the collection, analyses, or interpretation of data; in the writing of the manuscript, or in the decision to publish the results.

References

1. Croteau, C., McMahon-Morin, P., Le Dorze, G., & Baril, G. Impact of aphasia on communication in couples. *International Journal of Language & Communication Disorders* **2020** *54*(4), 547-557.
2. Halliday, M. A. K., & Hasan, R. *Cohesion in English*. Routledge: New York, USA, 1976.
3. Ulatowska, H.K. & Olness, G.S. Pragmatics in discourse performance: Insights from aphasiology. *Seminars in Speech and Language* **2004**, *28*, 148-157.
4. Nunan, D. *Introducing Discourse Analysis*. Penguin English: London, UK.,1993.
5. Halliday, M.A.K. *Language as social semiotic: the social interpretation of language and meaning*. Edward Arnold: London, UK, 1978.
6. Bryant, L., Ferguson, A., & Spencer, E. Linguistic analysis of discourse in aphasia: A review of the literature. *Clinical linguistics and phonetics* **2016**, *30*(7), 489-518.

7. Pritchard, M., Hilari, K., Cocks, N., & Dipper, L. Reviewing the quality of discourse information measures in aphasia. *International Journal of Language and Communication Disorders* **2017**, *52* (6), 689-732.
8. Cruice, M., Botting, N., Marshall, J., Boyle, M., Hersh, D., Pritchard, M., & Dipper, L. UK speech and language therapists' views and reported practices of discourse analysis in aphasia rehabilitation. *International Journal of Language and Communication Disorders* **2020**, *55*, 417-442.
9. Worrall, L., Sherratt, S., Rogers, P., Howe, T., Hersh, D., Ferguson, A., & Davidson, B. What people with aphasia want: Their goals according to the ICF. *Aphasiology* **2011**, *25*(3), 309-322.
10. Linnik, A., Bastiaanse, R., & Höhle, B. Discourse production in aphasia: a current review of theoretical and methodological challenges. *Aphasiology* **2016**, *30*(7), 765-800.
11. Andreetta, S., Cantagallo, A., & Marini, A. Narrative discourse in anomic aphasia. *Neuropsychologia* **2012**, *50*(8), 1787-1793.
12. Dipper, L., & Cruice, M. Personal storytelling in aphasia: a single case study of LUNA therapy. *Aphasiology* **2018**, *32*(sup1), 60-61.
13. Marini, A., Andreetta, S., del Tin, S., & Carlomagno, S. A multi-level approach to the analysis of narrative language in aphasia. *Aphasiology* **2011**, *25*(11), 1372-1392.
14. Whitworth, A., Leitão, S., Cartwright, J., Webster, J., Hankey, G., Zach, G., Howard, D., & Wolz, V. NARNIA: A new twist to an old tale. A pilot RCT to evaluate a multilevel approach to improving discourse in aphasia. *Aphasiology* **2015**, *29* (11), 1345-1382.
15. Dipper, L., Marshall, J., Boyle, M., Botting, N., Hersh, D., Pritchard, M., & Cruice, M. Treatment for improving discourse in aphasia: A systematic review and synthesis of the evidence base. *Aphasiology* **2020** (DOI: 10.1080/02687038.2020.1765305)
16. Craig, P., Dieppe, P., Macintyre, S., Michie, S., Nazareth, I., & Petticrew, M. Developing and evaluating complex interventions: the new Medical Research Council guidance. *BMJ* **2008**, *337*, a1655.
17. Armstrong, E. Aphasic discourse analysis: The story so far. *Aphasiology* **2000**, *14*, 875-892.
18. Whitworth, A., Webster, J., Howard, D. A Cognitive Neuropsychological Approach to Assessment and Intervention in Aphasia. Psychology Press: London, UK, 2014.
19. Kerlinger, F.N. *Foundations of behavioral research*. Holt, Rinehart and Winston: New York, USA, 1966.
20. Nilsen, P. Making sense of implementation theories, models and frameworks. *Implementation science* **2015**, *10*(1), p.53.
21. Kay, J., Lesser, R., & Coltheart, M. Psycholinguistic assessments of language processing in aphasia (PALPA): An introduction. *Aphasiology* **1996**, *10*(2), 159-180.
22. Sherratt, S. Multi-level discourse analysis: A feasible approach. *Aphasiology* **2007**, *21*(3/4), 375-393.
23. Finfgeld, D. L. Metasynthesis: The state of the art—so far. *Qualitative health research* **2003**, *13*(7), 893-904.
24. Paterson, Barbara L., Sally E. Thorne, Connie Canam, and Carol Jillings. Meta-study of qualitative health research: A practical guide to meta-analysis and meta-synthesis. Vol. 3. Sage: London, UK, 2001.
25. Finfgeld-Connett, D., & Johnson, E. D. Literature search strategies for conducting knowledge-building and theory-generating qualitative systematic reviews. *Journal of advanced nursing* **2013**, *69*(1), 194-204. 6,
26. Elo, S., & Kyngäs, H. The qualitative content analysis process. *Journal of advanced nursing* **2008**, *62*(1), 107-115.
27. Finfgel-Connett, D. Use of content-analysis to conduct knowledge-building and theory-generating qualitative systematic reviews. *Qualitative Research* **2014**, *14* (3), 341- 352.
28. Frederiksen, C., Bracewell, R., Breuleux, A., & Renaud, A. The cognitive representation and processing of discourse: Function and dysfunction. In Y. Joannette & H. Brownell (Eds.), *Discourse ability and brain damage: Theoretical and empirical perspective*. Springer Verlag: New York, USA, 1990.
29. Halliday, M., & Matthiessen, C. *An introduction to functional grammar*. Hodder Education: London, UK, 2004.
30. Kintsch, W., & van Dijk, T.A. Toward a model of text comprehension and production. *Psychological Review* **1978**, *85*, 363-394.
31. Labov, W. *Language in the inner city: Studies in the black English vernacular*. University of Pennsylvania Press: Philadelphia, USA, 1972.
32. Levelt, W. *Speaking: From Intention to Articulation*. MIT Press: Cambridge, UK, 1989.
33. Rumelhart, D., E. Notes on a schema for stories. In D. G. Borrow and A. Collins (Ed.s), *Representation and Understanding Studies in Cognitive Science*. Morgan Kaufmann: San Francisco, USA, 1975; Pages 211-236.
34. Slobin, D. From 'thought and language' to 'thinking for speaking'. In J. Gumperz & S. Levinson (Eds.), *Rethinking linguistic relativity*. Cambridge University Press: Cambridge, UK, 1996.

35. Sperber, D. & Wilson, D. *Relevance: Communication and cognition*. Blackwell: Oxford, UK, 1986.
36. Stein, N. L. & Glenn, C. An analysis of story comprehension in elementary school children. In R. O. Freedle (ed.), *New directions in discourse processing*. Ablex Publishing: Norwood, New Jersey, USA, 1979.
37. Van Dijk TA, Kintsch W. *Strategies of discourse comprehension*. Academic Press: New York, USA, 1983.
38. Dipper, L. T., Black, M., & Bryan, K. L. Thinking for speaking and thinking for listening: The interaction of thought and language in typical and non-fluent comprehension and production. *Language and Cognitive Processes* **2005**, 20(3), 417-441.
39. Levelt W.J.M., Schriefers H. Stages of Lexical Access. In: Kempen (Ed) *Natural Language Generation. NATO ASI Series (Series E: Applied Sciences), vol 135*. Springer: Dordrecht, the Netherlands, 1987.
40. Marshall, J. Framing ideas in aphasia: The need for thinking therapy. *International journal of language & communication disorders* **2009** 44(1), 1-14.
41. Linebarger, M. C., McCall, D. & Berndt, R. S. Supported versus unsupported narrative elicitation: Impact on language production in aphasia. *Brain and Language* **2004**, 91(1), 44-46.
42. Dipper, L., Pritchard, M., Walkden, E. and Cruice, M. How do speakers with and without aphasia use syntax and semantics across two discourse genres? *Aphasiology* **2018** 32(6), 720-738.
43. Murray, L.L. Attention and other cognitive deficits in aphasia: Presence and relation to language and communication measures. *American Journal of Speech-Language Pathology* **2012**, 21, S51-S64.
44. Nicholas, L. E., & Brookshire, R.H. A system for quantifying the informativeness and efficiency of the connected speech of adults with aphasia. *Journal of Speech, Language, and Hearing Research* **1993** 36(2), 338-350.
45. Webster, J., Franklin, S., & Howard, D. An analysis of thematic and phrasal structure in people with aphasia: What more can we learn from the story of Cinderella? *Journal of Neurolinguistics* **2007**, 20(5), 363-394.
46. Jacobs, B. J. Social validity of changes in informativeness and efficiency of aphasic discourse following linguistic specific treatment (LST). *Brain and Language* **2001**, 78(1), 115-127.
47. Carragher, M., Sage, K., & Conroy, P. Preliminary analysis from a novel treatment targeting the exchange of new information within storytelling for people with nonfluent aphasia and their partners. *Aphasiology* **2015**, 29(11), 1383-1408.
48. Whitworth, A. Using narrative as a bridge: Linking language processing models with real-life communication. *Seminars in speech and language* **2010**, 31(1), 64-75.
49. Hart, T., Dijkers, M. P., Whyte, J., Turkstra, L. S., Zanca, J. M., Packel, A., Van Stan, J. H., Ferraro, M. and Chen, C. A theory-driven system for the specification of rehabilitation treatments. *Archives of physical medicine and rehabilitation* **2019**, 100(1), 172-180.

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).