



## City Research Online

### City, University of London Institutional Repository

---

**Citation:** Carson, G. & Long Covid Forum Group (2021). Research priorities for Long Covid: refined through an international multi-stakeholder forum. *BMC Medicine*, 19(1), 84. doi: 10.1186/s12916-021-01947-0

This is the published version of the paper.

This version of the publication may differ from the final published version.

---

**Permanent repository link:** <https://openaccess.city.ac.uk/id/eprint/25872/>

**Link to published version:** <https://doi.org/10.1186/s12916-021-01947-0>

**Copyright:** City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

**Reuse:** Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

---

---

---

City Research Online:

<http://openaccess.city.ac.uk/>

[publications@city.ac.uk](mailto:publications@city.ac.uk)

---

COMMENTARY

Open Access

# Research priorities for Long Covid: refined through an international multi-stakeholder forum



Gail Carson\* and Long Covid Forum Group

**Keywords:** Long Covid, Coronavirus research, WHO R&D COVID-19 Research Agenda, GloPID-R, ISARIC, Long Covid Support Group

## Background

Coronavirus disease 2019 (COVID-19) can lead to a diverse range of clinical manifestations, ranging from an asymptomatic infection to an acute respiratory distress syndrome, and multiorgan failure with high mortality rates [1]. It is established that SARS-CoV-2 not only infects the respiratory tract but that the ensuing viral replication and immune response also affects multiple organ systems, in addition to an acute systemic inflammatory response and in some cases accompanying tissue hypoxia and shock.

While many who have been infected have uncomplicated recoveries, some have prolonged illness. Prolonged course of illness has been reported in adults and children and is affecting both those who were hospitalised with COVID-19 and those who were not [2–7].

In December 2020 ISARIC (the International Severe Acute Respiratory and emerging Infection Consortium), the research funders group GloPID-R (The Global Research Collaboration for Infectious Disease Preparedness) and global group, Long Covid Support, jointly organised a ‘Long Covid Forum’ [8]. This public forum aimed to gain a better understanding of ‘Long Covid’ and to define research priorities for funders and researchers to take forward.

## Emerging themes

### Global patient voices

A complex, multi-faceted condition involving a range of physical, cognitive, psychological and social implications was described by people living with Long Covid from around the world. There was a call for a systematic way to define cases and to build awareness of Long Covid in the medical community globally to ensure recognition. Themes of isolation, social stigma, inability to care for family and economic repercussions were heard repeatedly. Integration of multi-disciplinary, holistic care into health systems is needed, including understanding the scale of resources that need to be mobilised and how to ensure equity in access to care across the world. Specific questions emerged around whether anti-viral treatment, during acute infection, could prevent Long Covid and improve long-term outcomes. Pertinent questions about the need to understand the effect that vaccination may have on people living with Long Covid were raised.

### Overarching summary of knowledge of Long Covid

An analysis by a rapid living systematic review on Long Covid clinical characteristics [7] highlights the limited evidence base and heterogeneity in the design of published studies. Importantly, this work indicates little difference in the severity of symptoms between the studies in hospitalised and non-hospitalised groups. An analysis from the UKCDR

Correspondence: [gail.carson@ndm.ox.ac.uk](mailto:gail.carson@ndm.ox.ac.uk)  
University of Oxford, ISARIC and GloPID R Secretariat, Oxford, UK



© The Author(s). 2021 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

**Table 1** Research priorities identified at the Long Covid Forum. Framework for identifying research needs from the Long COVID Forum

Research priorities (aligned to the WHO mid-term and long-term research priorities: 2019 novel coronavirus [4])	Identified sub-priority for Long Covid	Populations (multi-country studies needed)
<b>Virus: natural history, transmission and diagnosis</b>	<ul style="list-style-type: none"> <li>- Identify pathogenesis</li> <li>- Investigate the impact of chronic and acute co-infections</li> <li>- Define the clinical presentations of Long Covid and characterise the burden and spectrum of Long Covid across populations according to clear case definition</li> <li>- Determine any associations between host genetic factors and Long Covid</li> </ul>	Hospitalised patients; non-hospitalised patients; clinical diagnosis only; individuals; children; vulnerable communities; resource-constrained populations
<b>Epidemiological studies</b>	<ul style="list-style-type: none"> <li>- Agree case definition and diagnosis</li> <li>- Establish causality</li> <li>- Relationship between acute disease and Long Covid development</li> <li>- Describe underlying mechanisms to identify potential therapeutic targets</li> <li>- Investigate pathogenesis to explain, e.g. thrombotic tendencies, organ impairment</li> <li>- Investigate the impact of chronic and acute co-infections and co-morbidities</li> <li>- Characterise mental health and neurological impacts</li> </ul>	
<b>Clinical characterisation and management</b>	<ul style="list-style-type: none"> <li>- Investigate antiviral and anti-inflammatory therapeutics and therapeutic timings to prevent Long Covid</li> <li>- Investigate therapeutics to treat Long Covid symptoms and non-pharmaceutical interventions</li> </ul>	
<b>Candidate therapeutics R&amp;D</b>	<ul style="list-style-type: none"> <li>- Investigate the impact of COVID-19 vaccination on people with Long Covid</li> <li>- Investigate whether vaccination prevents Long Covid</li> <li>- Investigate re-infection in people with Long Covid and impact on vaccine priority list</li> </ul>	
<b>Candidate vaccines R&amp;D</b>	<ul style="list-style-type: none"> <li>- Health systems research on identifying and supporting Long Covid cases (through holistic care)</li> </ul>	
<b>Social sciences in the outbreak response</b>		

and GloPID-R COVID Research Project Tracker [9] similarly highlighted little ongoing research on Long Covid with few studies in non-hospitalised groups or multi-country studies and no studies in children. A clear need for further studies in mild infection cases, including those who did not receive PCR confirmation, children and young people, and studies in different resourced settings using standardised protocols, risk factors and endpoints was identified to inform clinical and public health management, rehabilitation and support.

### Country experiences

Research presented from around the world highlighted heterogeneity in Long Covid presentation, which may be linked to different treatment responses in the acute phase of infection. Risk factors—genetic, environmental, co-morbidities or social—for Long Covid need defining as well as the impacts of chronic co-infections (e.g. with HIV and TB) and co-morbidities on disease outcomes.

### Reflecting on Chikungunya

There are important similarities between Chikungunya and COVID-19, including long-lasting and heterogeneous symptoms post-acute infection and research challenges, due to a lack of standardisation of case definitions, study measures and inclusion criteria. The importance of investigating both social and health implications of prolonged symptoms was highlighted. There was a recognition of being prepared to research into the longer-term effects of any emerging pathogen.

### Ongoing Long Covid studies

Emerging results from ongoing research from a range of countries were presented and discussed to identify multiple remaining research gaps. These included the need to understand the mechanism of pathogenesis; the immune response and immune system dynamics (given the divergent working hypotheses of a failure of adaptive immunity to respond enough vs autoimmunity, where a prolonged or exaggerated response could be damaging); inclusion of wider populations, including people who were never hospitalised or even tested; animal and tissue models; and genetic host factor characterisation. There is a gap in case-control and interventional studies and an urgency to understand the aetiology, identify treatments and develop holistic care pathway for rehabilitation, interventions and social support systems.

### Psychosocial health

Few studies have focussed on the psychosocial impact of COVID-19 to date and most lack a comparative group. Studies indicate that up to a fourth of patients experience neurological and psychosocial sequelae including

depression and anxiety; the mechanisms underlying SARS-CoV-2 infection and its effects on the nervous system need to be explored to identify the interplay between neurological symptoms, including those manifesting as psychological symptoms, the virus and the immune response. Case-control studies, with matched control groups within the current pandemic context, are urgently needed.

### Discussion and recommendations

Further action is clearly needed to make sure that Long Covid does not become the long-lasting legacy of the pandemic with potentially millions of people suffering, with an impact on health and social care systems and wide, long-lasting socioeconomic consequences. Although there is emerging recognition of Long Covid, the evidence base is limited and fragmented and many research questions remain. The key pressing research questions are summarised in Table 1 aligned against WHO priorities [10].

Reorienting and including Long Covid in existing cohorts, trials and studies might be the most efficient way to undertake this research globally and strengthen health systems for future emerging pathogens.

### Conclusion

Research on Long Covid will require a multi-disciplinary and globally coordinated approach that supports harmonised and large-scale case-control and interventional studies that have the power to provide quality evidence to inform policy and patient care across the full range of populations and countries affected.

Governments of the world need to ensure the strengthening of health systems to be able to provide treatment, support and rehabilitation to improve long-term COVID-19 outcomes. To prevent Long Covid becoming the pandemic of 2021, controlling the high rates of infection has to remain a global priority.

### Acknowledgements

Organising Committee

- Gail Carson, ISARIC, GSC—Chair
- Louise Sigfrid, ISARIC GSC
- Piero Olliaro, ISARIC GSC
- Alice Norton, UK CDR & GloPID-R
- Giuseppe Paparella, ISARIC GSC—Deputy Chair
- Romans Matulevics, ISARIC GSC
- Annelies Gillesen, ISARIC GSC
- Peter Horby, ISARIC GSC
- Claire Hastie, Long Covid Support Group
- Margaret O'Hara, Long Covid Support Group
- Jake Suett, Long Covid Support Group
- Sarah Moore, ISARIC GSC
- Richard Vaux, GloPID R Sec, Fondation Merieux
- Jean Marie Habarugira, EDCTP
- Genevieve Boily-Larouche, CIHR
- Ella Clark, Wellcome
- Peter Hart, Wellcome
- Josie Golding, Wellcome

- Claire Madelaine, INSERM
- Brian Mackenwells, University of Oxford
- Kristina Ruze, Fondation Merieux
- Nina Jamieson, ISARIC GSC
- Liliana Resende, ISARIC GSC
- Evelyn Depoortere, EC

Chairs (in alphabetical order)

1. Dr. Anna Kinsey, MRC, UK
2. Dr. Daniel Munblit, Sechenov First Moscow State Medical University, Russia
3. Dr. Fahmy Hanna, W.H.O.
4. Dr. Gail Carson, ISARIC & GloPID-R
5. Dr. Janet Diaz, W.H.O.
6. Mr. Jean Marie Habarugira, EDCTP, The Netherlands
7. Prof. Annelies Wilder-Smith, London School of Hygiene and Tropical Medicine, UK
8. Prof. Charles Wiysonge, GloPID-R Co Chair
9. Prof. Charu Kaushic, Chair, GloPID-R
10. Prof. Luis Felipe Reyes, Universidad de La Sabana, Colombia
11. Prof. Peter Horby, Executive Director, ISARIC
12. Prof. Piero Olliaro, ISARIC
13. Prof. Roberto Bruzzone, University of Hong Kong & Chair of ISARIC Board
14. Prof. Yazdan Yazdanpanah, INSERM, France

Speakers

1. Dr. Tedros A. Ghebreyesus, Director-General, W.H.O.
2. Dr. Alex van Blydenstein, Long COVID Support Group, South Africa
3. Dr. Alice Norton, UKCDR & GloPID-R
4. Dr. Alpha Keita, CERFIG, Guinea
5. Dr. Andre Siqueira, FIOCRUZ, Brazil
6. Dr. Angela Cheung, CANCOV, Canada
7. Dr. Charitini Stavropoulou, City University, UK
8. Dr. Frances Simpson, Coventry University, UK
9. Dr. Jake Suett, Long COVID Support Group, UK
10. Dr. Janet Scott, University of Glasgow, UK
11. Dr. Joseph Breen, NIH, USA
12. Dr. Joseph Fokam, EDCTP, Cameroon
13. Dr. Ken Baillie, ISARIC, University of Edinburgh, UK
14. Dr. Louise Sigfrid, ISARIC University of Oxford, UK
15. Dr. M Netravathi, NIMHANS, India
16. Dr. Margaret Herridge, CANCOV, Canada
17. Dr. Margaret O'Hara, Long COVID Support Group, UK
18. Dr. Nisreen Alwan, University of Southampton, UK
19. Dr. Priscilla Rupali, Christian Medical College Vellore, India
20. Dr. Ryan Zarychanski, University of Manitoba, Canada
21. Dr. Seong-Ho Choi, Chung-Ang University Hospital, South Korea
22. Mr. Lwazi Mlaba, Long COVID Support Group, South Africa
23. Mr. Moses Badio, PREVAIL, Liberia
24. Ms. Bhasha Mewar, Long COVID Support Group, India
25. Ms. Claire Hastie, Long COVID Support Group, UK
26. Ms. Gina Assaf, The Body Politic COVID-19 Support Group, USA
27. Prof. Christopher Brightling, University of Leicester, UK
28. Prof. Danny Altmann, Imperial College, UK
29. Prof. Fernando Bozza, BRICNET, Brazil
30. Prof. Ivan Hung, University of Hong Kong
31. Prof. Norio Ohmagari, Japan National Center for Global Health and Medicine
32. Prof. Sally Singh, University Hospitals of Leicester NHS Trust
33. Prof. Shinichiro Morioka, Japan National Center for Global Health and Medicine
34. Prof. Simon Hatcher, University of Ottawa, Canada
35. Prof. Simone Piva, University of Brescia, Italy

#### Author's contributions

All authors read and approved the final manuscript.

#### Funding

Not applicable

#### Availability of data and materials

Not applicable

## Declarations

#### Ethics approval and consent to participate

Not applicable

#### Consent for publication

Not applicable

#### Competing interests

The authors declare that they have no competing interests.

Received: 18 February 2021 Accepted: 18 February 2021

Published online: 31 March 2021

## References

1. Ranzani OT, Bastos L, Gelli J, Marchesi JF, Baião F, Hamacher S, Bozza FA. Characterisation of the first 250 000 hospital admissions for COVID-19 in Brazil: a retrospective analysis of nationwide data. *Lancet Respir Med*. 2021; Advance online publication. [https://doi.org/10.1016/S2213-2600\(20\)30560-9](https://doi.org/10.1016/S2213-2600(20)30560-9).
2. Alwan N, Johnson L. Long COVID: where do we start with the case definitions? *OSF Preprints*. 2020; <https://doi.org/10.31219/osf.io/hndtm>.
3. Davis HE, Assaf GS, McCorkell L, Wei H, Low RJ, Re'em Y, Redfield S, Austin JP, Akrami A. Characterizing long COVID in an international cohort: 7 months of symptoms and their impact. *MedRxiv*. 2020;2020(12):24.20248802 <https://doi.org/10.1101/2020.12.24.20248802>.
4. Ayoubkhani D, Khunti K, Nafilyan V, Maddox T, Humberstone B, Diamond SI, Banerjee A. Epidemiology of post-COVID syndrome following hospitalisation with coronavirus: a retrospective cohort study. *MedRxiv*. 2021;2021(01):15. 21249885 <https://doi.org/10.1101/2021.01.15.21249885>.
5. Office of National Statistics. Updated estimates of the prevalence of long COVID symptoms. 21 January 2021. <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/healthandlifeexpectancies/dhocs/12788updatedestimatesoftheprevalenceoflongcovidsymptoms>.
6. Lopez-Leon S, Wegman-Ostrosky T, Perelman C, Sepulveda R, Rebolledo PA, Cuapio A, Villapol S. More than 50 long-term effects of COVID-19: a systematic review and meta-analysis. *MedRxiv*. 2021;2021(01):27.21250617 <https://doi.org/10.1101/2021.01.27.21250617>.
7. Michelen M, Manoharan L, Elkheir N, Cheng V, Dagens D, Hastie C, O'Hara M, Suett JC, Burls A, Foote C, Carson G, Olliaro P, Sigfrid L, Stavropoulou C. Characterising long-term covid-19: a rapid living systematic review. *MedRxiv*. 2020;2020(12):08.20246025 <https://doi.org/10.1101/2020.12.08.20246025>.
8. Norton A, Olliaro P, Sigfrid L, Carson G, Hastie C, Kaushic C, Boily-Larouche G, Suett J, O'Hara M. Long COVID: tackling a multifaceted condition requires a multidisciplinary approach. *Lancet Infect Dis*. 2021; Online First. [https://doi.org/10.1016/S1473-3099\(21\)00043-8](https://doi.org/10.1016/S1473-3099(21)00043-8).
9. UKCDR and GloPID-R COVID-19 Research Project Tracker. Last updated: 12 January 2021. <https://www.ukcdr.org.uk/funding-landscape/covid-19-research-project-tracker/>.
10. World Health Organization. A coordinated global research roadmap: 2019 novel coronavirus. 12 March 2020. <https://www.who.int/publications/m/item/a-coordinated-global-research-roadmap>.

## Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

**Ready to submit your research? Choose BMC and benefit from:**

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

**At BMC, research is always in progress.**

Learn more [biomedcentral.com/submissions](https://biomedcentral.com/submissions)

