



## City Research Online

### City, University of London Institutional Repository

---

**Citation:** Giaralis, A. ORCID: 0000-0002-2952-1171 and Petrini, F. (2018). Erratum for “Wind-Induced Vibration Mitigation in Tall Buildings Using the Tuned Mass-Damper-Inerter” by Agathoklis Giaralis and Francesco Petrini. *Journal of Structural Engineering*, 144(2), 08217004 .. doi: 10.1061/(asce)st.1943-541x.0001980

This is the accepted version of the paper.

This version of the publication may differ from the final published version.

---

**Permanent repository link:** <https://openaccess.city.ac.uk/id/eprint/26030/>

**Link to published version:** [http://dx.doi.org/10.1061/\(asce\)st.1943-541x.0001980](http://dx.doi.org/10.1061/(asce)st.1943-541x.0001980)

**Copyright:** City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

**Reuse:** Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

---

---

---

City Research Online:

<http://openaccess.city.ac.uk/>

[publications@city.ac.uk](mailto:publications@city.ac.uk)

---

**Erratum for “Wind-Induced Vibration Mitigation in Tall Buildings Using the Tuned Mass-Damper-Inerter” DOI: 10.1061/(ASCE)ST.1943-541X.0001863**

**Agathoklis Giaralis<sup>1</sup> and Francesco Petrini<sup>2</sup>**

<sup>1</sup>Dept. of Civil Engineering, City, University of London, London EC1V 0HB, U.K.

<sup>2</sup>Dept. of Structural and Geotechnical Engineering, Sapienza University of Rome, 00185 Rome, Italy.

In the paper, the characteristic (reference) wind velocity, designated as  $V_{\text{ref}}$  throughout the paper, has been inadvertently defined as the top-floor wind velocity. The correct definition for  $V_{\text{ref}}$  is gradient wind velocity of the atmospheric boundary layer at height equal to 810m in well-developed urban areas.