



City Research Online

City St George's, University of London

Citation: Tria, F., Mukherjee, A., Baronchelli, A., Puglisi, A. & Loreto, V. (2011). A fast no-rejection algorithm for the Category Game. *Journal of Computational Science*, 2(4), pp. 316-323. doi: 10.1016/j.jocs.2011.10.002

This is the unspecified version of the paper.

This version of the publication may differ from the final published version. To cite this item please consult the publisher's version.

Permanent repository link: <https://openaccess.city.ac.uk/id/eprint/2639/>

Link to published version: <https://doi.org/10.1016/j.jocs.2011.10.002>

Copyright and Reuse: Copyright and Moral Rights remain with the author(s) and/or copyright holders. Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge, unless otherwise indicated, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way. For full details of reuse please refer to [City Research Online policy](#).

A fast no-rejection algorithm for the Category Game

Francesca Tria ^a, Animesh Mukherjee ^a, Andrea Baronchelli ^b,
Andrea Puglisi ^{c,d} and Vittorio Loreto ^{c,a,d}

^a*Institute for Scientific Interchange (ISI),
Viale Settimio Severo 65, 10133 Torino, Italy*

^b*Departament de Física i Enginyeria Nuclear, Universitat Politècnica de
Catalunya, Campus Nord B4, 08034 Barcelona, Spain*

^c*Dipartimento di Fisica, Sapienza Università di Roma,
Piazzale Aldo Moro 5, 00185 Roma, Italy*

^d*CNR-ISC Piazzale Aldo Moro 5, 00185 Roma, Italy*

Abstract

The Category Game is a multi-agent model that accounts for the emergence of shared categorization patterns in a population of interacting individuals. In the framework of the model, linguistic categories appear as long lived consensus states that are constantly reshaped and re-negotiated by the communicating individuals. It is therefore crucial to investigate the long time behavior to gain a clear understanding of the dynamics. However, it turns out that the evolution of the emerging category system is so slow, already for small populations, that such an analysis has remained so far impossible. Here, we introduce a fast no-rejection algorithm for the Category Game that disentangles the physical simulation time from the CPU time, thus opening the way for thorough analysis of the model. We verify that the new algorithm is equivalent to the old one in terms of the emerging phenomenology and we quantify the CPU performances of the two algorithms, pointing out the neat advantages offered by the no-rejection one. This technical advance has already opened the way to new investigations of the model, thus helping to shed light on the fundamental issue of categorization.

Key words: category game, discrimination, perceptual category, linguistic category, Monte Carlo simulation, metastable state

1 Introduction

The Category Game (CG) is a computational model in which a population of individuals co-evolve their own system of symbols and meanings by playing elementary language games [1]. It has been introduced to investigate how categorization can emerge from scratch in a group of individuals who interact in a pairwise way without any central coordination. The reference problem is color categorization, which is a central issue both in linguistics [2] and in cognitive science [3,4,5]. Color naming represents in fact a fundamental access point to human cognition, and at the same time provides important clues on language evolution. The evolution of English color categories constitutes an excellent example. English color terms exhibited a gradual semantic shift from largely brightness color concepts (Old English) to almost exclusively hue concepts (Middle English) [6]. The World Color Survey, moreover, showed that color systems across language are not random [7,8], but rather exhibit certain statistical regularities, thus opening the way to a revolution in cognitive science [5,9].

The main point of interest of the CG is that it is able to reproduce qualitatively and, most remarkably, quantitatively the empirical data gathered in the WCS [10]. It also differs from the other models defined to address similar issues [1,10,11,12,13,14,15,16,17,18] in that it accounts for the categorization of a genuinely continuous perceptual channel and it describes a categorization pattern as a continuously evolving metastable state on which the population shares a temporary consensus [1,19]. The latter characteristic is intriguing and underlies the existence of a new framework to address the puzzling problem of language change, which turns out to be at the same time propelled by the interaction among the speakers and impeded by the need of these speakers to understand each other [19]. The presence of this sort of frustration renders the dynamics of the model so slow that it has been so far impossible to investigate and quantify properly the details of the long time behavior, even for small population sizes.

Here we present a fast algorithm suitable for studying the CG dynamics over large timescales and for moderately large population sizes. The algorithm is, in spirit, similar to those suggested for accelerating Monte Carlo simulations (see [20,21] and also [22] for other examples), where the key ingredient is to avoid rejection steps (hence the “no-rejection” tag). Of course, however, the dynamics we are referring to is substantially different, so new methods had to be developed in order to tackle the specific aspects of the model under consideration. The rest of the paper is organized as follows. In section 2, we outline a detailed description of the CG model. The next section presents the fast algorithm suitable for investigating the long-time CG dynamics. Section 4 compares the outcomes of the fast algorithm with the original one, showing

excellent qualitative as well as quantitative agreement. In this context, a detailed investigation of a set of relevant observables is also performed, shedding new light on the “microscopic” origin of the “macroscopic” behavior of the system. In section 5 we show the computational complexity of the proposed fast algorithm, compared with the one of the original model. We conclude in section 6 by summarizing our contributions and pointing to possible future applications of this method.

2 The Category Game model

The Category Game model [1] is crafted to examine how a population of interacting individuals can develop through a series of language games [23] a shared form-meaning repertoire from scratch without any pre-existing categorization. We consider a population of N artificial agents each of them having, without any loss of generality, a one-dimensional continuous perceptual space spanning the $[0, 1)$ interval. A categorization can be identified as a partition of this space into discrete sub-intervals which we shall denote from now onwards as perceptual categories. Each agent has a dynamical inventory of form-meaning associations linking the perceptual categories (meanings) to words (forms). The perceptual categories as well as the words associated to them co-evolve over time through a series of simple communication interactions (or “games”).

In each game, two individuals are randomly selected from the population and one of them is assigned the role of a speaker while the other the role of a hearer. Both the speaker and hearer are presented with a scene of $M \geq 2$ ¹ stimuli (objects) where each stimulus corresponds to a real number in the $[0, 1)$ interval. By definition, no two stimuli appearing in the same scene can be at a distance closer than d_{\min} which is the only parameter of the model encoding the finite resolution power of any perception (for instance, the human Just Noticeable Difference).

One of the objects is the *topic* of the communication. The task of the speaker is to communicate this to the hearer using the following prescription. The speaker utters a word associated with the topic while the hearer tries to guess its meaning from the word she “listened”. The speaker always checks whether the topic is the unique among the presented stimuli to lie in the corresponding perceptual category. If it is not, i.e., if the two stimuli collide on the same perceptual category, then a new boundary is created in the perceptual space at a location corresponding to the middle of the segment connecting the two stimuli. A new word is invented for each of the resultant two new categories. In addition, both of them inherit all the words corresponding to the old category.

¹ Without any loss of generality in all our simulations we shall use $M = 2$.

This process is termed as *discrimination*. Subsequently, the speaker utters the “most relevant” name for the category corresponding to the topic where the most relevant name is either the one used in a previous successful communication or the newly invented name in case the category has just been created due to a discrimination. For the hearer, there can be the following possibilities: (a) the hearer does not have any category associated with the name, in which case the game is a failure, (b) there are one or more categories associated with this name in the hearer’s inventory. In this case, the hearer randomly chooses one of them. If the category chosen corresponds to that of the topic, the game is a success, otherwise it is a failure.

Depending on the outcome of the game one or both the agents update their repertoires. In case of a failure, the hearer adds the word in her repertoire linked to the category corresponding to the topic. In case of a success, this word becomes the most relevant name for the category corresponding to the topic for both agents and they remove all other competing words from their respective repertoires linked with this category. Note that if both the speaker and the hearer already have only the successful word in the corresponding category, the inventory of both of them remains unaltered after the game. This situation, as already mentioned in the introduction, corresponds to a rejection step of a Monte Carlo algorithm. The time t of the dynamics is simply measured as the number of games played by the agents.

The CG dynamics results in the emergence of a hierarchical category structure comprising two distinct levels: a basic layer, responsible for the fine discrimination of the perceptual space (i.e., the perceptual categories), and a second shared linguistic layer that groups together perceptions having the same name to guarantee communicative success (linguistic categories). Note that while the number of perceptual categories is tuned by a parameter of the model and can be very large (of the order of $1/d_{\min}$), the number of linguistic categories turns out to be finite and small, as observed in natural languages (see fig.2).

3 A fast algorithm for the Category Game

The primary goal of developing a fast algorithm is to study the long time dynamics of the model. In the original algorithm accessing such long timescales would be extremely costly because of the freezing of the dynamics into metastable states. In particular, there would be many games in which the two agents (i.e., the speaker and the hearer) would end up making no changes in the configuration of their respective inventories. The time would then increase by *one* time step. The basic idea behind the current version of the algorithm is to overcome this freezing by imposing that each game produces an *outcome*, i.e., a change in one or both the inventories of the two agents that are playing. In

this case, the time t has to be properly rescaled to recover the frozen dynamics. Furthermore, the correct statistical frequency of the different games (the playing order of the pairs and the probability to play in a given region) has to be reproduced in the no-rejection version of the model. In order to do so, we need to calculate both the probability that a game produces an *outcome* and the individual probabilities of each possible way in which the outcome can be obtained.

In particular, the main steps of the fast algorithm are the following:

Choosing the pair of players: this is the most important part of the algorithm since one has to choose a pair such that their game will produce an outcome. Let us define $p_{\text{out}}(i, j) = p_{\text{out}}(j, i)$ as the probability that a game between the two players will produce an outcome. We shall shortly describe the detailed method for computing this probability. For the time being, let us say that each of the $N(N-1)/2$ possible pairs will be extracted according to this probability².

Choosing the region for placing the topic: once the pair of players has been chosen, we impose that the game will produce an outcome. As we shall see below, an outcome can follow if the topic falls either in a mismatch region or in a soft match one (both of these terms will be defined shortly). Subsequently, we need to choose the region to place the topic proportional to the corresponding probabilities $p_{\text{out}}^{\text{MIS}}(i, j)$ (for the mismatch region) and $p_{\text{out}}^{\text{SOFT}}(i, j)$ (for the soft match region)³.

Game: the game is performed in the selected region with the same rules as in the original CG algorithm summarized in section 2.

Rescaling time: at the end of each game, time is increased by a factor $1/p_{\text{out}}(i, j)$.

Note that, of course, each probability is also a function of time (we have not explicitly displayed this dependence so as to keep the notations as simple as possible; we shall maintain this implicit form from now onwards throughout the rest of the paper).

² The actual probability with which each couple is extracted reads: $p_{\text{out}}(i, j) / \sum_{i' < j'} p_{\text{out}}(i', j')$.

³ Note that $p_{\text{out}}^{\text{MIS}}(i, j) + p_{\text{out}}^{\text{SOFT}}(i, j) = p_{\text{out}}(i, j)$. If we want to consider the conditional probabilities of having a game in a soft match region or in a mismatch region *given* that the game has an outcome, we have to divide the above defined probabilities by $p_{\text{out}}(i, j)$.

3.1 *Extracting the no-rejection regions*

In order to calculate the probabilities of interest, we introduce the following definitions: (i) a **match** region for the two playing agents is a region where both the agents have the corresponding linguistic category settled (i.e., with only one label) and a unique label for it; (ii) a **mismatch** region is any interval in $[0, 1)$ that is not a match region.

Let us now consider a game where a speaker-hearer pair and two stimuli are selected⁴. Of course, if the topic falls in a mismatch region an outcome is guaranteed. If the topic falls instead in a match region, the situation is more tricky. In this latter event, two cases are possible: either there is the necessity to discriminate (see section 2) for one or both the agents, in which case the game produces an outcome, or the repertoire of both the speaker and the hearer remains unchanged (the outcome is null). To distinguish between these two events, let us refine the definition of a match region in the following way: we will denote a match region to be a **strict match** region if the lengths of the corresponding perceptual categories of both the speaker and the hearer are shorter than d_{\min} . In this case no discrimination is possible, due to the finite resolution constraint, and the outcome of the game will be surely null. A match that is not strict shall be called a **soft match**.

3.1.1 *Probability of playing in a soft match region*

Since the soft match definition is based on the length of the underlying perceptual categories, it is natural to express the probability of having a game in that region as the sum of the probabilities of having a game in each of the underlying perceptual categories:

$$p_{\text{out}}^{\text{SOFT}} = \sum_a p_a^{\text{SOFT}}, \quad (1)$$

where the sum is over all the perceptual categories spanning the soft match region and we assume the dependence on the agents i, j to be implicit.

Thus, we have to calculate the probability p_a^{SOFT} that both the topic and the object fall in the perceptual category a which belongs to a soft perceptual match region and the game produces an outcome. Two events have to be considered simultaneously: (a) the topic falls in the match region, and (b) the

⁴ without any loss of generality we shall consider from now onwards the first stimulus as being the topic of the game.

object falls in the union⁵ of the two perceptual categories under consideration (i.e., of the speaker and the hearer) so as to produce a discrimination and, thereby, an outcome. As we recall from the above, the two events considered here are not independent but correlated through d_{\min} . Consequently, we need to integrate all the different possibilities of placing the topic and the object maintaining this correlation. In order to write the expression for p_a^{SOFT} , we define $x_{l,r}^S$ as the left and the right boundary, respectively, of the considered perceptual category of the speaker, and correspondingly for the hearer. Further, $x_{l,r}^{\min} = \min(x_{l,r}^S, x_{l,r}^H)$, $x_{l,r}^{\max} = \max(x_{l,r}^S, x_{l,r}^H)$, $X^{\max} = \max(x_l^{\max}, x_l^{\min} + d_{\min})$ and $X^{\min} = \min(x_r^{\min}, x_r^{\max} - d_{\min})$. An example illustrating the above terms is shown in fig. 1. We finally obtain:




Fig. 1. An example to illustrate the different terms for computing p_a^{SOFT} . According to this figure, (a) $x_l^{\min} = \min(x_l^S, x_l^H) = x_l^H$, (b) $x_r^{\min} = \min(x_r^S, x_r^H) = x_r^H$, (c) $x_l^{\max} = \max(x_l^S, x_l^H) = x_l^S$, (d) $x_r^{\max} = \max(x_r^S, x_r^H) = x_r^S$, (e) $X^{\max} = \max(x_l^S, x_l^H + d_{\min}) = x_l^S$ (taking into account the length of d_{\min} shown in the figure), and (f) $X^{\min} = \min(x_r^H, x_r^S - d_{\min}) = x_r^H$ (taking into account the length of d_{\min} shown in the figure).

$$\begin{aligned}
 p_a^{\text{SOFT}} &= \int_{X^{\max}}^{x_r^{\min}} dy \int_{x_l^{\min}}^{y-d_{\min}} dz + \int_{x_l^{\max}}^{X^{\min}} dy \int_{y+d_{\min}}^{x_r^{\max}} dz = \\
 &= \frac{(x_r^{\min})^2 - (X^{\max})^2}{2} - (x_r^{\min} - X^{\max})(x_l^{\min} + d_{\min})
 \end{aligned}$$

⁵ The union is the region in $[0, 1)$ that belongs either to the perceptual category of the speaker or of the hearer.

$$-\frac{(X^{\min})^2 - (x_l^{\max})^2}{2} + (X^{\min} - x_l^{\max})(x_r^{\max} - d_{\min}). \quad (2)$$

3.1.2 Probability of playing in a mismatch region

In order to obtain the probability of playing in a mismatch region, we have to consider once again the correlation due to the minimal distance d_{\min} in the extraction of the topic and the object. The probability of producing an outcome by means of a game in a mismatch region equals the probability that the topic falls in there. In order to calculate this probability, we must distinguish the case in which the first extracted object is the topic from the case it is not. In the first case, where the topic is the first extracted object, the probability $p_{a_{\text{first}}}^{\text{MIS}}$ that it falls in a mismatch region is simply the length of that region. In the second case, where the topic is the second extracted object, we have to consider the fact that it should be chosen at least d_{\min} far apart from the first object. This can be done in a similar way as described in the previous subsection for the calculation of the probability of playing in a soft match region and we shall call this probability $p_{a_{\text{second}}}^{\text{MIS}}$. Since the first and second case occur with equal probability in the original model, we can write:

$$p_a^{\text{MIS}} = \frac{1}{2}(p_{a_{\text{first}}}^{\text{MIS}} + p_{a_{\text{second}}}^{\text{MIS}}) \quad (3)$$

$$p_{\text{out}}^{\text{MIS}} = \sum_a p_a^{\text{MIS}}, \quad (4)$$

where the sum is over all the perceptual categories spanning the mismatch region.

4 Comparison of the observables from the two algorithms

In this section, we show that this no-rejection version of the CG algorithm features the same dynamical properties of the original one. We consider all the relevant observables reported in [1] as well as new microscopic observables analyzed here for the first time.

4.1 “Macroscopic” observables

Here we look at (a) the average number of perceptual (n_{perc}) and linguistic categories (n_{ling}) per individual, (b) the success rate and (c) the perceptual and linguistic overlap across the population as functions of time for the two models (original and fast) we are comparing. We show simulations for different




Fig. 2. Perceptual and linguistic categories obtained from the old and the new algorithm for $N = 25, 50$ and 100 . Solid lines show results obtained from the old algorithm while broken lines indicate results obtained from the new algorithm. All the results are averaged over 30 samples.

population sizes and a fixed $d_{\min} = 0.0143$ which is equal to the average human JND [10].

Fig. 2 shows the average number of perceptual⁶ and linguistic categories per individual obtained from the old and the new algorithms respectively versus the number of games per player (i.e., t/N). It is apparent from this figure that the new algorithm is not only able to reproduce the same phenomenology but also the outcomes are very close to what is obtained from the old algorithm.

Fig. 3 compares the success rate for the two algorithms versus t/N . The success rate is measured as the fraction of successful games over sliding time windows. The figure clearly indicates that the results from the two algorithms match (almost) accurately.

The overlap function [1] measures the degree of alignment of the category boundaries of two agents (i, j) and is defined as follows:

$$O = \frac{2}{N(N-1)} \sum_{i < j} O_{ij} \text{ with } O_{ij} = \frac{2 \sum_{c_i^j} (l_{c_i^j})^2}{\sum_{c_i} (l_{c_i})^2 + \sum_{c_j} (l_{c_j})^2} \quad (5)$$

where l_c is the width of the category c , c_i is one of the categories of the i^{th} agent and c_i^j is the generic category of the intersection set containing all of

⁶ The average number of perceptual categories remains same across different population sizes as long as the value of d_{\min} is fixed. Therefore we only show one representative plot for the perceptual categories in fig. 2.




Fig. 3. Success rate obtained from the old and the new algorithm for $N = 25, 50$ and 100 . Solid lines show results obtained from the old algorithm while broken lines indicate results obtained from the new algorithm. All the results are averaged over 30 samples.

the boundaries of the agents i and j . The function O_{ij} returns a value proportional to the degree of alignment of the two category inventories reaching its maximum unitary value when they are perfectly aligned. The linguistic overlap is defined as in eq. 5 however, only considering the boundaries between categories with different most relevant names.

Fig. 4 shows the perceptual and linguistic overlap obtained from the old and the new algorithm versus t/N . Once again there is an excellent agreement between the results obtained from the two algorithms.




Fig. 4. Perceptual and linguistic overlap obtained from the old and the new algorithm for $N = 25, 50$ and 100 . Solid lines show results obtained from the old algorithm while broken lines indicate results obtained from the new algorithm. All the results are averaged over 30 samples.

4.2 “Microscopic” observables

As pointed out in the previous sections, one of the main ingredients of the fast algorithm is the computation of the probability that at each time step a game between a randomly chosen pair of players together with a randomly selected topic in the interval $[0, 1)$ would produce a non-null outcome. Here we compare the behavior of the original and the fast algorithm with respect to this property. In particular, in fig. 5(a) we show for the original algorithm the fraction of games, collected in time sliding windows, that produce a non-null outcome, while for the no-rejection algorithm the probability $p_{\text{out}}(i, j)$ of the selected pair (i, j) averaged over the same time windows. In the inset, we also show the (representative) histogram of p_{out} for each possible pair of agents at three different points in time for a specific population size. It is evident that the histogram is strongly peaked, which means that $p_{\text{out}}(i, j)$ is roughly similar for all pairs (i, j) thereby, allowing for an effective random choice over the pairs without altering the dynamics.

Subsequently, in fig. 5(b), (c) and (d) we respectively compare the two algorithms in terms of the fraction of games, collected in time sliding windows, which ended up being played in a mismatch region, or in a match region, or where a discrimination process occurred. Once again, the results exhibit a remarkable qualitative as well as quantitative agreement.

5 Comparison of the computational complexity of the two algorithms

In this section, we compare the computational complexity of the two algorithms, i.e., we compare the computer time⁷ (t_c) in seconds required to complete a specific number of games per player for the old and the new algorithms. In addition, we give more extensive results for the computational complexity of the fast algorithm.

Fig. 6 compares the computer time required to complete a specific number of games per player by the old and the new algorithm. Note that during the initial games the old algorithm takes lesser computer time than the new one. During this phase, almost all games produce an outcome and therefore the additional calculation of the probabilities required for the fast algorithm is not advantageous. However, as soon as the dynamics gets trapped in metastable states (at the onset of the plateau region in the number of linguistic categories

⁷ We use the in-built `clock()` function of the GNU C library to estimate the value of t_c .




Fig. 5. Microscopic observables. (a) Probability of having an outcome. The solid lines show the average fraction of games collected in time sliding windows versus t/N for the old algorithm. The broken lines show the average values of p_{out} in the same time sliding windows versus t/N for the new algorithm. The inset shows the (representative) histogram of p_{out} for each possible pair of agents at three different points in time for $N = 50$. (b) The fraction of games, collected in time sliding windows, which ended up being played in a mismatch region for the old (solid lines) and the new algorithm (broken lines). (c) The fraction of games, collected in time sliding windows, which ended up being played in a match region for the old (solid lines) and the new algorithm (broken lines). (d) The fraction of games, collected in time sliding windows, where a discrimination process occurred for the old (solid lines) and the new algorithm (broken lines). All our results are for $N = 25, 50$ and 100 and each of them are averaged over 30 samples.

curve in fig. 2) the calculation of the probabilities turns out to be very advantageous and the new algorithm has a much higher velocity than the old one. Note that for larger population sizes ($N = 200$ and 400) we could manage to reach only a lower value of t/N within a reasonable t_c for the old algorithm. In the inset of fig. 6 the ratio of the two algorithms' execution time is shown, to better appreciate the advantage of the no-rejection one.

In fig. 7, we present a further analysis of the scaling of t_c with the population size for the no-rejection algorithm. In particular, we report two different quantities in this figure for $N = 200, 400$ and 800 :

- (i) p_{out} versus the rescaled number of games. Note that one needs to rescale t




Fig. 6. Computer time (t_c) in seconds required to complete a specific number of games per player by the old and the new algorithm for $N = 25, 50, 100, 200$ and 400 . Solid lines show the computer time required by the old algorithm while broken lines indicate the computer time required by the new algorithm. The results are obtained on the ISI cluster with the following node specification: (a) Processor – INTEL XEON E5405 2.00GHz, (b) Cache – 6144KB, (c) ISA: 64-bit and (d) RAM – 8GB. The inset shows the ratio of t_c for the new algorithm ($[t_c]_{\text{new}}$) to the t_c for the old algorithm ($[t_c]_{\text{old}}$) for the same population sizes as in the main figure.

by $N^{3/2}$ to collapse the curves. This dependence of the time of the dynamics on the population size has also been recovered in several other cases elsewhere [19,24] and usually indicates the time scaling to reach a consensus in the population. Clearly, the rate at which the values of p_{out} drop decreases with increasing t .

(ii) the rescaled t_c versus the rescaled number of games (i.e., $t/N^{3/2}$ as in case (i)). In order to collapse these curves, especially in the “large” t regime (featuring the long-time dynamics) one has to rescale t_c by $t\sqrt{N}$. In addition the entire factor is multiplied by a large constant A ($\sim 2 \times 10^7$) in order to present a better visualization of the plots within the same figure as of p_{out} .

The most important observation is that the long-time behavior is exactly similar to that of p_{out} which indicates that the computer time required is largely determined by the probability of outcomes. The inset of the same figure shows the amount of t_c required to complete $t = 5 \times 10^7, 5 \times 10^8$ steps for the old and the new algorithm for different population sizes. In all the four cases, the curves can be nicely fitted using a function of the form: $f(N) = \beta\sqrt{N}$. This observation once again confirms the dependence: $t_c \propto \sqrt{N}$. An important




Fig. 7. The scaling of t_c with the population size for the new algorithm. (i) p_{out} versus the rescaled number of games. t is rescaled by $N^{3/2}$ in order to collapse the curves. (ii) Rescaled t_c versus the rescaled number of games (i.e., $t/N^{3/2}$ as in (i)). t_c is rescaled by $t\sqrt{N}$ and then the entire factor is multiplied by a large constant A ($\sim 2 \times 10^7$) in order to present a better visualization of the plots within the same figure as of p_{out} . $N = 200, 400$ and 800 . The results are obtained on the ISI cluster with the following node specification: (a) Processor – INTEL XEON E5405 2.00GHz, (b) Cache – 6144KB, (c) ISA: 64-bit and (d) RAM – 8GB. The inset shows the amount of t_c required to complete $t = 5 \times 10^7, 5 \times 10^8$ steps for the old (continuous lines) and the new (dashed lines) algorithm for different population sizes. All the four curves can be fitted with a function of the form: $f(N) = \beta\sqrt{N}$. For the old algorithm $\beta = 8.25$ and 104.92 while for the new algorithm $\beta = 2.16$ and 34.66 respectively for $t = 5 \times 10^7$ and $t = 5 \times 10^8$.

point to note is that the pre-factor β is significantly lower for the new algorithm as compared to the old one. The dependence of t_c on \sqrt{N} can be attributed to the time required by the different processes of the model (e.g., discrimination, inventory updates etc.). A detailed analysis of this dependence is out of the scope of the current paper and shall be presented elsewhere.

6 Conclusion

In this paper we have introduced a no-rejection algorithm developed to study the long time behavior of the Category Game model. The original model [1] approaches one of the most important problems in linguistics – the emergence of linguistic categories – and was shown to reproduce both qualitatively and quantitatively experimental results reported in the WCS [10]. The two main innovative aspects of the model, with respect to previously proposed ones, are (i) the dynamical emergence of a discretization from a continuous perceptual space and (ii) the representation of the present category system as a long lasting metastable state rather than an attractor of the dynamics. The last property has triggered the need for suitable methods to achieve the long time dynamics of the model. In particular, the observed dynamics was such that games which bring a modification of the state of the agents resulted progressively more rare. The analysis of the behavior of the system for suitably large time and population sizes was for that reason practically impossible. The no-rejection algorithm presented here has been crucial to access the long time dynamical properties of CG, characterized by metastability and aging [19], and thus to shed light on so far unexplored part of the model, helping to clarify the nature of the consensus states that are established during the CG dynamics, with important consequences for the understanding of such phenomena as language change and language evolution. The no-rejection model we propose, despite being *ad hoc* for the CG, presents principles and methods that can be generalized for different agent based models and we believe that that could trigger computationally less expensive methods suitable to investigate social phenomena.

References

- [1] A. Puglisi, A. Baronchelli, and V. Loreto. Cultural route to the emergence of linguistic categories. *PNAS*, 105(23):7936, 2008.
- [2] J.R. Taylor and J.R. Taylor. *Linguistic categorization*. Oxford University Press New York, 2003.
- [3] T.W. Deacon. *The symbolic species: The co-evolution of language and the brain*. Norton & Company, New York, USA, 1998.
- [4] H. Gardner. *The Mind's New Science: A History of the Cognitive Revolution*. Basic Books, New York, 1985.
- [5] George Lakoff. *Women, fire, and dangerous things: What categories reveal about the mind*. University of Chicago Press, Chicago, 1987.

- [6] R.W. Casson. Color shift: evolution of English color terms from brightness to hue. In Hardin C. and Maffi L., editors, *Color categories in thought and language*, pages 224–239. Cambridge University Press, Cambridge, 1997.
- [7] B. Berlin and P. Kay. *Basic Color Terms*. Berkeley: University of California Press, 1969.
- [8] P. Kay and T. Regier. Resolving the question of color naming universals. *PNAS*, 100(15):9085–9089, 2003.
- [9] G.L. Murphy. *The big book of concepts*. Bradford Book, 2004.
- [10] A. Baronchelli, T. Gong, A. Puglisi, and V. Loreto. Modelling the emergence of universality in color naming patterns. *PNAS*, 107:2403–2407, 2010.
- [11] T. Belpaeme and J. Bleys. Explaining universal color categories through a constrained acquisition process. *Adap. Behv.*, 13(4):293–310, 2005.
- [12] J. Bleys, M. Loetzsch, M. Spranger, and L. Steels. The grounded colour naming game. In *Proceedings Spoken Dialogue and Human-Robot Interaction workshop at the RoMan 2009 conference*, 2009.
- [13] M. Dowman. Explaining Color Term Typology With an Evolutionary Model. *Cog. Sci.*, 31(1):99–132, 2007.
- [14] K.A. Jameson and N.L. Komarova. Evolutionary models of color categorization. I. Population categorization systems based on normal and dichromat observers. *Journal of the Optical Society of America A*, 26(6):1414–1423, 2009.
- [15] K.A. Jameson and N.L. Komarova. Evolutionary models of color categorization. II. Realistic observer models and population heterogeneity. *Journal of the Optical Society of America A*, 26(6):1424–1436, 2009.
- [16] N.L. Komarova and K.A. Jameson. Population heterogeneity and color stimulus heterogeneity in agent-based color categorization. *Journal of Theoretical Biology*, 253(4):680–700, 2008.
- [17] N.L. Komarova, K.A. Jameson, and L. Narens. Evolutionary models of color categorization based on discrimination. *J. Math. Psych.*, 51(6):359–382, 2007.
- [18] L. Steels and T. Belpaeme. Coordinating perceptually grounded categories through language: A case study for colour. *Behav. Brain Sci.*, 28(04):469–489, 2005.
- [19] A. Mukherjee, F. Tria, A. Baronchelli, A. Puglisi, and V. Loreto. Aging in language dynamics. *preprint*, 2010.
- [20] M. Kolesik, M. A. Novotny, and P. A. Rikvold. Extreme long-time dynamic monte carlo simulations for metastable decay in the d=3 ising ferromagnet. *Int. Jour. of Mod. Phys. C*, 14(1):121–131, 2003.
- [21] M. A. Novotny. Monte Carlo algorithms with absorbing Markov chains: Fast local algorithms for slow dynamics. *Phys. Rev. Lett.*, 74(1), 1995.

- [22] K. Binder. Applications of monte carlo methods to statistical physics. *Rep. Prog. Phys.*, 60, 1997.
- [23] Ludwig Wittgenstein. *Philosophical Investigations*. (Translated by Anscombe, G.E.M.). Basil Blackwell, Oxford, UK, 1953.
- [24] A. Baronchelli, M. Felici, E. Caglioti, V. Loreto, and L. Steels. Sharp transition towards shared vocabularies in multi-agent systems. *Journal of Statistical Mechanics*, P06014, 2006.