



City Research Online

City, University of London Institutional Repository

Citation: Musen, L., Sodhi, M., Tang, C.S. & Yu, J. (2023). Preparedness with a System Integrating Inventory, Capacity, and Capability for Future Pandemics and Other Disasters. *Production and Operations Management*, 32(2), pp. 564-583. doi: 10.1111/poms.13887

This is the accepted version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: <https://openaccess.city.ac.uk/id/eprint/28744/>

Link to published version: <https://doi.org/10.1111/poms.13887>

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

Preparedness with a System Integrating Inventory, Capacity, and Capability for Future Pandemics and Other Disasters

Musen Kingsley Li

School of Management, Shanghai University, Shanghai, 200444, China, limusen@shu.edu.cn

ManMohan S. Sodhi

Bayes Business School, City, University of London, London, UK, sodhi@city.ac.uk

Christopher S. Tang

UCLA Anderson School of Management, Los Angeles, CA 90095, USA, chris.tang@anderson.ucla.edu

Jiayi Joey Yu *

School of Management, Fudan University, Shanghai, 200433, China, yujiayi@fudan.edu.cn

The chaotic response of the US Strategic National Stockpile to COVID-19 during 2020 highlighted the inadequacy of the inventory-based approaches to disaster response. This paper examines the integration of stockpile inventory, backup capacity, and standby capability to meet the disaster-related surge in demand in the future. We present a two-period model of such an integrated system for consumable items with uncertain demand that follows a general probability distribution. Our model incorporates standby capability in period 1 that can be converted to additional capacity for use in period 2, with the conversion yield being deterministic or stochastic. Our main results are: (1) Adding capacity in addition to inventory is beneficial only when the capacity reservation-related costs are relatively lower than the inventory-related costs. In this case, adding capacity will decrease the inventory needed in both periods, the shortfall probability, and the total expected cost. (2) Adding capability in period 1 is cost-effective only when the ratio of capability-development cost to conversion yield is lower than the capacity reservation cost. In this case, investing in capability results in less inventory and less reserved capacity in period 2. (3) Higher uncertainty in capability conversion yield reduces the attraction of developing capability in period 1. Consequently, less capability would be developed in period 1, while more inventory and capacity would be needed in period 2 in the face of a higher shortfall probability.

Keywords: Pandemic and disaster response, stockpile inventory, backup capacity, standby capability

History: First submission: February, 2021. Accepted: September, 2022 after 3 revisions.

1 Introduction

Many countries and organizations maintain strategically located warehouses to supply relief items to beneficiaries rapidly while responding to a disaster. For example, United Nations Humanitarian

* Corresponding author.

Response Depot is a network of depots in strategic locations around the world to transport emergency relief items on behalf of member humanitarian organizations, enabling response times of 24 to 48 hours. Similarly, the US Department of Health and Human Services maintains the Strategic National Stockpile (SNS) for preparedness and response. The SNS can ship a broad range of consumable pharmaceuticals and medical supplies from strategically located warehouses throughout the US to any state in 50-ton containers within 12 hours in case of a public health emergency. However, COVID-19 exposed the shortcomings of the current *inventory-based* national stockpiles of personal protection equipment (PPE) and other critical items in the US and other countries.¹ Makeshift efforts to tap into the domestic manufacturing capabilities as a backup in 2020 also floundered (Sodhi and Tang 2021a).

It is, therefore, necessary to rethink preparedness for future disruptions beyond stockpiles. US President Biden’s review of the domestic supply chain recognizes the structural weaknesses of domestic supply chains. The review suggests the need to improve stockpile policy, establish domestic production capacity, and develop R&D capability for developing future products. These findings are consistent with industry reports issued by consultancies BCG and McKinsey, supporting the use of backup capacity and the development of new supply chain capabilities (Alicke et al. 2020, Aylor et al. 2020).

Going beyond stockpiles, there is a need to identify and reserve backup domestic manufacturing capacity and develop domestic manufacturing and related capabilities. Having these would be critical during a global pandemic because foreign suppliers may not even be allowed to export products like N95 masks or even components like melt-blown fabric for producing N95 masks (Sodhi et al. 2021). The government and industry consortia can create capability in different forms such as manufacturing, engineering, research, and development as *industrial commons* (Pisano and Shih 2009).

The White House report from the review and various industry reports call for inventory, capacity, and capability, but do not recognize the *synergies* from coordinating these three resources proactively.² We go one step further by examining the implications of *integrating* inventory, capacity, and capability for preparedness. Such an integrated system with “optimal” levels of each resource prior to a disaster can facilitate a three-tiered response: (1) Public health authorities would use inventory at first for, say, a viral epidemic in line with current practice. (2) If the epidemic turned

¹ Togoh, I. 2020. Here’s how some of the countries worst hit by coronavirus are dealing with shortages of protective equipment for healthcare workers. *Forbes*. Available at <https://tinyurl.com/5bwymx46> (accessed date Dec. 20, 2020).

² The White House report is available at: <https://www.whitehouse.gov/wp-content/uploads/2021/06/100-day-supply-chain-review-report.pdf>

into a pandemic,³ the authorities would authorize using backup capacity to produce more. (3) And, if the number of affected people kept growing, the government would authorize converting capability into production capacity. Such a three-tiered response could be more cost-effective than the one based on inventory alone. Sodhi and Tang (2021b) discuss the idea of such a three-tiered response system as especially suitable for rare emergencies like pandemics.

This paper presents a two-period model to capture the time delay in converting capability into production capacity. In this model, the decision to develop capability is made in the first period and this capability becomes available as additional capacity in the second period. The demand created by a disaster for critical *consumable* items in each period is uncertain, and we assume it follows a general distribution.

Our analysis appears in four steps. *First*, we consider an *inventory-based system* without any backup capacity or standby capability. *Second*, we analyze a *capacity-based system* with backup capacity added to the inventory. *Third*, we present the fully integrated *capability-based system* incorporating standby capability with deterministic conversion yield for converting capability to capacity, which allows the capability decision in period 1 to create additional capacity in period 2. Our main results integrate all three resources. *Finally*, we extend the integrated capability-based model to allow for uncertain conversion from capability in period 1 to capacity in period 2. We obtain analytical results for a special case when the capability conversion yield follows a two-point distribution, where one point refers to the conversion failing altogether. We also obtain consistent numerical results for the general two-point distribution case.

Our results are threefold: *First*, adding backup capacity to stockpile inventory lowers the inventory needed, the shortfall probability, and the total expected cost as long as the unit reservation and exercise costs of the capacity are below a certain threshold. *Second*, developing capability in period 1 is cost-effective when the cost of capability development to the conversion yield is lower than the capacity-reservation cost. Adding capability in period 1 lowers the shortfall probability in period 2 due to the additional capacity from the conversion. As a result, adding capability becomes more cost-effective to hold less inventory and capacity in period 2. *Finally*, uncertainty in the capability conversion yield has a marked negative impact on the inventory, capacity, and capability needed. Higher uncertainty in conversion yield necessitates having more inventory and reserved capacity in period 2, while making capability in period 1 less attractive and generating a higher shortfall. Higher uncertainty also causes a higher shortfall, while lower uncertainty encourages the

³ A disease can be declared an epidemic when it spreads over a wide area, and many individuals are taken ill at the same time. If the spread escalates further, an epidemic can become a pandemic, affecting an even wider geographical area and a significant portion of the population.: Source <https://www.merriam-webster.com/words-at-play/epidemic-vs-pandemic-difference>

development of more capability. These results enable us to compare the efficiencies of inventory only, capacity-based, and capability-based systems for cost, expected shortfalls, and shortfall probabilities. These insights can help governments develop an efficient response system by integrating all three resources instead of focusing only on inventory.

2 Literature Review

Our paper is related to three research streams that we discuss below.

2.1 Disaster preparedness with humanitarian supply chains

Pre-placing inventory with near- and long-term projections is key for managing humanitarian logistics (e.g., Whybark 2007, Tavana et al. 2018, Dhamija et al. 2021). For regular disasters like floods, pre-positioned inventory can be used as Sodhi and Tang (2014) propose using micro-retailers for last-mile delivery. A network of warehouses with pre-positioned inventory acts as a two-tier system, meet the need from inventory from the nearest warehouse first when a disaster strikes, using transshipment from the other warehouses as a ‘reserve capacity’ (Davis et al. 2013). Liu et al. (2016) propose integrating several inventory buffers and dynamically reallocating the stockpile among these buffers to const-effectively achieve virtual transshipment during an unexpected supply disruption or demand surge. Chen et al. (2018) use a multi-product newsvendor approach to determine the optimal pre-positioning stockpile quantity for each product to respond to potential disasters, given the demand for multiple products during and after a disaster. Eftekhari et al. (2022) also consider strategically pre-placed warehouses and uncertain local purchasing after a disaster strikes to derive the optimal decision of the order-up-to quantity of pre-placed warehouses. The same reasoning applies to public health emergencies in the US with the national stockpile (Handfield et al. 2020). Other researchers have proposed the distribution of equipment such as ventilators from centralized and distributed stockpiles under stochastic “demand” (Mehrotra et al. 2020, Huang et al. 2017). Toyasaki et al. (2017) focus on the lateral stock trans-shipments between depots involving the United Nations Humanitarian Response Depot.

Our contribution to this literature is to go beyond only inventory in this literature by “integrating” capacity and capability. Moreover, we allow for a variety of settings with a two-period model, demand uncertainty with a general distribution, and uncertain capability conversion yield to examine the efficiencies of different systems and consider the relevant costs, expected shortfalls, and shortfall probabilities.

2.2 Supply chain risk and COVID-19

COVID-19 creates a new supply chain research opportunity for disaster management (Choi et al. 2020). Sodhi and Tang (2021a) argue that COVID created “extreme” conditions going beyond the disruptions in the supply chain risk literature, and Chopra et al. (2021) present the use of “commons” to mitigate such extreme conditions. Craighead et al. (2020) use different theories — resource dependence theory, institutional theory, game theory, and others — to draw out research questions, offering ways for simultaneous transformation and resilience. Besides resilience and robustness discussed in the literature, Ivanov and Dolgui (2020) bring up the notion of *viability* (i.e., survivability) of a supply chain network in the face of disruptions. Queiroz et al. (2020) use a structured review of the OM and OR literature on the impact of epidemics or pandemics on supply chains to outline a research agenda. Their agenda is based on an adaptation to reallocate supply; preparedness; ripple effects in supply chains; recovery; sustainability (including humanitarian relief); and adopting digital means. Sarkis et al. (2020) see ‘a window of opportunity’ for sustainability as a result of COVID. Govindan et al. (2020) develop a decision support system to mitigate the effects of the disruption to healthcare supply chains during a pandemic by categorizing individuals in communities by vulnerability.

Our contribution to this literature is to design an integrated system with a three-tiered response to a pandemic with uncertain demand.

2.3 Inventory and backup capacity

The classical OM literature has extensively studied determining the right level of inventory to meet uncertain demand (Zipkin 2000). Handfield et al. (2020) propose a national material control tower for real-time material status and location to aid meeting demand from the SNS. Mehrotra et al. (2020) use stochastic ‘demand’ for ventilators from different states in the US at different stages of COVID-19 spread and a two-stage stochastic linear programming model for centralized allocation. Huang et al. (2017) develop a detailed demand model for ventilators for the state of Texas in the US with state-level centralized and distributed stockpiles under different scenarios of the severity of influenza. Similar to this literature, but not tied to the stockpile, Paul and Chowdhury (2021) consider the twin problems of unexpectedly high demand and the constrained supply of essential goods, and offer a nonlinear programming model to guide the manufacturer develop an optimal recovery plan.

However, using inventory only for meeting demand from and inventory-only-based system such as the Strategic National Stockpile has shortcomings and backup capacity could be useful. Brown and Lee (2003) examine reservation contracts in the semiconductor industry, whereby the buyer

can pay upfront and non-refundable unit cost to “reserve” the capacity from the supplier. In case demand is high, the buyer can exercise this contract by paying an additional unit cost to the supplier for producing up to the reserved capacity. In a similar vein, Eppen and Iyer (1997) examine a backup agreement where the buyer commits to a certain capacity in advance paying for unused capacity, allowing it to place a second order (up to capacity) after observing initial sales information. Angelus and Porteus (2002) and Chaturvedi and Martínez-de-Albéniz (2016) determine the optimal inventory and capacity investment decisions in different settings with a manufacturer who can replenish inventory and invest extra “in-house” capacity in each period.

We contribute with a different setting in which the government orders not only inventory and reserve capacity as an option to be exercised when necessary, but also to develop convertible capability. Our contribution is to develop and analyze a two-period model that *integrates*: (a) inventory planning (Zipkin 2000), (b) capacity reservation (Brown and Lee 2003), and (c) capability development for later conversion (Sodhi and Tang 2021a) in the face of uncertain demand with a general distribution.

3 Model Preliminaries

We focus on a parsimonious two-period model of a system integrating inventory, capacity, and capability to cope with uncertain demand for consumable goods created by a pandemic or other major public health emergency. In particular, we consider the case when capability is developed at the beginning of period 1. However, converting such a capability – say, from a certain technology developed in the laboratory – into production capacity takes time. This delay, which is more than the lead time for ordering inventory and exercising the reserved capacity, motivates our two-period model based on these **assumptions**:

1. Converting capability into production capacity takes up the entire period 1, so the converted capacity can only be used in period 2. The two periods are notional and not necessarily of equal length.
2. Converting capability to capacity is deterministic, with percentage yield $\delta \in [0, 1]$. (In Section 4, we extend our analysis to the case when the conversion yield rate δ is uncertain.)
3. Ordering inventory and exercising reserved capacity are instantaneous, and therefore meet the demand within the same period.⁴
4. Inventory can be ordered at the beginning of either period, and any inventory left over at the end of period 1 can be carried over to period 2.

⁴ This assumption enables us to assume that the lead time for ordering inventory and exercising the reserve capacity is much shorter than the time needed to convert capability to manufacturing capacity.

5. However, shortages occurred at the end of period 1 cannot be carried over to period 2.⁵
6. Capacity must be reserved with a supplier for either period separately—reserved capacity cannot be carried over from period 1 to period 2.⁶

3.1 Deploying Inventory, Capacity, and Capability

We now describe our two-period model. At the beginning of period 1, the government decides on the level of (1) stockpile inventory x_1 , (2) backup capacity y_1 , and (3) standby capability z . As a standard modeling assumption for discrete-time models, the uncertain demand is realized at the end of period 1; i.e., m_1 (Zipkin 2000). We assume that the demand M_i in period i , $i = 1, 2$, follows a general cumulative probability distribution $F_i(\cdot)$ with a density function $f_i(\cdot)$. Table 1 summarizes our notation.

Period 1. Upon observing the realized demand m_1 , the public health authority or relief agency can deploy inventory x_1 and reserved capacity y_1 in turn.⁷ Using inventory alone is sufficient if the realized demand m_1 satisfies $m_1 \leq x_1$. However, if $m_1 \in (x_1, x_1 + y_1)$, then backup capacity y_1 will have to be used. So, the actual usage of these two resources in period 1 is $(x_1, \min\{m_1 - x_1, y_1\})$. Finally, if $m_1 > (x_1 + y_1)$, then there will be a shortfall of $[m_1 - (x_1 + y_1)]^+$ in period 1.

Period 2. At the beginning of period 2, the uncertain demand M_2 is realized as m_2 and there is inventory left over from period 1, $I = (x_1 - M_1)^+$. There is also manufacturing capacity available from converting capability, δz . The government decides on the level of (1) the inventory x_2 and (2) the backup capacity y_2 . The government first uses inventory $(I + x_2)$ to satisfy the realized demand m_2 . Because the unit cost for using the converted capacity (from capability) is higher than the unit cost for exercising the reserved capacity (as explained in §2.3), the government will use the reserved capacity y_2 as the second line of defense, and then use the converted capacity δz as the third line of defense to meet the realized demand m_2 in period 2. If m_2 exceeds all the available resources $(I + x_2 + y_2 + \delta z)$, then there will be a shortfall of $[m_2 - (I + x_2 + y_2 + \delta z)]^+$ in period 2.

3.2 Cost Components: Inventory, Capacity, and Capability

The cost structure associated with inventory, capacity, and capability is as follows.

1. **Stockpile inventory x_i with cost (u, h_i) in period $i = 1, 2$.** Here, u is the unit cost, and h_i to denote the unit inventory holding cost in period i . We assume that the effective unit holding

⁵ This assumption is realistic in the disaster relief setting because the demand is either fulfilled within the period or not at all.

⁶ Alternatively, the government can reserve the capacity at the beginning of period 1 for both periods. However, in practice, capacity reservation is only valid for a limited period for fear of missing out better opportunities.

⁷ Additional capacity from capability conversion is not yet available until period 2, even though the conversion process has started in period 1.

	Period 1	Period 2
Stochastic demand	$M_1 \sim F_1$	$M_2 \sim F_2$
Realized demand	m_1	m_2
Inventory ordered	x_1	x_2
Capability developed	z	Not applicable, due to time delay
Capacity deployed	y_1	$y_2 + \delta z$, where δz is converted from capability
Leftover inventory	$I = [x_1 + y_1 - m_1]^+$	$[I + x_2 + y_2 + \delta z - m_2]^+$
Quantity available	$x_1 + y_1$	$I + x_2 + y_2 + \delta z$
Shortfall	$[m_1 - x_1 - y_1]^+$	$[m_2 - I - x_2 - y_2 - \delta z]^+$

Table 1 Quantities and notation for the two periods.

cost h_i satisfies $h_1 \leq h_2$ to capture the obsolescence cost of inventory (especially when the inventory has little value at the end of period 2 as in our 2-period model).⁸

2. Backup capacity y_i via a capacity reservation contract (r, s) in period i , $i = 1, 2$.

Consider the case when the government develops a capacity reservation contract (c.f. Brown and Lee 2003) with a domestic or regional supplier in period i to establish a backup capacity y_i in period i as follows. First, the government can reserve capacity y_i in advance by paying the supplier r per unit to “reserve” capacity to produce one unit of the product in period i (when necessary). The reservation cost per unit r is paid upfront and is non-refundable.⁹ The government can “exercise” the capacity reservation contract by paying the supplier an additional s per unit to produce anywhere from 0 to the maximum of y_i units if the need arises.

3. Standby capability z via capability development and deployment with cost (a, c) .

The government invests a to develop each unit of capability z in period 1 for conversion to production capacity for use in period 2. This capability z can be converted to δz units of manufacturing capacity, which has a unit production cost c associated with this converted capacity. We assume $c > s$ so that it is more economical to exercise the reserved capacity first before using the converted capacity for production as explained earlier. In addition to the costs associated with inventory, capacity, and capability, we impose a penalty p for each unit of shortfall that captures the health-related cost inflicted on people.¹⁰

⁸ We thank an anonymous reviewer for this suggestion. The assumption that $h_1 \leq h_2$ captures the relative value of inventory over time. Specifically, holding inventory in period 2 is more costly because its value will drop to almost zero by the end of period 2 (which we scale this remaining value to zero for ease of exposition); whereas holding inventory in period 1 is less costly because the inventory left over from period 1 can be used in period 2.

⁹ The upfront and non-refundable reservation cost r is necessary for providing financial support to the supplier to acquire or establish reliable access to components and raw materials for production when needed.

¹⁰ The use of the penalty p represents the imputed cost of people suffering from serious sickness or losing their life. In health economics, there are two notions used to justify the amount of investment in saving a life. One notation is the *value of a statistical life* (VSL). For the US, a typical number used is \$10 million (Kniesner and Viscusi 2019). The other notion encompassing the quality of life is the quality of life years (QALY) saved. The point is that a trade-off needs to be made between the cost of intervention and the value of a life (or quality life years) saved, and a penalty is our way of handling that.

3.3 Performance Measures

Thus, there are five decisions to be made by the government: $(x_1, y_1, z; x_2, y_2)$ for a system that integrates inventory, capacity, and capability over two time periods. Our goal is to determine the optimal decisions that minimize the *total expected relevant cost* $\pi(x_1, y_1, z; x_2, y_2)$ incurred over the two time periods. The shortfall probability and the expected shortfall are also relevant system performance measures.

4 Analysis: Inventory-, Capacity-, and Capability-based Systems

We now present our analysis associated with the three nested systems in turn. We begin our analysis of a two-period system that relies only on stockpiled inventory, so that $y_1 = y_2 = z = 0$. Next, we examine the system that entails inventory and capacity (i.e., when $z = 0$), followed by the analysis of the third system that uses all three resources: inventory, capacity, and capability. We compare the total relevant cost across all three systems and identify the conditions under which the government should develop a system that integrates all three resources.

4.1 Inventory-based System

Consider the inventory-based system in Figure 1. Recall that, in period 1, the government decides on the stockpile inventory x_1 , which is the only resource available to satisfy period 1's uncertain demand M_1 . If the realized period-1 demand m_1 is smaller than x_1 , then the left-over inventory $I = x_1 - m_1 > 0$ can be carried over to period 2; otherwise, $I = 0$. In period 2, the government decides on the stockpile inventory x_2 so that x_2 together with the left-over inventory of the previous period $I = (x_1 - m_1)^+$ can be used to satisfy period 2's uncertain demand M_2 .




Figure 1 Inventory-based system $(x_1, 0, 0; x_2, 0)$ with realized demand m_1 and m_2 of period 1 and 2 to be met solely from inventory.

We assume that $h_1 \leq h_2$ to capture the obsolescence cost of inventory. Recall that the unit cost is u , the holding cost h_i , and the penalty cost p for each unit of unmet demand in either period i ; the penalty cost is high by assumptions so that $p > u + h_2/2$. We now use backward induction to

determine the optimal values $(x_1^*, 0, 0; x_2^*, 0)$ that minimize the expected total cost $\pi(x_1, 0, 0; x_2, 0)$.

11

In period 2, the leftover inventory from period 1 $I = [x_1 - m_1]^+$ is known, and the total expected relevant cost in period 2 for ordering x_2 units of inventory is:

$$\begin{aligned}\pi_2(x_2, 0; I) &= ux_2 + E(h_2 \cdot [\frac{x_2 + I + (x_2 + I - M_2)^+}{2}]) + E(p \cdot [M_2 - (x_2 + I)]^+) \\ &= ux_2 + h_2 \cdot \frac{x_2 + I}{2} + \frac{h_2}{2} \int_0^{x_2 + I} F_2(m_2) dm_2 + p \int_{x_2 + I}^{+\infty} (1 - F_2(m_2)) dm_2.\end{aligned}\quad (1)$$

Notice that the initial and ending inventory are $x_2 + I$ and $(x_2 + I - M_2)^+$; respectively. Hence, the average inventory cost throughout the period is $h_2 \cdot [\frac{x_2 + I + (x_2 + I - M_2)^+}{2}]$.¹² Observe that the relevant cost $\pi_2(x_2, 0, 0)$ given in (1) possesses the same structure as the classical *newsvendor problem*. Hence, we use the following lemma to characterize the optimal x_2^* . For ease of exposition, we denote the threshold $\theta_1 \equiv F_2^{-1}(\frac{p - (u + h_2/2)}{p + h_2/2})$, where $\theta_1 > 0$ because of our assumption that $p > (u + h_2/2)$.¹³

LEMMA 1. *Given the left-over inventory from period 1 $I = (x_1 - m_1)^+$, the optimal stockpile inventory in period 2 is $x_2^* = \theta_1 - I$, where $\theta_1 = F_2^{-1}(\frac{p - (u + h_2/2)}{p + h_2/2})$. Specifically,*

1. *When $m_1 \geq x_1$ so that $I = 0$, $x_2^* = \theta_1$ and $\pi_2^*(x_2^*, 0, 0) = (u + \frac{h_2}{2})\theta_1 + \frac{h_2}{2} \int_0^{\theta_1} F_2(m_2) dm_2 + p \int_{\theta_1}^{+\infty} (1 - F_2(m_2)) dm_2 \equiv \pi_2^0$;*
2. *When $m_1 < x_1$ so that $I = x_1 - m_1 > 0$, $x_2^* = \theta_1 - (x_1 - m_1)$ and $\pi_2^*(x_2^*, 0, 0) = \pi_2^0 - u(x_1 - m_1)$.¹⁴*

Observe from statement 1 in Lemma 1 that, when $m_1 \geq x_1$ so that $I = 0$, both the optimal stockpile inventory x_2^* and the optimal cost π_2^0 for period 2 depend on θ_1 , which is independent of x_1 and m_1 . Armed with Lemma 1, we proceed to solve the problem at the beginning of period 1.

The *total expected relevant cost* for ordering x_1 units of inventory at the beginning of period 1 is:

$$\begin{aligned}\pi_1(x_1, 0, 0) &= ux_1 + E(h_1 \cdot [\frac{x_1 + (x_1 - M_1)^+}{2}]) + E(p \cdot (M_1 - x_1)^+) \\ &= ux_1 + h_1 \cdot \frac{x_1}{2} + \frac{h_1}{2} \int_0^{x_1} F_1(m_1) dm_1 + p \int_{x_1}^{+\infty} (1 - F_1(m_1)) dm_1.\end{aligned}\quad (2)$$

¹¹ In the inventory-based system, we set the backup capacity $y_i = 0$ and set the standby capability $z = 0$.

¹² In our model, we consider the case when the demand occurs throughout the period. If we were to model the case when demand occurs exactly at the end of the period, then the inventory cost throughout the period equals $h_2(x_2 + I)$ and the structural results will remain the same.

¹³ As in the newsvendor model, it is optimal to order nothing when the penalty $p \leq u + h_2/2$. As explained earlier, the shortfall penalty p is assumedly much higher than the cost of inventory in the context of disaster management, so we can also assume that $p > u + h_2/2$ throughout this paper.

¹⁴ We use the same “costless return” modeling assumption for tractability as in various OM research articles, including the classic bullwhip paper by Lee et al. (1997). In our context, the “costless return” assumption allows x_2^* to be negative when $m_1 \leq x_1 - \theta_1$.

Combining the cost $\pi_1(x_1, 0, 0)$ incurred in period 1 and $\pi_2^*(x_2^*, 0, 0)$ incurred in period 2 as stated in Lemma 1, the total expected cost for the inventory-based system is:

$$\begin{aligned}\pi(x_1, 0, 0; x_2^*, 0) &= \pi_1(x_1, 0, 0) + \int_0^{x_1} (\pi_2^0 - u(x_1 - m_1)) \cdot f_1(m_1) dm_1 + \int_{x_1}^{\infty} \pi_2^0 \cdot f_1(m_1) dm_1 \\ &= \pi_1(x_1, 0, 0) + \pi_2^0 - u x_1 \int_0^{x_1} f_1(m_1) dm_1 + u \int_0^{x_1} m_1 f_1(m_1) dm_1,\end{aligned}\quad (3)$$

where π_2^0 is independent of x_1 . By minimizing $\pi(x_1, 0, 0; x_2^*, 0)$, we obtain

PROPOSITION 1. (Inventory-based system.) *When the holding costs $h_2 \geq h_1$ and the penalty cost $p > u + h_2/2$, the optimal inventory-based system $(x_1^*, 0, 0; x_2^*, 0)$ satisfies:*

1. *In period 1, the optimal stockpile inventory $x_1^* = F_1^{-1}\left(\frac{p-(u+h_1/2)}{p+h_1/2-u}\right)$ so that the shortfall probability and the expected shortfall of period 1 are:*

$$P\{M_1 \geq x_1^*\} = \frac{h_1}{p + h_1/2 - u}, \quad E[(M_1 - x_1^*)^+] = \int_{x_1^*}^{+\infty} (1 - F_1(m_1)) dm_1. \quad (4)$$

2. *In period 2, the optimal stockpile inventory $x_2^* = F_2^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2}\right) - (x_1^* - m_1)^+$ so that the shortfall probability and the expected shortfall of period 2 are:*

$$P\{M_2 \geq [x_2^* + (x_1^* - m_1)^+]\} = \frac{u + h_2}{p + h_2/2}, \quad E[(M_2 - x_2^* - (x_1^* - m_1)^+)^+] = \int_{x_2^* + (x_1^* - m_1)^+}^{+\infty} (1 - F_2(m_2)) dm_2. \quad (5)$$

From Proposition 1 and our assumption that the penalty cost is high so that $p > u + h_2/2 \geq u + h_1/2$, we conclude that $x_1^* > 0$. Also, when the condition $p > u + h_2/2$ holds, it is easy to check that the optimal inventory of both periods x_1^* and x_2^* increases as the penalty cost p for each unit unmet demand. Consequently, both the shortfall probability and the expected shortfall of both periods decrease with an increasing penalty cost p .

By comparing period 1 and 2, we obtain the following corollary,

COROLLARY 1. *In the optimal inventory-based system, the shortfall probability of period 1 is lower than that of period 2, i.e., $P\{M_1 \geq x_1^*\} < P\{M_2 \geq [x_2^* + (x_1^* - m_1)^+]\}$. Moreover, if the demand distribution is the same in both periods (i.e., $F_1(\cdot) = F_2(\cdot)$), then the optimal stockpile inventory $x_1^* > x_2^*$ and the expected shortfall $E[(M_1 - x_1^*)^+] < E[(M_2 - x_2^* - (x_1^* - m_1)^+)^+]$.*

Corollary 1 suggests that it is optimal to keep the shortage probability for period 1 lower than that for period 2, regardless of the underlying demand distribution $F_i(\cdot)$ in either period i . Also, when the demand distribution for both periods is the same, Corollary 1 implies that it is optimal to set a higher inventory level in period 1 so that the expected shortfall of period 1 is less than that of period 2. These two results are due to the fact that, in our 2-period model, left-over inventory from period 1 can be carried over to period 2. As such, it is less risky to order more in period 1, resulting in a lower shortfall probability in period 1.

4.2 Capacity-based System

Consider the capacity-based system that involves inventory x_i and backup capacity y_i in period i (Figure 2).




Figure 2 Capacity-based system $(x_1, y_1, 0; x_2, y_2)$ with realized demand m_1 and m_2 of period 1 and 2 to be met first from inventory and only after inventory is exhausted from backup capacity.

In period 1, the government determines the stockpile inventory x_1 and the backup capacity y_1 . Here, x_1 is the first deployed to satisfy the realized demand m_1 , and the backup capacity y_1 is called upon only after exhausting x_1 . Subsequently, in period 2, the government determines the stockpile inventory x_2 and the backup capacity y_2 after observing the left-over inventory from period 1 $I = (x_1 - m_1)^+$. The government will use the left-over inventory from period 1 $I = (x_1 - m_1)^+$ and the newly acquired inventory x_2 to satisfy the realized demand m_2 . The reserved capacity y_2 will be exercised after exhausting $I + x_2$. As before, we use backward induction to determine the optimal values of $(\tilde{x}_1, \tilde{y}_1, 0; \tilde{x}_2, \tilde{y}_2)$ that minimize the total expected cost $\pi(x_1, y_1, 0; x_2, y_2)$.

Period 2. In period 2, given the left-over inventory of period 1 as $I = (x_1 - m_1)^+$, the total expected relevant cost of period 2 for the capacity-based system is:

$$\begin{aligned}
 \pi_2(x_2, y_2; I) &= ux_2 + E(h_2[\frac{x_2 + I + (x_2 + I - M_2)^+}{2}]) + r \cdot y_2 + s \cdot E(M_2 - (x_2 + I) | M_2 \in [x_2 + I, x_2 + I + y_2]) \\
 &\quad + s \cdot E(y_2 | M_2 \geq (x_2 + I + y_2)) + p \cdot E([M_2 - (x_2 + I + y_2)]^+) \\
 &= ux_2 + h_2 \cdot \frac{x_2 + I}{2} + \frac{h_2}{2} \int_0^{x_2 + I} F_2(m_2) dm_2 + ry_2 - s \int_{x_2 + I}^{x_2 + I + y_2} F_2(m_2) dm_2 + sy_2 \\
 &\quad + p \int_{x_2 + I + y_2}^{+\infty} (1 - F_2(m_2)) dm_2.
 \end{aligned} \tag{6}$$

The first two terms in (6) are the ordering and holding costs as in (1). The third term $r \cdot y_2$ corresponds to the upfront backup capacity reservation cost for period 2. This backup capacity is called upon only when demand $M_2 > x_2 + I$. Specifically, as shown in Figure 2, when $M_2 \in [x_2 + I, x_2 + I + y_2]$, the fourth term represents the cost for exercising $(M_2 - (x_2 + I))$ units of the backup capacity to satisfy the remaining demand $(M_2 - (x_2 + I))$ at s per unit. The fifth term $s \cdot y_2$ captures the cost of using all of the backup capacity when $M_2 \geq x_2 + I + y_2$, and the last

term corresponds to the penalty cost of the shortfall $[M_2 - (x_2 + I + y_2)]^+$. We obtain the optimal $(\tilde{x}_2, \tilde{y}_2)$ by minimizing $\pi_2(x_2, y_2, 0)$ as given in

LEMMA 2. *In the capacity-based system, given any inventory left over from period 1 $I = (x_1 - m_1)^+$, the optimal $(\tilde{x}_2, \tilde{y}_2)$ in period 2 has the following properties:*

1. *If $r \leq u + h_2/2 - s$, then $\tilde{x}_2 + I = 0$ and $\tilde{y}_2 = F_2^{-1}\left(\frac{p-(r+s)}{p-s}\right) > 0$;*
2. *If $r \in (u + h_2/2 - s, \frac{(p-s)(h_2+u)}{h_2/2+p})$, then $\tilde{x}_2 + I = F_2^{-1}\left(\frac{(r+s)-(u+h_2/2)}{s+h_2/2}\right) > 0$ and $\tilde{y}_2 = F_2^{-1}\left(\frac{p-(r+s)}{p-s}\right) - F_2^{-1}\left(\frac{(r+s)-(u+h_2/2)}{s+h_2/2}\right) > 0$;*
3. *If $r \geq \frac{(p-s)(h_2+u)}{h_2/2+p}$, then $\tilde{x}_2 + I = F_2^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2}\right) > 0$ and $\tilde{y}_2 = 0$.*

Lemma 2 captures the trade-off between inventory and capacity in period 2. The first statement indicates that inventory is not needed when the capacity reservation and exercise cost $r + s \leq u + \frac{h_2}{2}$. This is because when the unit reservation cost and the exercise cost are lower than the unit cost and the average holding cost, it is more economical to reserve capacity instead of keeping inventory. However, in practice, it is more likely to have $r + s > u + \frac{h_2}{2}$ so that inventory is needed. Specifically, the second statement implies that it is optimal to leverage both the stockpile inventory and backup capacity only when the reservation cost r is moderate (i.e., $r \in (u + h_2/2 - s, \frac{(p-s)(h_2+u)}{h_2/2+p})$). Finally, the third statement of the lemma implies that capacity is not needed when the reservation cost r is sufficiently high, and in this case, the optimal \tilde{x}_2 under the capacity-based system is the same as x_2^* under the inventory-based system.

Denote the thresholds $\theta_1 = F_2^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2}\right)$, $\theta_2 = F_2^{-1}\left(\frac{(r+s)-(u+h_2/2)}{s+h_2/2}\right)$, and $\theta_3 = F_2^{-1}\left(\frac{p-(r+s)}{p-s}\right)$. By substituting the optimal $(\tilde{x}_2, \tilde{y}_2)$ from Lemma 2 into (6), we can retrieve the corresponding optimal cost $\pi_2(\tilde{x}_2, \tilde{y}_2; I)$ in period 2 as:

$$\begin{aligned} \pi_2(\tilde{x}_2, \tilde{y}_2 | I = 0) &\equiv \tilde{\pi}_2^0, \quad \text{where} \tag{7} \\ \tilde{\pi}_2^0 &= \begin{cases} (r+s) \cdot \theta_3 - s \int_0^{\theta_3} F_2(m_2) dm_2 + p \int_{\theta_3}^{+\infty} (1 - F_2(m_2)) dm_2 & r \leq u + h_2/2 - s; \\ (u + h_2/2) \theta_2 + \frac{h_2}{2} \int_0^{\theta_2} F_2(m_2) dm_2 + (r+s)(\theta_3 - \theta_2) \\ \quad - s \int_{\theta_2}^{\theta_3} F_2(m_2) dm_2 + p \int_{\theta_3}^{+\infty} (1 - F_2(m_2)) dm_2 & r \in (u + h_2/2 - s, \frac{(p-s)(h_2+u)}{h_2/2+p}); \\ (u + h_2/2) \theta_1 + \frac{h_2}{2} \int_0^{\theta_1} F_2(m_2) dm_2 + p \int_{\theta_1}^{+\infty} (1 - F_2(m_2)) dm_2 \equiv \pi_2^0 & r \geq \frac{(p-s)(h_2+u)}{h_2/2+p}; \end{cases} \\ \pi_2(\tilde{x}_2, \tilde{y}_2 | I = x_1 - m_1 > 0) &= \tilde{\pi}_2^0 - u(x_1 - m_1) \tag{8} \end{aligned}$$

From (7) and (8), we conclude that when $I = 0$, the optimal cost of period 2 $\tilde{\pi}_2^0$ is independent of the government decision (x_1, y_1) for period 1 and the realized demand m_1 of period 1. Also, when the reservation cost r is sufficiently high so that the optimal $\tilde{y}_2 = 0$, then the optimal cost of the capacity-based system would be the same as that of the inventory-based system. Armed with the optimal cost in period 2 as given in (7) and (8), we proceed to analyze period 1's problem.

Period 1. The expected relevant cost incurred in period 1 can be expressed as:

$$\begin{aligned}\pi_1(x_1, y_1, 0) &= ux_1 + E(h_1[\frac{x_1 + (x_1 - M_1)^+}{2}]) + r \cdot y_1 + s \cdot E(M_1 - x_1 | M_1 \in [x_1, x_1 + y_1]) \\ &\quad + s \cdot E(y_1 | M_1 \geq (x_1 + y_1)) + p \cdot E([M_1 - (x_1 + y_1)]^+) \\ &= ux_1 + h_1 \cdot \frac{x_1}{2} + \frac{h_1}{2} \int_0^{x_1} F_1(m_1) dm_1 + ry_1 - s \int_{x_1}^{x_1+y_1} F_1(m_1) dm_1 + sy_1 \\ &\quad + p \int_{x_1+y_1}^{+\infty} (1 - F_1(m_1)) dm_1.\end{aligned}\tag{9}$$

Combining the above cost and the optimal expected cost for this system in period 2 $\pi_2(\tilde{x}_2, \tilde{y}_2; I)$, the total expected cost is:

$$\begin{aligned}\pi(x_1, y_1, 0; \tilde{x}_2, \tilde{y}_2) &= \pi_1(x_1, y_1, 0) + \int_0^{x_1} (\tilde{\pi}_2^0 - u(x_1 - m_1)) \cdot f_1(m_1) dm_1 + \int_{x_1}^{\infty} \tilde{\pi}_2^0 \cdot f_1(m_1) dm_1 \\ &= \pi_1(x_1, y_1, 0) + \tilde{\pi}_2^0 - ux_1 \int_0^{x_1} f_1(m_1) dm_1 + u \int_0^{x_1} m_1 f_1(m_1) dm_1,\end{aligned}\tag{10}$$

where $\tilde{\pi}_2^0$ is independent of x_1 . By minimizing the total expected cost $\pi(x_1, y_1, 0; \tilde{x}_2, \tilde{y}_2, 0)$, we obtain the optimal government decision in

PROPOSITION 2. (Capacity-based System.) *Under the capacity-based system, the optimal $(\tilde{x}_1, \tilde{y}_1, 0; \tilde{x}_2, \tilde{y}_2)$ satisfies:*

1. In period 1, the optimal stockpile inventory \tilde{x}_1 and the backup capacity \tilde{y}_1 are:
 - (a) If $r \leq u + h_1/2 - s$, then $\tilde{x}_1 = 0$, $\tilde{y}_1 = F_1^{-1}\left(\frac{p-(r+s)}{p-s}\right) > 0$;
 - (b) If $r \in (u + h_1/2 - s, \frac{h_1(p-s)}{p-u+h_1/2})$, then $\tilde{x}_1 = F_1^{-1}\left(\frac{r+s-(u+h_1/2)}{h_1/2+s-u}\right) > 0$ and $\tilde{y}_1 = F_1^{-1}\left(\frac{p-(r+s)}{p-s}\right) - F_1^{-1}\left(\frac{r+s-(u+h_1/2)}{h_1/2+s-u}\right) > 0$;
 - (c) If $r \geq \frac{h_1(p-s)}{p-u+h_1/2}$, then $\tilde{x}_1 = F_1^{-1}\left(\frac{p-(u+h_1/2)}{p-u+h_1/2}\right) > 0$ and $\tilde{y}_1 = 0$.

Also, when $r < \frac{h_1(p-s)}{p-u+h_1/2}$, the shortfall probability and the expected shortfall of period 1 under capacity-based system are

$$P\{M_1 \geq \tilde{x}_1 + \tilde{y}_1\} = \frac{r}{p-s}, \quad E[(M_1 - (\tilde{x}_1 + \tilde{y}_1))^+] = \int_{F_1^{-1}\left(\frac{p-(r+s)}{p-s}\right)}^{\infty} (1 - F_1(m_1)) dm_1.\tag{11}$$

However, when $r \geq \frac{h_1(p-s)}{p-u+h_1/2}$, the shortfall probability and the expected shortfall of period 1 under capacity-based system are the same as the inventory-based system, which are given by (4).

2. In period 2, the optimal $(\tilde{x}_2, \tilde{y}_2)$ is as given by Lemma 2. Also, when $r < \frac{(p-s)(h_2+u)}{h_2/2+p}$, the shortfall probability and the expected shortfall of period 2 under capacity-based system are

$$P\{M_2 \geq \tilde{x}_2 + I + \tilde{y}_2\} = \frac{r}{p-s}, \quad E[(M_2 - (\tilde{x}_2 + I + \tilde{y}_2))^+] = \int_{F_2^{-1}\left(\frac{p-(r+s)}{p-s}\right)}^{\infty} (1 - F_2(m_2)) dm_2.\tag{12}$$

However, when $r \geq \frac{(p-s)(h_2+u)}{h_2/2+p}$, the shortfall probability and the expected shortfall of period 2 under capacity-based system are the same as the inventory-based system, which are given by (5).

From Proposition 2, we observe that the optimal decision $(\tilde{x}_1, \tilde{y}_1)$ in period 1 has a structure similar to $(\tilde{x}_2, \tilde{y}_2)$ of period 2 given by Lemma 2. So, it is optimal to leverage both the stockpile inventory and backup capacity only when the reservation cost r is moderate. Otherwise, when the reservation cost r is too high capacity is not needed and when it is too low, inventory is not needed. In particular, statement 1(c) reveals that when $r \geq \frac{h_1(p-s)}{p-u+h_1/2}$, the optimal \tilde{x}_1 is the same as x_1^* for the inventory-based system as stated in Proposition 1. When the reservation cost r is moderate (i.e. $r \in (u + h_2/2 - s, \frac{h_1(p-s)}{p-u+h_1/2})$) the government should leverage both inventory and capacity in periods 1 and 2. Then, we can compare the optimal decisions of the two periods to obtain

COROLLARY 2. *Suppose the reservation cost $r \in (u + h_2/2 - s, \frac{h_1(p-s)}{p-u+h_1/2})$ so that the government should leverage both inventory and capacity under the capacity-based system in both periods.*

1. *Then the shortfall probability of period 1 is the same as period 2, i.e., $P\{M_1 \geq \tilde{x}_1 + \tilde{y}_1\} = P\{M_2 \geq \tilde{x}_2 + (x_1 - m_1)^+ + \tilde{y}_2\} = \frac{r}{p-s}$.*
2. *Also, if the demand distribution is the same in both periods (i.e., $F_1(\cdot) = F_2(\cdot)$), then the optimal stockpile inventory $\tilde{x}_1 > \tilde{x}_2$ and the backup capacity $\tilde{y}_1 < \tilde{y}_2$. Also, the expected shortfalls of the two periods are the same, i.e., $E[(M_1 - (\tilde{x}_1 + \tilde{y}_1))^+] = E[(M_2 - (\tilde{x}_2 + (x_1 - m_1)^+ + \tilde{y}_2))^+]$.*

When the reservation cost r is moderate, Corollary 2 for the capacity-based system generates results different from those for the inventory-based system. Under the capacity-based system, the government should ensure the shortfall probability of the two periods at the same level regardless of the demand distribution. Also, when the demand distribution for both periods are the same (i.e., $F_1(\cdot) = F_2(\cdot)$), it is optimal for the government to set a higher stockpile inventory level in period 1 and a higher backup capacity level in period 2. This is because the inventory in period 1 can be carried over to period 2, but not the reserved capacity. Also, when the demand distribution is the same, the shortfall probability and the expected shortfalls of the two periods are equal.

Comparing capacity-based vs. inventory-based systems. We now compare the performance between the optimal inventory-based system and capacity-based system as stated in Propositions 1 and 2 as

COROLLARY 3. *Comparing with the optimal inventory-based system $(x_1^*, 0, 0; x_2^*, 0)$, the optimal capacity-based system $(\tilde{x}_1, \tilde{y}_1, 0; \tilde{x}_2, \tilde{y}_2)$ has the following properties:*

1. **Stockpile inventory.** *In period 1, less inventory is needed under the capacity-based system (i.e., $\tilde{x}_1 < x_1^*$) if and only if $r < \frac{h_1(p-s)}{p-u+h_1/2}$. In period 2, given the same left-over inventory I , less inventory is needed under the capacity-based system (i.e., $\tilde{x}_2 < x_2^*$) if and only if $r < \frac{(p-s)(h_2+u)}{h_2/2+p}$.*
2. **Shortfall probability and expected shortfall.** *In period 1, the shortfall probability and the expected shortfall are both strictly lower under the capacity-based system (i.e., $P\{M_1 \geq \tilde{x}_1 + \tilde{y}_1\} < P\{M_1 \geq x_1^*\}$ and $E[(M_1 - (\tilde{x}_1 + \tilde{y}_1))^+] < E[(M_1 - x_1^*)^+]$) if and only if the reservation cost*

$r < \frac{h_1(p-s)}{p-u+h_1/2}$. In period 2, the shortfall probability and the expected shortfall are both strictly lower under the capacity-based system (i.e., $P\{M_2 \geq \tilde{x}_2 + I + \tilde{y}_2\} < P\{M_2 \geq x_2^* + I\}$ and $E[(M_2 - (\tilde{x}_2 + I + \tilde{y}_2))^+] < E[(M_2 - (x_2^* + I))^+]$) if and only if the reservation cost $r < \frac{(p-s)(h_2+u)}{h_2/2+p}$.

3. Expected relevant cost. The capacity-based system incurs a strictly lower relevant cost than the inventory-based system (i.e., $\pi(\tilde{x}_1, \tilde{y}_1, 0; \tilde{x}_2, \tilde{y}_2) < \pi(x_1^*, 0, 0; x_2^*, 0)$) when $r < \frac{(p-s)(h_2+u)}{h_2/2+p}$.

Corollary 3 has the following implications. The extra option of backup capacity can lower the relevant cost when $r < \frac{(p-s)(h_2+u)}{h_2/2+p}$ as stated in statement 3 of Corollary 3. Still, statements 1 and 2 offer two interesting insights. First, it is not necessarily true that the capacity-based system will always reduce the inventory level and outperform the inventory-based system. Specifically, statement 1 states that the capacity-based system can result in lower inventory only when the reservation cost r is below certain thresholds in both periods. Second, it is not necessarily true that the capacity-based system will always reduce the shortfall probability and the expected shortfalls. Specifically, statement 2 shows that the capacity-based system can reduce the shortfall probability and the expected shortfalls only when the reservation cost r is below certain thresholds. Hence, Corollary 3 implies that the capacity-based system dominates the inventory-based system in terms of stockpile inventory and shortfall-related performances only when the cost structure of the backup capacity (r, s) is sufficiently low.

4.3 Capability-based System

Consider the capability-based system $(x_1, y_1, z; x_2, y_2)$ depicted in Figure 3.

Capability-based System




Figure 3 Capability-based system $(x_1, y_1, z; x_2, y_2)$ with realized demand m_1 and m_2 of period 1 and 2.

Because capability involves R&D and other technology development activities, we introduce two salient features to distinguish the capability-based system from the other two systems as explained in §3: (1) We assume that capability conversion is a time-consuming process that takes the entire first period to convert the standby capability into production capacity for use in the second period. (Due to this delay, we consider capability in the first period only.) (2) We assume that the conversion

yield from capability to capacity is δ , where $\delta < 1$, where δ is fixed and deterministic – in §5, we extend our analysis to the case when δ is uncertain.

Observe from Figure 3 that the government determines the stockpile inventory x_1 , the backup capacity y_1 , and the standby capability z in period 1. Here, the three-tiered response follows a sequence similar to what we saw before.

The upfront investment cost for developing the standby capability z in period 1 is $a \cdot z$, where a represents the per-unit fixed development cost. Converting the standby capability z into production capacity δz will take the entire period 1, and the unit cost for using the converted capacity is c . In period 2, the government first observes the left-over inventory from period 1 $I = (x_1 - m_1)^+$, and then determines the stockpile inventory level x_2 and the backup capacity level y_2 . Again, the government will first use the left-over inventory $I = (x_1 - m_1)^+$ and the newly acquired inventory x_2 , then deploy backup capacity y_2 as needed. The converted capacity (from period 1) δz will be called upon after exhausting $I + x_2 + y_2$.

As before, we use backward induction to determine the optimal $(\hat{x}_1, \hat{y}_1, z; \hat{x}_1, \hat{y}_2)$ that minimizes the total expected cost $\pi(x_1, y_1, z; x_2, y_2)$.

Period 2. In period 2, the leftover inventory from period 1 $I = (x_1 - m_1)^+$ is known. Hence, the total expected relevant cost incurred in period 2 for the capability-based system is:

$$\begin{aligned} \pi_2(x_2, y_2; I) &= ux_2 + E(h_2 \cdot \frac{x_2 + I + (x_2 + I - M_2)^+}{2}) + r \cdot y_2 + s \cdot E((M_2 - (x_2 + I)) | M_2 \in [x_2 + I, x_2 + I + y_2]) \\ &\quad + s \cdot E(y_2 | M_2 \geq (x_2 + I + y_2)) + c \cdot E((M_2 - (x_2 + I + y_2)) | M_2 \in [x_2 + I + y_2, x_2 + I + y_2 + \delta z]) \\ &\quad + c \cdot E(\delta z | M_2 \geq (x_2 + I + y_2 + \delta z)) + p \cdot E([M_2 - (x_2 + I + y_2 + \delta z)]^+ | M_2 \geq (x_2 + I + y_2 + \delta z)) \\ &= ux_2 + h_2 \cdot \frac{x_2 + I}{2} + \frac{h_2}{2} \int_0^{x_2 + I} F_2(m_2) dm_2 + ry_2 - s \int_{x_2 + I}^{x_2 + I + y_2} F_2(m_2) dm_2 + sy_2 \\ &\quad - c \int_{x_2 + I + y_2}^{x_2 + I + y_2 + \delta z} F_2(m_2) dm_2 + c\delta z + p \int_{x_2 + I + y_2 + \delta z}^{+\infty} (1 - F_2(m_2)) dm_2. \end{aligned} \quad (13)$$

Observe that the first five terms in (13) capture the various costs associated with the stockpile inventory x_2 and backup capacity y_2 as in the capacity-based system that are given in (7). The remaining terms are attributed to the standby capability z established in period 1. In Figure 3, note that the standby capability can be converted to production capacity δz in period 2 and the converted capacity will be deployed for production only when demand $M_2 > (x_2 + I + y_2)$ (i.e., after both the inventory and backup capacity are exhausted). Specifically, when $M_2 \in [x_2 + I + y_2, x_2 + I + y_2 + \delta z]$, the first of the remaining terms represents the cost of deploying the “converted capacity” to meet the shortfall $M_2 - (x_2 + I + y_2)$ for the given yield rate δ . Similarly, when $M_2 > x_2 + I + y_2 + \delta z$, the first term of the last line captures the cost of using all converted capacity δz . The last term is the penalty for the shortfall $[M_2 - (x_2 + I + y_2 + \delta z)]^+$.

By differentiating $\pi_2(x_2, y_2; I)$ with respect to x_2 and y_2 , we can check that both the optimal (\hat{x}_2, \hat{y}_2) and $\hat{\pi}_2(\hat{x}_2, \hat{y}_2; I)$ depend on the capability level z established in period 1. Analogous to the

inventory-based and capacity-based systems, we define the optimal relevant cost of the capability-based system for the case when $I = 0$ as $\hat{\pi}_2^0$ (i.e., $\hat{\pi}_2^0 \equiv \pi_2(\hat{x}_2, \hat{y}_2; I = 0)$) so that $\hat{\pi}_2^0$ is independent of x_1 and m_1 . Also, we can obtain that for the case when $I = x_1 - m_1 > 0$, the optimal $\pi_2(\hat{x}_2, \hat{y}_2; I = x_1 - m_1 > 0) = \hat{\pi}_2^0 - u(x_1 - m_1)$. We next proceed to analyze period 1's problem.

Period 1. The total expected relevant cost of period 1 for the capability-based system is:

$$\begin{aligned} \pi_1(x_1, y_1, z) &= ux_1 + E(h_1[\frac{x_1 + [x_1 - M_1]^+}{2}]) + r \cdot y_1 + s \cdot E(M_1 - x_1 | M_1 \in [x_1, x_1 + y_1]) \\ &\quad + s \cdot E(y_1 | M_1 \geq (x_1 + y_1)) + a \cdot z + p \cdot E([M_1 - (x_1 + y_1)]^+) \\ &= ux_1 + h_1 \cdot \frac{x_1}{2} + \frac{h_1}{2} \int_0^{x_1} F_1(m_1) dm_1 + ry_1 - s \int_{x_1}^{x_1 + y_1} F_1(m_1) dm_1 + sy_1 \\ &\quad + a \cdot z + p \int_{x_1 + y_1}^{+\infty} (1 - F_1(m_1)) dm_1. \end{aligned} \quad (14)$$

Notice that $\pi_1(x_1, y_1, z)$ given in (14) resembles the cost presented in (9) under the capacity-based system except that there is an additional upfront development cost $a \cdot z$ for developing the standby capability z . Because it takes the entire period to convert capability in period 1, only the stockpile inventory x_1 and backup capacity y_1 can be used to satisfy period 1's demand. Hence, by considering the optimal expected cost of period 2, the total expected cost for the capability-based system over both time periods can be expressed as:

$$\pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2) = \pi_1(x_1, y_1, z) + \int_0^{x_1} \hat{\pi}_2(\hat{x}_2, \hat{y}_2; I = x_1 - m_1) \cdot f_1(m_1) dm_1 + \int_{x_1}^{\infty} \hat{\pi}_2(\hat{x}_2, \hat{y}_2; I = 0) \cdot f_1(m_1) dm_1 \quad (15)$$

To determine the optimal period 1's decision $(\hat{x}_1, \hat{y}_1, \hat{z})$ that minimizes the total cost given in (15), we differentiate $\pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2)$ with respect to x_1, y_1, z . By considering (EC.1) and (EC.2) that are associated with period 2's optimal decision (\hat{x}_2, \hat{y}_2) , we can characterize the optimal decisions in the following proposition. In preparation, let $\theta_4 = F_2^{-1}\left(\frac{(p-c)-a/\delta}{p-c}\right)$, $\theta_5 = F_2^{-1}\left(\frac{c+a/\delta-(r+s)}{c-s}\right)$, and $\theta_6 = F_2^{-1}\left(\frac{c+a/\delta-(u+h_2/2)}{h_2/2+c}\right)$. Also, we define two terms $R_1(r)$ and $R_2(r)$ that will prove useful, where:

$$R_1(r) \equiv \begin{cases} \frac{r(p-c)}{p-s} & r \leq \frac{(p-s)(h_2+u)}{p+h_2/2} \\ \frac{(p-c)(h_2+u)}{p+h_2/2} & r \geq \frac{(p-s)(h_2+u)}{p+h_2/2} \end{cases}, \quad R_2(r) \equiv \begin{cases} r+s-c & r \leq u+h_2/2-s \\ u+h_2/2-c & r \geq u+h_2/2-s \end{cases}$$

PROPOSITION 3. (Capability-based System.) *Under the capability-based system, the optimal $(\hat{x}_1, \hat{y}_1, \hat{z}; \hat{x}_2, \hat{y}_2)$ satisfies:*

1. *In period 1, the optimal stockpile inventory \hat{x}_1 and the backup capacity \hat{y}_1 under the capability system are the same as the optimal \tilde{x}_1 and \tilde{y}_1 under the capacity-based system as characterized in the first statement of Proposition 2. Also, the optimal standby capability level \hat{z} satisfies:*

- (a) *if $\frac{a}{\delta} \geq R_1(r)$, then $\hat{z} = 0$;*
- (b) *if $\frac{a}{\delta} \in (R_2(r), R_1(r))$, then $0 < \hat{z} < \frac{\theta_4}{\delta}$. Specifically, (1) if $\frac{a}{\delta} \geq \frac{r(c+h_2/2)-(c-s)(h_2+u)}{h_2/2+s}$, $\hat{z} = \frac{1}{\delta}(\theta_4 - \theta_5)$; (2) if $\frac{a}{\delta} \leq \frac{r(c+h_2/2)-(c-s)(h_2+u)}{h_2/2+s}$, $\hat{z} = \frac{1}{\delta}(\theta_4 - \theta_6)$;*
- (c) *if $\frac{a}{\delta} \leq R_2(r)$, then $\hat{z} = \frac{\theta_4}{\delta}$.*

Next, because only \hat{x}_1 and \hat{y}_1 can be used in period 1 to satisfy demand in period 1, the corresponding shortfall probability and the expected shortfall of period 1 under the capability-based system are the same as the capacity-based system as shown in the first statement of Proposition 2.

2. In period 2, the optimal decisions satisfy: (1) if $\frac{a}{\delta} \leq R_2(r)$, then the optimal $\hat{x}_2 + I = 0$ and $\hat{y}_2 = 0$; (2) if $\frac{a}{\delta} \geq R_1(r)$, then the optimal (\hat{x}_2, \hat{y}_2) under the capability-based system is the same as $(\tilde{x}_2, \tilde{y}_2)$ under the capacity-based system as given by Lemma 2; (3) if $\frac{a}{\delta} \in (R_2(r), R_1(r))$, and

(a) if $r \leq u + \frac{h_2}{2} - s$, then $\hat{x}_2 + I = 0$ and $\hat{y}_2 = \theta_5$;

(b) if $r \in (u + \frac{h_2}{2} - s, \frac{(p-s)(h_2+u)}{p+h_2/2})$, then $\hat{x}_2 + I = \theta_2$ and $\hat{y}_2 = \theta_5 - \theta_2$ when $\frac{a}{\delta} \geq \frac{r(c+h_2/2)-(c-s)(h_2+u)}{h_2/2+s}$; while $\hat{x}_2 + I = \theta_6$ and $\hat{y}_2 = 0$ when $\frac{a}{\delta} < \frac{r(c+h_2/2)-(c-s)(h_2+u)}{h_2/2+s}$;

(c) if $r \geq \frac{(p-s)(h_2+u)}{p+h_2/2}$, then $\hat{x}_2 + I = \theta_6$ and $\hat{y}_2 = 0$.

Also, when $\frac{a}{\delta} < R_1(r)$, the shortfall probability and the expected shortfall of period 2 under capability-based system can be expressed as:

$$P\{M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}\} = \frac{a}{(p-c)\delta}, E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}))^+] = \int_{\theta_4}^{+\infty} (1 - F_2(m_2)) dm_2. \quad (16)$$

However, when $\frac{a}{\delta} \geq R_1(r)$, the shortfall probability and the expected shortfall of period 2 under capability-based system are as same as the capacity-based system as stated in the second statement of Proposition 2.

The first statement of Proposition 3 implies that in period 1, the optimal stockpile inventory and backup capacity under the capability-based system are the same as under the capacity-based system. This result is because it takes the entire period 1 to convert the capability to capacity, which can only be used in period 2. Hence, the shortfall probability and the expected shortfall of period 1 under the capability-based system are the same as under the capacity-based system.




Figure 4 Optimal \hat{z} of period 1 together the optimal (\hat{x}_2, \hat{y}_2) of period 2 under the capability-based system.

Next, we use Figure 4 to illustrate the optimal capability \hat{z} to be established in period 1 together with the optimal inventory and capacity (\hat{x}_2, \hat{y}_2) to be deployed in period 2. Proposition 3 and Figure 4 characterize the trade-off among three resources z , x_2 , and y_2 . The first statement of

Proposition 3 implies that the standby capability z is not needed when $\frac{a}{\delta}$ is sufficiently high (i.e., when $\frac{a}{\delta} \geq R_1(r)$). Hence, when $\hat{z} = 0$, the trade-off between the inventory x_2 and capacity y_2 of period 2 is the same as the capacity-based system. This is as shown in the top portion of Figure 4. This result is due to the fact that $\frac{a}{\delta}$ captures the effective developing cost of the standby capability z , which is high when the developing cost of the standby capability a is high or the conversion rate δ is low. Hence, when $\frac{a}{\delta}$ is higher than $R_1(r)$, it is more economical to leverage the stockpile inventory x_2 and backup capacity y_2 in period 2 instead of developing the capability z in period 1.

Statement 2 of Proposition 3 also suggests that, when $\frac{a}{\delta}$ is sufficiently low (i.e., $\frac{a}{\delta} \leq R_2(r)$), the stockpile inventory and the backup capacity of period 2 may not be needed (i.e., $\hat{x}_2 + I = \hat{y}_2 = 0$). This is because, with a low effective development cost, it is more economical for the government to develop the standby capability in period 1 and convert it to production capacity for use in period 2. This is as shown in the bottom right of Figure 4. Finally, when the effective development cost is moderate (i.e., $\frac{a}{\delta} \in (R_2(r), R_1(r))$), the government should develop standby capability in period 1 and convert it for capacity for use in period 2. Moreover, the government should also leverage some extra resources (stockpile inventory and/or backup capacity) in period 2, which depend on the reservation cost r . In particular, the government should develop a 3-tiered system that has $\hat{z} > 0$ and $\hat{x}_2, \hat{y}_2 > 0$ only when the backup capacity reservation cost r and the effective standby capability development cost $\frac{a}{\delta}$ are both moderate (as shown in the unshaded area in Figure 4).

Next, by focusing on the case when the government raises all three resources in period 1 (i.e., $\hat{x}_1, \hat{y}_1, z > 0$), we can compare the optimal government decisions across two periods as follows:

COROLLARY 4. *Suppose the capacity reservation cost $r \in (u + h_1/2 - s, \frac{h_1(p-s)}{p-u+h_1/2})$ and the effective capability developing cost $\frac{a}{\delta} < R_1(r)$ so that all three resources (inventory, capacity, capability) would be developed in period 1 under the capability-based system. Then:*

1. *The shortfall probability in period 1 is higher than that of period 2, i.e., $P\{M_1 \geq \hat{x}_1 + \hat{y}_1\} = \frac{r}{p-s} > P\{M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}\} = \frac{a}{(p-c)\delta}$.*
2. *If the demand distribution is the same in both periods (i.e., $F_1(\cdot) = F_2(\cdot)$), then the optimal stockpile inventory $\hat{x}_1 > \hat{x}_2$ and the total amount of inventory and capacity $\hat{x}_1 + \hat{y}_1 > \hat{x}_2 + \hat{y}_2$. Also, the expected shortfall in period 2 is smaller than that of period 1, i.e., $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}))^+] < E[(M_1 - (\hat{x}_1 + \hat{y}_1))^+]$.*

When the reservation cost r of the backup capacity is moderate and the effective capability developing cost $\frac{a}{\delta}$ is below $R_1(r)$ so that the government would leverage all three resources in period 1, Corollary 4 generates new results that are different from those under the inventory-based system (Corollary 1) and capacity-based system (Corollary 2) as follows. First, under the capability-based system, statement 1 asserts that the shortfall probability of period 2 is lower

than period 1 regardless of the demand distribution. Compared to the previous two systems, the capability-based system provides an extra option – production capacity δz converted from standby capacity developed in period 1. This additional capacity can be used for period 2 to further reduce the shortfall probability. Also, when the demand distributions for both periods are the same, statement 2 reveals that it is optimal for the government to set a higher stockpile inventory level (i.e., \hat{x}_1) in period 1, ensuring a higher level of the total stockpile inventory and backup capacity (i.e., $\hat{x}_1 + \hat{y}_1$) in period 1. Also, when the capability developed in period 1 can only be used in period 2 and when the inventory in period 1 can be carried over to period 2, the expected shortfall of period 2 is lower than that of period 1.

Comparing capability- and capacity-based systems. We now compare the optimal capacity-based system and the optimal capability-based system by comparing the results in Propositions 2 and 3 as

COROLLARY 5. *Relative to the optimal capacity-based system $(\tilde{x}_1, \tilde{y}_1, 0; \tilde{x}_2, \tilde{y}_2)$, the optimal capability-based system $(\hat{x}_1, \hat{y}_1, \hat{z}; \hat{x}_2, \hat{y}_2)$ possesses the following properties:*

1. **Stockpile inventory.** *In period 1, the inventory level under the capability-based system is the same as that under the capacity-based system (i.e., $\hat{x}_1 = \tilde{x}_1$). In period 2, given the same left-over inventory I , less inventory is needed under the capability-based system (i.e., $\hat{x}_2 < \tilde{x}_2$) if and only if the capacity reservation cost $r > u + h_2/2 - s$ and the effective capability development cost $\frac{a}{\delta} < \min\{\frac{r(c+h_2/2)-(c-s)(h_2+u)}{h_2/2+s}, R_1(r)\}$.*

2. **Backup capacity.** *In period 1, the capacity level under the capability-based system is the same as that under the capacity-based system, (i.e., $\hat{y}_1 = \tilde{y}_1$). In period 2, less capacity is needed under the capability-based system (i.e., $\hat{y}_2 < \tilde{y}_2$) if and only if the capacity reservation cost $r < \frac{(p-s)(h_2+u)}{p+h_2/2}$ and the effective capability development cost $\frac{a}{\delta} < R_1(r) = \frac{r(p-c)}{p-s}$.*

3. **Shortfall probability and expected shortfall.** *In period 1, both the shortfall probability and the expected shortfall under the capability-based system are the same as those under the capacity-based system (i.e., $P\{M_1 \geq \hat{x}_1 + \hat{y}_1\} = P\{M_1 \geq \tilde{x}_1 + \tilde{y}_1\}$ and $E[(M_1 - (\hat{x}_1 + \hat{y}_1))^+] = E[(M_1 - (\tilde{x}_1 + \tilde{y}_1))^+]$). In period 2, the shortfall probability and the expected shortfall under the capability-based system are both strictly lower than those under the capacity-based system (i.e., $P\{M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}\} < P\{M_2 \geq \tilde{x}_2 + I + \tilde{y}_2\}$ and $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}))^+] < E[(M_2 - (\tilde{x}_2 + I + \tilde{y}_2))^+]$) if and only if the effective capability development cost $\frac{a}{\delta} < R_1(r)$.*

4. **Expected relevant cost.** *The capability-based system incurs a strictly lower total relevant cost than the capacity-based system (i.e., $\pi(\hat{x}_1, \hat{y}_1, \hat{z}; \hat{x}_2, \hat{y}_2) < \pi(\tilde{x}_1, \tilde{y}_1, 0; \tilde{x}_2, \tilde{y}_2)$) if and only if the effective capability $\frac{a}{\delta} < R_1(r)$.*

Corollary 5 has the following implications. First, because there is an extra option (converted production capacity δz from standby capability developed in period 1) can be used to satisfy the demand in period 2, the capability-based system can enable the government to reduce the relevant cost only when the effective development cost $\frac{a}{\delta} < R_1(r)$. This is as stated in statement 4 of Corollary 5. Next, even though there is an extra option to develop capability, statement 3 reveals that the capability-based system can reduce the shortfall probability and the expected shortfalls in period 2 *only when* the effective development cost $\frac{a}{\delta} < R_1(r)$. The condition $\frac{a}{\delta} < R_1(r)$ is depicted in the shaded area of Figure 5(c) within which the capability-based system outperforms the capacity-based system in terms of the total cost, shortfall probability, and expected shortfall as captured in statements 3 and 4.




Figure 5 Comparison: capability-based and capacity-based systems

Statement 1 and 2 of Corollary 5 offer the following insights. Statement 1 states that the capability-based system can result in a lower inventory level in period 2 than that of the capacity-based system *only when* the capacity reservation cost $r > (u + h_2/2 - s)$ and the effective capability

development cost $\frac{a}{\delta} < R_1(r)$ (as illustrated in the shaded area of Figure 5(a)). This result can be explained as follows. When the capacity reservation cost r is too low, the stockpile inventory is less economical than the backup capacity so that the government will always set the inventory level to be zero under both capacity-based and capability-based systems. Hence, the government will leverage the stockpile inventory only when the capacity reservation cost r is above a certain threshold. Second, when the effective capability development cost $\frac{a}{\delta}$ is sufficiently low, it is more economical for the government to develop more standby capability in period 1 and convert it for use in period 2 so as to reduce the stockpile inventory level in period 2.

Finally, Statement 2 of Corollary 5 states that the capability-based system can result in a lower capacity level in period 2 than that of the capacity-based system *only* when both the capacity reservation cost r and the effective capability development cost $\frac{a}{\delta}$ are below certain thresholds. It is because, when the capacity reservation cost r is too high, capacity is not economical under both capacity-based and capability-based systems. Hence, the government will leverage the backup capacity only when r is below a certain threshold. Also, when the effective capability development cost $\frac{a}{\delta}$ is sufficiently low, it is more economical for the government to develop more standby capability in period 1 and convert it for use in period 2 so as to reduce the backup capacity levels in period 2. This is illustrated in the shaded area of Figure 5(b).

5 Uncertain Capability Conversion Yield

Recall from §4.3 that the yield δ for converting the standby capability z is deterministic. However, when the capability is based on unproven R&D technologies, the conversion yield δ is likely to be uncertain. We now extend our analysis to the case when the conversion yield δ is uncertain. For tractability, we assume that the conversion yield δ follows a two-point distribution, one point representing failed conversion. as with an unproven technology, for instance, in converting biotech R&D projects into drugs for FDA approval. (We will numerically examine the case when the conversion does not fail in either case.)

We assume that the conversion yield $\delta = \delta_h$ with probability γ and the conversion would fail with $\delta = \delta_l = 0$ with probability $(1 - \gamma)$. Define the term $\delta_0 = \gamma \cdot \delta_h$ so that we can express $\delta_h = \delta_0 / \gamma$. In doing so, the expected conversion yield is equal to δ_0 because $\gamma\delta_h + (1 - \gamma)\delta_l = \delta_0$. (Observe that when $\gamma = 1$, this case reduces to the base model where the deterministic yield rate $\delta = \delta_0$.)

Because uncertain yield δ affects the capability z primarily, it suffices to focus our analysis on the capability-based system $(x_1, y_1, z; x_2, y_2)$. To proceed, let us first analyze Period 2's problem.

Period 2. For any realized yield δ associated with capability z established in period 1, the ex-post relevant cost $\pi_2(x_2, y_2; I; \delta)$ in period 2 associated with any given decision (x_2, y_2) and leftover

inventory I is as given in (13). Hence, when δ is still uncertain at the beginning of period 2, the ex-ante expected relevant cost of period 2 is $E_\delta[\pi_2(x_2, y_2; I; \delta)]$, where:

$$\begin{aligned} E_\delta[\pi_2(x_2, y_2; I; \delta)] &= \gamma \cdot \pi_2(x_2, y_2; I; \delta = \frac{\delta_0}{\gamma}) + (1 - \gamma) \cdot \pi_2(x_2, y_2; I; \delta = \delta_l = 0) \\ &= ux_2 + h_2 \cdot \frac{x_2 + I}{2} + \frac{h_2}{2} \int_0^{x_2+I} F_2(m_2) dm_2 + ry_2 - s \int_{x_2+I}^{x_2+I+y_2} F_2(m_2) dm_2 + sy_2 \\ &\quad + \gamma \cdot \left[\frac{\delta_0}{\gamma} cz - c \int_{x_2+I+y_2}^{x_2+I+y_2+\frac{\delta_0}{\gamma}z} F_2(m_2) dm_2 + p \int_{x_2+I+y_2+\frac{\delta_0}{\gamma}z}^{+\infty} (1 - F_2(m_2)) dm_2 \right] \\ &\quad + (1 - \gamma) \cdot \left[p \int_{x_2+I+y_2}^{+\infty} (1 - F_2(m_2)) dm_2 \right]. \end{aligned} \quad (17)$$

By noting that $\frac{\partial E_\delta[\pi_2(x_2, y_2; I; \delta)]}{\partial x_2}$ and $\frac{\partial E_\delta[\pi_2(x_2, y_2; I; \delta)]}{\partial y_2}$ resemble that of the base model, the optimal (\hat{x}'_2, \hat{y}'_2) would also depend on the capability level z established in period 1.

Period 1's problem. Because the standby capability cannot be converted for use in period 1, the expected relevant cost of period 1 $\pi_1(x_1, y_1, z)$ is the same as in the base case as stated in (14). Hence, by incorporating the optimal expected cost in period 2 based on (\hat{x}'_2, \hat{y}'_2) given in (17), the total relevant ex-ante expected relevant cost over both periods can be expressed as:

$$\begin{aligned} E_\delta[\pi(x_1, y_1, z; \hat{x}'_2, \hat{y}'_2; \delta)] &= \pi_1(x_1, y_1, z) + \int_0^{x_1} E_\delta[\hat{\pi}_2(\hat{x}'_2, \hat{y}'_2; I = x_1 - m_1; \delta)] \cdot f_1(m_1) dm_1 \\ &\quad + \int_{x_1}^{\infty} E_\delta[\hat{\pi}_2(\hat{x}'_2, \hat{y}'_2; I = 0; \delta)] \cdot f_1(m_1) dm_1 \end{aligned} \quad (18)$$

Observe that (18) resembles (15). Hence, it is easy to check that the optimal (\hat{x}'_1, \hat{y}'_1) is the same as the base case with a fixed yield rate, which is characterized in Proposition 3.

5.1 Optimal decisions under uncertain conversion yield

To derive the optimal decisions \hat{z}' and (\hat{x}'_2, \hat{y}'_2) , we need to differentiate $E_\delta[\pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2; \delta)]$ with respect to z , and by also considering the first order derivatives of $E_\delta[\pi_2(x_2, y_2; I; \delta)]$ with respect to x_2 and y_2 as given in (EC.3) and (EC.4). Analogous to the base case and in preparation, let $\theta'_4 = F_2^{-1}\left(\frac{(p-c)-a/\delta_0}{p-c}\right)$, $\theta'_5 = F_2^{-1}\left(\frac{(1-\gamma)p+\gamma(c+a/\delta_0)-(r+s)}{(c-s)+(1-\gamma)(p-c)}\right)$, and $\theta'_6 = F_2^{-1}\left(\frac{(1-\gamma)p+\gamma(c+a/\delta_0)-(u+h_2/2)}{(h_2/2+c)+(1-\gamma)(p-c)}\right)$. It is easy to check that θ'_4 is independent of γ , while θ'_5 and θ'_6 are decreasing in γ . Also, we define two new thresholds $R'_1(r)$ and $R'_2(r)$, where:

$$R'_1(r) \equiv \begin{cases} \frac{r(p-c)}{p-s} & r \leq \frac{(p-s)(h_2+u)}{p+h_2/2} \\ \frac{(p-c)(h_2+u)}{p+h_2/2} & r \geq \frac{(p-s)(h_2+u)}{p+h_2/2} \end{cases}; \quad R'_2(r) \equiv \begin{cases} p - c - \frac{p-(r+s)}{\gamma} & r \leq u + h_2/2 - s \\ p - c - \frac{p-(u+h_2/2)}{\gamma} & r \geq u + h_2/2 - s \end{cases} \quad (19)$$

Observe that $R'_1(r)$ and $R'_2(r)$ are analogous to $R_1(r)$ and $R_2(r)$ as in the base model. Specifically, while $R'_1(r)$ is independent of γ , $R'_2(r)$ is increasing in γ . By using these two thresholds, we can characterize the optimal government decision $(\hat{x}'_1, \hat{y}'_1, \hat{z}'; \hat{x}'_2, \hat{y}'_2)$ with uncertain yield as follows.

PROPOSITION 4. (Capability-based System with Uncertain Yield.) *Under the capability-based system with uncertain conversion yield so that $\delta = \delta_h = \delta_0/\gamma$ with probability γ ($\gamma \in (0, 1]$) and $\delta = \delta_l = 0$ with probability $1 - \gamma$, the optimal decision $(\hat{x}'_1, \hat{y}'_1, \hat{z}'; \hat{x}'_2, \hat{y}'_2)$ can be described as follows:*

1. *In period 1, the optimal inventory \hat{x}'_1 and optimal capacity \hat{y}'_1 are the same as the optimal \hat{x}_1 and \hat{y}_1 for the base model as stated in Proposition 3 (when we set the fixed yield $\delta = \delta_0$, where δ_0 is the expected yield in the uncertain yield case). Also, the optimal capability \hat{z}' satisfies:*

- (a) *If $\frac{a}{\delta_0} \geq R'_1(r)$, then $\hat{z}' = 0$;*
- (b) *If $\frac{a}{\delta_0} \in (R'_2(r), R'_1(r))$, then $0 < \hat{z}' < \frac{\theta'_4}{\delta_0/\gamma}$. Specifically,*
 - i. *if $\frac{a}{\delta_0} \geq \frac{[(1-\gamma)p+\gamma c](r-h_2-u)+(r+s) \cdot h_2/2+s(u+h_2/2)}{(h_2/2+s)\gamma}$, $\hat{z}' = \frac{1}{\delta_0/\gamma}(\theta'_4 - \theta'_5)$ and \hat{z}' is increasing in γ ;*
 - ii. *if $\frac{a}{\delta_0} \leq \frac{[(1-\gamma)p+\gamma c](r-h_2-u)+(r+s) \cdot h_2/2+s(u+h_2/2)}{(h_2/2+s)\gamma}$, $\hat{z}' = \frac{1}{\delta_0/\gamma}(\theta'_4 - \theta'_6)$ and \hat{z}' is increasing in γ ;*
- (c) *If $\frac{a}{\delta_0} \leq R'_2(r)$, then $\hat{z}' = \frac{\theta'_4}{\delta_0/\gamma}$ and \hat{z}' is increasing in γ .*

2. *In period 2, the optimal decisions satisfy: (1) if $\frac{a}{\delta_0} \leq R'_2(r)$, then the optimal $\hat{x}'_2 + I = 0$ and $\hat{y}'_2 = 0$; (2) if $\frac{a}{\delta_0} \geq R'_1(r)$, then the optimal (\hat{x}'_2, \hat{y}'_2) is the same as $(\tilde{x}_2, \tilde{y}_2)$ under the capacity-based system as given by Lemma 2; (3) if $\frac{a}{\delta_0} \in (R'_2(r), R'_1(r))$, we have the following three cases:*


- (a) *if $r \leq u + \frac{h_2}{2} - s$, then $\hat{x}'_2 + I = 0$, $\hat{y}'_2 = \theta'_5$ and \hat{y}'_2 is decreasing in γ ;*
- (b) *if $r \in (u + \frac{h_2}{2} - s, \frac{(p-s)(h_2+u)}{p+h_2/2})$, then:*
 - i. *when $\frac{a}{\delta_0} \geq \frac{[(1-\gamma)p+\gamma c](r-h_2-u)+(r+s) \cdot h_2/2+s(u+h_2/2)}{(h_2/2+s)\gamma}$, $\hat{x}'_2 + I = \theta_2$, $\hat{y}'_2 = \theta'_5 - \theta_2$, \hat{x}'_2 is independent of γ , and \hat{y}'_2 is decreasing in γ ; and*
 - ii. *when $\frac{a}{\delta_0} < \frac{[(1-\gamma)p+\gamma c](r-h_2-u)+(r+s) \cdot h_2/2+s(u+h_2/2)}{(h_2/2+s)\gamma}$, $\hat{x}'_2 + I = \theta'_6$, $\hat{y}'_2 = 0$, and \hat{x}'_2 is decreasing in γ ;*
- (c) *if $r \geq \frac{(p-s)(h_2+u)}{p+h_2/2}$, then $\hat{x}'_2 + I = \theta'_6$, $\hat{y}'_2 = 0$, and \hat{x}'_2 is decreasing in γ .*

Proposition 4 resembles Proposition 3. Hence, the optimal government decision $(\hat{x}'_1, \hat{y}'_1, \hat{z}'; \hat{x}'_2, \hat{y}'_2)$ under uncertain yield possesses the same structure as in the base model when the fixed yield $\delta = \delta_0$, where δ_0 is the expected yield in the uncertain yield case.

To examine the impact of conversion yield uncertainty level γ on those optimal decisions $(\hat{x}'_1, \hat{y}'_1, \hat{z}'; \hat{x}'_2, \hat{y}'_2)$ as stated in Proposition 4, let us first observe from statement 1 asserting that conversion yield uncertainty has no impact on the optimal level of stockpile inventory and backup capacity (\hat{x}'_1, \hat{y}'_1) in period 1. This is because, the conversion process takes up the entire period 1, so the conversion outcome would not affect the optimal decisions in period 1.

We now examine the impact of yield uncertainty γ on the optimal decisions in period 2; namely, the optimal level of the standby capability \hat{z}' determined in period 1, and the optimal inventory and capacity (\hat{x}'_2, \hat{y}'_2) in period 2. For ease of exposition, we use Figure 6 to illustrate Proposition 4. Here, panel (a) examines the case when $\gamma < 1$ so that the yield rate is uncertain, and panel (b) deals with the benchmark case when $\gamma = 1$ so that the yield rate is fixed (i.e., $\delta = \delta_0$).¹⁵

¹⁵ In this case, the thresholds $R'_i(r)$ reduces to $R_i(r)$ as in the base model for $i = 1, 2$ so that it reduces to Figure 5(c) as shown in the base model.

(a) $\gamma < 1$ so that the yield rate is uncertain(b) $\gamma = 1$ so that the yield rate is fixed at δ_0 **Figure 6** Comparison: optimal government decisions on z and (x_2, y_2)

First, recall from above that $R'_1(r)$ is independent of γ and that $R'_1(r) = R_1(r)$. This observation and statement 1(a) imply that, when $\frac{a}{\delta_0} \geq R'_1(r)$, $\hat{z}' = 0$. This result implies that, when the fixed unit cost a for developing capability is high or when the expected conversion yield δ_0 is low so that $\frac{a}{\delta_0} \geq R'_1(r)$, developing capability is never optimal. Also, because $R'_1(r)$ is independent of yield uncertainty γ , this condition is also independent of γ , which explains why the regions for $\hat{z}' = 0$ (i.e., zones # 1, 4, and 7) in both panels of Figure 6 are not affected by γ .

Next, recall from above that the threshold $R'_2(r)$ is increasing in γ . This observation along with statement 1 and statement 2(1) (i.e., when $\frac{a}{\delta_0} \leq R'_2(r)$) explains why the region for $\hat{z}' > 0$, $\hat{x}'_2 + I = 0$ and $\hat{y}'_2 = 0$ as depicted in zone #3 would “expand” as γ (i.e., as conversion yield uncertainty) increases, which is evident when we compare the size of zone #3 between panel (b) and panel (a) in Figure 6. In other words, when the fixed unit cost a for developing capability is low or when the expected yield δ_0 is high so that $\frac{a}{\delta_0} \leq R'_2(r)$, it is optimal (i.e., more cost-effective) for the government to develop and convert capability without the need to leverage any stockpile inventory and backup capacity in period 2.

Finally, by using the process of elimination, it is easy to observe the remaining zones # 2, 5, 6 in Figure 6 would “contract” as γ increases (through a direct comparison between panel (b) and panel (a)). This implies that, when the conversion yield is uncertain (i.e., as γ decreases), it is more likely that the government should leverage stockpile inventory and/or backup capacity in period 2 in addition to using the converted capability.

5.2 Impact of uncertain conversion yield

By focusing on the case when $\frac{a}{\delta_0} < R'_1(r)$ so that the standby capability is needed (i.e., when $\hat{z}' > 0$),¹⁶ we can use the results stated in Proposition 4 to examine the impact of yield uncertainty

¹⁶ Because we are interested in examining the impact of uncertain conversion yield on the optimal standby capability level \hat{z}' , the case when $\hat{z}' = 0$ is not interesting.

γ on the optimal government decision on \hat{z}' and (\hat{x}'_2, \hat{y}'_2) . To do so, we first use the base model to establish a “benchmark case” by setting the fixed yield $\delta = \delta_0$. Then, because the “expected yield” in the uncertain yield case is equal to δ_0 , we can compare the results as stated in Propositions 4 and 3 to examine the impact of conversion yield uncertainty (γ) on the optimal decisions. Corollary 6 summarizes our findings based on this direct comparison:

COROLLARY 6. *Suppose $\frac{a}{\delta_0} < R'_1(r)$ so that the government will leverage the standby capability in period 1 (i.e., $\hat{z}' > 0$). Then, relative to the optimal capability-based system $(\hat{x}_1, \hat{y}_1, \hat{z}; \hat{x}_2, \hat{y}_2)$ for the base case with a fixed yield rate δ_0 , the optimal capability-based system $(\hat{x}'_1, \hat{y}'_1, \hat{z}'; \hat{x}'_2, \hat{y}'_2)$ for the case when the yield rate δ is uncertain (with probability $\gamma < 1$, $\delta = \delta_h = \delta_0/\gamma$ and with probability $1 - \gamma > 0$, $\delta = \delta_l = 0$ so that the expected yield equals δ_0) possesses the following properties:*

1. **Stockpile inventory.** *In period 1, yield uncertainty has no impact on the optimal inventory level, i.e., $\hat{x}'_1 = \hat{x}_1$. In period 2, given the same leftover inventory I , when capacity is reserved in period 2 (i.e., $\hat{y}_2 > 0$), $\hat{x}'_2 = \hat{x}_2$ so that yield uncertainty has no impact on the optimal inventory level. However, when no capacity is reserved in period 2 (i.e., $\hat{y}_2 = 0$), $\hat{x}'_2 \geq \hat{x}_2$ so that yield uncertainty creates the need to stock more in period 2.*

2. **Backup capacity.** *In period 1, yield uncertainty has no impact on the reserved capacity level, i.e., $\hat{y}'_1 = \hat{y}_1$. However, in period 2, $\hat{y}'_2 \geq \hat{y}_2$ so that yield uncertainty creates the need to reserve a higher capacity in period 2.*

3. **Standby capability.** *In period 1, $\hat{z}' \leq \hat{z}$. Hence, conversion yield uncertainty creates negative incentives. It is optimal for the government to develop a lower standby capability level in period 1.*

4. **Shortfall probability and expected shortfall.** *In period 1, yield uncertainty has no impact on the shortfall probability and expected shortfall, i.e., $P\{M_1 \geq \hat{x}'_1 + \hat{y}'_1\} = P\{M_1 \geq \hat{x}_1 + \hat{y}_1\}$ and $E[(M_1 - (\hat{x}'_1 + \hat{y}'_1))^+] = E[(M_1 - (\hat{x}_1 + \hat{y}_1))^+]$. However, in period 2, the shortfall probability and the expected shortfall are both higher for the case when the yield rate is uncertain, i.e., $P\{M_2 \geq (\hat{x}'_2 + I + \hat{y}'_2 + \delta \hat{z}')\} > P\{M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta_0 \hat{z}\} = \frac{a}{\delta_0(p-c)}$ and $E[(M_2 - (\hat{x}'_2 + I + \hat{y}'_2 + \delta \hat{z}'))^+] > E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta_0 \hat{z}))^+] = \int_{\theta'_4}^{+\infty} (1 - F_2(m_2)) dm_2$.*

Corollary 6 reveals the impact of conversion yield uncertainty on inventory, capacity, and capability. First, under favorable conditions for developing capability (i.e., when $\frac{a}{\delta_0} < R'_1(r)$ as stated in statement 1 of Proposition 4), the conversion yield uncertainty has no impact on the optimal decisions in period 1. However, uncertain conversion yield creates additional incentives for the government to order more inventory and reserve a higher capacity in period 2. At the same time, uncertain conversion yield discourages the government to develop more capability. Also, the last statement of Corollary 6 implies that conversion yield uncertainty would generate a higher shortfall.

5.3 Numerical study

We have obtained analytical results for the case when the capability conversion may fail; i.e., $\delta = \delta_l = 0$ with probability $(1 - \gamma)$. However, the analysis for the general case when the conversion would never fail completely (i.e., when $\delta_l > 0$) is mathematically intractable. For this reason, we conduct numerical analysis to examine the impact of uncertain conversion yield on the optimal decisions regarding inventory, capacity, and capability for the general case.


We construct our numerical study of the general case based on the following two-point distribution: with probability $(1 - \gamma)$, $\delta = \delta_l \equiv d$ (where d is a parameter); and with probability γ , $\delta = \delta_h \equiv \frac{\delta_0}{\gamma} - \frac{1-\gamma}{\gamma}d$. To ensure $\delta_l < \delta_h$, the parameter $d < \delta_0$. Using this setup, it is easy to check that the expected yield equals $\delta_0 = \gamma\delta_h + (1 - \gamma)\delta_l$. Hence, our general case will reduce to our extension case in Section 5 when $d = 0$, and this general case will further reduce to our base model (with deterministic yield $\delta = \delta_0$) when $d = 0$ and $\gamma = 1$. By using this setup, we can compare our results for the general case against the base model numerically.

Because it takes period 1 to convert the standby capability, we can use the same approach presented in Section 5.1 to show analytically that the inventory and capacity in period 1 (i.e., \hat{x}'_1 and \hat{y}'_1) are the same as that of the base model as stated in Proposition 3 for the general case. Therefore, it suffices to conduct our numerical study by focusing on the optimal decisions regarding the inventory \hat{x}'_2 and capacity \hat{y}'_2 in period 2, and the optimal capability \hat{z}' in period 1.

Our setup for the general case enables us to compare our numerical results and analytical results in a consistent manner. To elaborate, observe that the “gap”; i.e., $(\delta_h - \delta_l)$, between the higher yield $\delta_h = \frac{\delta_0}{\gamma} - \frac{1-\gamma}{\gamma}d$ and the lower yield $\delta_l = d$ becomes “narrower” when the lower yield rate d increases or when the chance of getting the higher yield rate γ increases. Therefore, as d or γ increases, the level of conversion uncertainty decreases. Thus, by varying the values of d and γ , we can examine the impact of uncertainty level on the optimal inventory and capacity \hat{x}'_2, \hat{y}'_2 in period 2 and the optimal capability \hat{z}' in period 1.

We conducted the numerical analysis by setting the cost components $(u, h_2) = (900, 600)$, $(r, s) = (500, 1100)$, $(a, c) = (200, 1200)$, and $p = 2000$, and the expected yield $\delta_0 = 0.5$. In Figure 7, we report the optimal decisions \hat{x}'_2, \hat{y}'_2 and \hat{z}' for the general case based on two sets of numerical experiments: (1) we set $\gamma = 0.5$ and vary d from 0 to δ_0 ; and (2) we set $d = 0.3$ and vary γ from 0.001 to 1. Also, we establish benchmarks in Figure 7 by plotting the optimal decisions \hat{x}_2, \hat{y}_2 , and \hat{z} for the base model (with deterministic yield $\delta = \delta_0$) by using the results as stated in Proposition 3. We also conducted numerical experiments using different parameter values. The structural results remain the same and are omitted.

By comparing the values of \hat{x}'_2, \hat{y}'_2 , and \hat{z}' for the general case against their corresponding benchmarks \hat{x}_2, \hat{y}_2 , and \hat{z} for the base model as shown in both panels of Figure 7, we find that $\hat{x}'_2 \geq$



(a) The impact of the lower yield rate d on the optimal decisions regarding the inventory \hat{x}'_2 and capacity \hat{y}'_2 in period 2, and the capability \hat{z}' in period 1. (b) The impact of the probability of getting the high conversion yield γ on the optimal decisions regarding the inventory \hat{x}'_2 and capacity \hat{y}'_2 in period 2, and the capability \hat{z}' in period 1.

Figure 7 Numerical comparison

$\hat{x}_2, \hat{y}'_2 \geq \hat{y}_2$ and $\hat{z}' \leq \hat{z}$. This numerical result reveals that our analytical results as stated in Corollary 6 established for the special case that has $d = 0$ continue to hold for the general case that has $d > 0$ as shown in Figure 7(a). Also, we obtain consistent results for different values of γ as shown in Figure 7(b). Therefore, the results stated in Corollary 6 continue to hold for the general case: when the yield conversion becomes uncertain, it is optimal for the government to increase the inventory and capacity levels in period 2, and reduce the capability level in period 1.

Finally, recall that the level of yield conversion uncertainty is decreased when d or γ increases. Observe from Figures 7(a) and 7(b) that the optimal inventory \hat{x}'_2 and capacity \hat{y}'_2 are decreasing whereas the optimal capability level \hat{z}' is increasing when d or γ increases. Hence, when the level of conversion yield uncertainty decreases, the government can afford to leverage capability more and rely on inventory and capacity less.

6 Conclusion

Drawing lessons from the shortcomings of the inventory-based national stockpiles during the COVID-19 pandemic, we examined *if and when* how a proactive three-tiered integrating stockpile inventory, backup capacity, and standby capability would perform. By analyzing a two-period model, we obtained the following main results: (1) Adding capacity to inventory can reduce inventory that can become obsolete, reduce the shortfall probability, and reduce the total expected cost. (2) Adding capability in period 1 lowers the shortfall probability in period 2 due to the additional converted capacity that becomes available, and it can be more cost-effective. (3) capability conversion uncertainty necessitates more inventory and reserved capacity in period 2, while creating a disincentive for developing more capability in period 1.

We mapped out our main results by successively adding capacity and capability successively to the inventory-only system. Doing so allowed us to compare the incremental benefit by way of cost, expected shortfalls, and shortfall probability. This system performance evaluation can be useful for any public health government agency or humanitarian organization to develop an efficient response system by integrating all three resources (inventory, capacity, and capability) instead of treating them in isolation.

Our paper represents only an initial attempt to present, model, and analyze a three-tiered integrated system via a two-period model, and offers many opportunities for further research:

1. *Strategic humanitarian operations*: Humanitarian operations deal with a pre-positioned inventory to meet the needs if a large disaster of any size were to occur anywhere in the region under consideration. The natural question is how to deploy capacity and capability to bolster inventory (in different locations) for responding to disasters and recovering afterward.

2. *A multi-period view*: Our model is a two-period model, with the periods being notional and not necessarily equal in duration. We can change the model to multiple months or years (so that the time periods of equal length), particularly for slow-onset disasters like droughts. Moreover, such an extension could incorporate the stockpile products perishing, or becoming obsolete. We could even consider a multi-period view over days to include the spread of the pandemic with an epidemiology model like the Susceptible-Infected-and-Recovered (SIR) model to predict demand.

3. *Capability conversion yield*: For tractability, we have considered the two-point distribution to capture uncertain capability conversion yield. Besides the idea of exploring more general distributions, future research could examine whether (and how) the government should offer performance-based subsidies to encourage research organizations to develop capability with a higher and/or a more reliable conversion yield.

4. *Other views of capability*: Our paper looks at capability only from the narrow viewpoint of being able to create manufacturing capacity only for the specific items needed for the pandemic. In reality, such capability entails building knowledge and job skills for producing a variety of products and services for multiple industries. Further research could also extend the idea of the flexibility of capacity to capability. See Chopra et al. (2021) for an argument about the flexibility afforded by ‘industrial commons.’

These ideas for future research indicate suggest that viewing inventory, capacity, and capability in an integrated manner can be an exciting area of study, maybe even beyond planning responses to future pandemics, humanitarian disasters, and disruptions in general.

References

- Alicke, K., X. Azcue, E. Barr. 2020. Supply-chain recovery in coronavirus times—plan for now and the future. *McKinsey Reports*. Available at <https://tinyurl.com/3ef7cry7> (accessed date Oct. 18, 2021).

- Angelus, A., E. L. Porteus. 2002. Simultaneous capacity and production management of short-life-cycle, produce-to-stock goods under stochastic demand. *Management Science*. 48(3) 399–413.
- Aylor, B., B. Datta, M. DeFauw, M. Gilbert, C. Knizek, M. McAdoo. 2020. Designing resilience into global supply chains. *BCG Report*. Available at <https://tinyurl.com/kd5cvsp3> (accessed date Oct. 8, 2021).
- Brown, A. O., H. L. Lee. 2003. The impact of demand signal quality on optimal decisions in supply contracts. In: Shanthikumar, J. G., D. D. Yao, W. H. M. Zijm (eds). *Stochastic Modeling and Optimization of Manufacturing Systems and Supply Chains*. International Series in Operations Research & Management Science, vol 63. Springer, Boston, MA.
- Chen, J., L. Liang, D. Yao. 2018. Pre-positioning of relief inventories: A multi-product newsvendor approach. *International Journal of Production Research*. 56(18):6294-6313.
- Choi, T., D. Rogers, B. Vakil. 2020. Coronavirus is a wake-up call for supply chain management. *Harvard Business Review*. <https://tinyurl.com/x4wsjsc4> (accessed date Sep. 2, 2020).
- Chaturvedi, A., and V. Martínez-de-Albéniz, 2016. Safety stock, excess capacity or diversification: Trade-offs under supply and demand uncertainty. *Production and Operations Management*. 25(1):77-95.
- Chopra, S., M. S. Sodhi, F. Lücker. 2021. Achieving supply chain efficiency and resilience by using multi-level commons. *Decision Sciences*. 52(4):817-832.
- Craighead, C. W., D. J. Ketchen, J. L. Darby. 2020. Pandemics and supply chain management research: Toward a theoretical toolbox. *Decision Sciences*. 51(4):838-866.
- Davis, L. B., F. Samanlioglu, X. Qu, S. Root. 2013. Inventory planning and coordination in disaster relief efforts. *International Journal of Production Economics*. 141(2):561-573.
- Dhamija, P., S. Gupta, S. Bag, M. L. Gupta. 2021. Humanitarian supply chain management: A systematic review and bibliometric analysis. *International Journal of Automation and Logistics*. 3(2):104-136.
- Eftekhari, M., J-S. J. Song, S. Webster. 2022. Prepositioning and local purchasing for emergency operations under budget, demand, and supply uncertainty. *Manufacturing & Service Operations Management*. 24(1):315-332.
- Eppen, G., A. Iyer. 1997. Backup agreements in fashion buying – the value of upstream flexibility. *Management Science*. 43(11):1469-1477.
- Govindan, K., H. Mina, B. Alavi. 2020. A decision support system for demand management in healthcare supply chains considering the epidemic outbreaks: A case study of coronavirus disease 2019 (COVID-19). *Transportation Research Part E: Logistics and Transportation Review*. 138, 101967.
- Handfield, R., D. J. Finkenstadt, E. S. Schneller, A. B. Godfrey, P. Guinto. 2020. A commons for a supply chain in the post-COVID-19 era: The case for a reformed strategic national stockpile. *The Milbank Quarterly*. 98(4):1058-1090.
- Huang, H. C., O. M. Araz, D. P. Morton, G. P. Johnson, P. Damien, B. Clements, L. A. Meyers. 2017. Stockpiling ventilators for influenza pandemics. *Emerging Infectious Diseases*, 23(6):914-921.

- Ivanov, D., A. Dolgui. 2020. Viability of intertwined supply networks: Extending the supply chain resilience angles towards survivability. A position paper motivated by COVID-19 outbreak. *International Journal of Production Research*. 58(10):2904-2915.
- Kniesner, T. J., W. K. Viscusi. 2019. The value of a statistical life. *Oxford Research Encyclopedia of Economics and Finance*. Available online at <https://doi.org/10.1093/acrefore/9780190625979.013.138>.
- Lee, H. L., V. Padmanabhan, S. Whang. 1997. Information distortion in a supply chain: The bullwhip effect. *Management Science*. 43(4):546-558.
- Liu, F., J-S. Song, J. D. Tong. 2016. Building supply chain resilience through virtual stockpile pooling. *Production and Operations Management*. 25(10):1745-1762.
- Mehrotra S., H. Rahimian, M. Barah, F. Luo, K. Schantz. 2020. A model of supply-chain decisions for resource sharing with an application to ventilator allocation to combat COVID-19. *Naval Research Logistics*. 67(5):303-320.
- Paul, S. K., P. Chowdhury. 2021. A production recovery plan in manufacturing supply chains for a high-demand item during COVID-19. *International Journal of Physical Distribution & Logistics Management*. 51(2):104-125.
- Pisano, G., W. Shih. 2009. Restoring American Competitiveness. *Harvard Business Review*. 87, nos. 7-8(July–August 2009).
- Queiroz, M. M., D. Ivanov, A. Dolgui, S. F. Wamba. 2020. Impacts of epidemic outbreaks on supply chains: Mapping a research agenda amid the COVID-19 pandemic through a structured literature review. *Annals of Operations Research*. <https://doi.org/10.1007/s10479-020-03685-7>.
- Sarkis, J., M. J. Cohen, P. Dewick, P. Schröder. 2020. A brave new world: Lessons from the COVID-19 pandemic for transitioning to sustainable supply and production. *Resources, Conservation and Recycling*. 159, 104894.
- Sodhi, M. S., C. S. Tang. 2014. Buttressing supply chains against floods in Asia for humanitarian relief and economic recovery. *Production and Operations Management*. 23(6):938-950.
- Sodhi, M. S., C. S. Tang, E. T. Willenson. 2021. Research opportunities in preparing supply chains of essential goods for future pandemics. *International Journal of Production Research*. DOI: 10.1080/00207543.2021.1884310.
- Sodhi, M. S., C. S. Tang. 2021a. Rethinking industry's role in a national emergency. *Sloan Management Review*. 12(4).
- Sodhi, M. S., C. S. Tang. 2021b. Preparing for future pandemics with a reserve of inventory, capacity, and capability. Available at SSRN: <https://ssrn.com/abstract=3816606>.
- Tavana, M., A. R. Abtahi, D. Di Caprio, R. Hashemi, R. Yousefi-Zenouz. 2018. An integrated location-inventory-routing humanitarian supply chain network with pre-and post-disaster management considerations. *Socio-Economic Planning Sciences*. 64:21-37.

- Toyasaki, F., E. Arikan, L. Silbermayr, I. Falagara Sigala. 2017. Disaster relief inventory management: Horizontal cooperation between humanitarian organizations. *Production and Operations Management*. 26(6):1221-1237.
- Whybark, D. C., 2007. Issues in managing disaster relief inventories. *International Journal of Production Economics*. 108(1-2):228-235.
- Zipkin, P. 2000. Foundations of Inventory Management. McGraw-Hill/Irwin, New York.

Acknowledgments

The authors gratefully thank the Department Editor (Sushil Gupta), an anonymous Senior Editor, and two anonymous reviewers for their invaluable suggestions that have shaped this paper. Jiayi Joey Yu acknowledges the support from the National Natural Science Foundation of China (Grant nos. 72101057, 72222010, 72091211). Musen Kingsley Li acknowledges the support from the National Natural Science Foundation of China (Grant No. 72201159).

E-Companion for POM Journal Template

EC.1 Proofs

Proof of Lemma 1. Proof: By taking the first order condition of (1) with respect to x_2 , we obtain

$$\frac{\partial \pi_2}{\partial x_2} = u + \frac{h_2}{2} + \frac{h_2}{2} \cdot F_2(x_2 + I) - p \cdot (1 - F_2(x_2 + I)).$$

As such, we can obtain the optimal $x_2^* = F_2^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2}\right) - (x_1 - m_1)^+$. By substituting the optimal x_2^* into the cost function given by (1), we can obtain the optimal cost of period 2. \square

Proof of Proposition 1. By taking the first order condition of (3) with respect to x_1 , we obtain

$$\frac{\partial \pi}{\partial x_1} = u + \frac{h_1}{2} + \frac{h_1}{2} \cdot F_1(x_1) - p \cdot (1 - F_1(x_1)) - uF_1(x_1).$$

As such, we can obtain the optimal $x_1^* = F_1^{-1}\left(\frac{p-(u+h_1/2)}{p+h_1/2-u}\right)$ so that the corresponding $\pi_1(x_1^*, 0, 0) = (u + \frac{h_1}{2}) \cdot F_1^{-1}\left(\frac{p-(u+h_1/2)}{p+h_1/2-u}\right) + \frac{h_1}{2} \int_0^{F_1^{-1}\left(\frac{p-(u+h_1/2)}{p+h_1/2-u}\right)} F_1(m_1) dm_1 + p \int_{F_1^{-1}\left(\frac{p-(u+h_1/2)}{p+h_1/2-u}\right)}^{+\infty} (1 - F_1(m_1)) dm_1 \equiv \pi_1^*$. As such, the optimal x_2^* for period 2 satisfies:

1. when $m_1 \geq x_1^*$ so that $I = 0$, the optimal $x_2^* = F_2^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2}\right)$;
2. when $m_1 < x_1^*$ so that $I = x_1^* - m_1 > 0$, the optimal $x_2^* = F_2^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2}\right) - (x_1^* - m_1)$.

Also, the corresponding total expected cost for the inventory-based system $\pi(x_1^*, 0, 0; x_2^*, 0, 0) = \pi_1^* + \pi_2^0 - \int_0^{x_1^*} u(x_1^* - m_1) \cdot f_1(m_1) dm_1$. \square

Proof of Corollary 1. As $h_2 \geq h_1$, according to Proposition 1, the shortage probability $P\{M_2 \geq x_2^* + (x_1^* - m_1)^+\} = \frac{u+h_2}{p+h_2/2} > \frac{h_2}{p+h_2/2-u} > \frac{h_1}{p+h_1/2-u} = P\{M_1 \geq x_1^*\}$.

Next, if $F_1(\cdot) = F_2(\cdot)$, we can obtain that $x_2^* = F_2^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2}\right) - (x_1^* - m_1)^+ \leq F_2^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2}\right) = F_1^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2}\right) < F_1^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2-u}\right) < F_1^{-1}\left(\frac{p-(u+h_1/2)}{p+h_1/2-u}\right) = x_1^*$. Also, as $x_2^* + (x_1^* - m_1)^+ = F_2^{-1}\left(\frac{p-(u+h_2/2)}{p+h_2/2}\right) < F_1^{-1}\left(\frac{p-(u+h_1/2)}{p+h_1/2-u}\right) = x_1^*$, it is easy to further check that $E[(M_2 - x_2^* - (x_1^* - m_1)^+)^+] = \int_{x_2^* + [x_1^* - m_1]^+}^{+\infty} (1 - F_2(m_2)) dm_2 > \int_{x_1^*}^{+\infty} (1 - F_1(m_1)) dm_1 = E[(M_1 - x_1^*)^+]$. \square

Proof of Lemma 2. To determine the optimal stockpile inventory \tilde{x}_2 and backup capacity \tilde{y}_2 that minimize the relevant cost $\pi(x_2, y_2, 0)$ given in (6), we differentiate $\pi(x_2, y_2, 0)$ with respect to x_2 and y_2 and apply the Leibniz rule to get:

$$\begin{aligned} \frac{\partial \pi(x_2, y_2, 0)}{\partial x_2} &= (u + h_2/2 - p) + (s + h_2/2)F_2(x_2 + I) + (p - s)F_2(x_2 + I + y_2) \\ \frac{\partial \pi(x_2, y_2, 0)}{\partial y_2} &= (r + s - p) + (p - s)F_2(x_2 + I + y_2) \end{aligned}$$

By considering these two first order conditions simultaneously, we get that when $r \in (u + h_2/2 - s, \frac{(p-s)(h_2+u)}{h_2/2+p})$ so that $\frac{p-(r+s)}{p-s} > \frac{r+s-(u+h_2/2)}{h_2/2+s} > 0$, the optimal \tilde{x}_2 and \tilde{y}_2 satisfies:

$$F_2(\tilde{x}_2 + I) = \frac{r + s - (u + h_2/2)}{h_2/2 + s},$$

$$F_2(\tilde{x}_2 + I + \tilde{y}_2) = \frac{p - (r + s)}{p - s}.$$

As such, when $r \in (u + h_2/2 - s, \frac{(p-s)(h_2+u)}{h_2/2+p})$, the optimal $\tilde{x}_2 = F_2^{-1}\left(\frac{r+s-(u+h_2/2)}{h_2/2+s}\right) - I$ and the optimal $\tilde{y}_2 = F_2^{-1}\left(\frac{p-(r+s)}{p-s}\right) - F_2^{-1}\left(\frac{r+s-(u+h_2/2)}{h_2/2+s}\right)$ and \tilde{y}_2 is independent of x_1 and m_1 .

We next consider two boundary solutions: (1) when $\tilde{x}_2 + I = 0$, we can obtain $\frac{\partial \pi_2(-I, y_2, 0)}{\partial y_2} = r + s - p + (p - s)F_2(y_2)$ so that the corresponding $\tilde{y}_2 = F_2^{-1}\left(\frac{p-(r+s)}{p-s}\right)$; (2) when $\tilde{y}_2 = 0$, we can obtain $\frac{\partial \pi_2(x_2, 0, 0)}{\partial x_2} = u + h_2/2 - p + (p + h_2/2)F_2(x_2 + I)$ so that the corresponding $\tilde{x}_2 = F_2^{-1}\left(\frac{r+s-(u+h_2/2)}{s+h_2/2}\right)$. By comparing the above two boundary solutions, we can obtain that (1) when $r \leq u + h_2/2 - s$, the optimal $(\tilde{x}_2, \tilde{y}_2) = (-I, F_2^{-1}\left(\frac{p-(r+s)}{p-s}\right))$; (2) when $r \geq \frac{(p-s)(h_2+u)}{h_2/2+p}$, the optimal $(\tilde{x}_2, \tilde{y}_2) = (F_2^{-1}\left(\frac{r+s-(u+h_2/2)}{s+h_2/2}\right), 0)$. \square

Proof of Proposition 2. To determine the optimal stockpile inventory \tilde{x}_1 and backup capacity \tilde{y}_1 that minimize the total cost $\pi(x_1, y_1, 0; x_2, y_2)$ given in (10), we differentiate $\pi(x_1, y_1, 0; x_2, y_2, 0)$ with respect to x_1 and y_1 and apply the Leibniz rule to get:

$$\frac{\partial \pi(x_1, y_1, 0; \tilde{x}_2, \tilde{y}_2)}{\partial x_1} = (u + h_1/2 - p) + (s + h_1/2 - u)F_1(x_1) + (p - s)F_1(x_1 + y_1),$$

$$\frac{\partial \pi(x_1, y_1, 0; \tilde{x}_2, \tilde{y}_2)}{\partial y_1} = (r + s - p) + (p - s)F_1(x_1 + y_1).$$

Hence, when $r \in (u + h_1/2 - s, \frac{h_1(p-s)}{p-u+h_1/2})$ so that $\frac{p-(r+s)}{p-s} \geq \frac{r+s-(u+h_1/2)}{h_1/2+s-u} \geq 0$, by considering these two first order conditions simultaneously, we get the optimal \tilde{x}_1 and \tilde{y}_1 satisfies:

$$F_1(\tilde{x}_1) = \frac{r + s - (u + h_1/2)}{h_1/2 + s - u},$$

$$F_1(\tilde{x}_1 + \tilde{y}_1) = \frac{p - (r + s)}{p - s}.$$

As such, when $r \in (u + h_1/2 - s, \frac{h_1(p-s)}{p-u+h_1/2})$, the optimal $\tilde{x}_1 = F_1^{-1}\left(\frac{r+s-(u+h_1/2)}{h_1/2+s-u}\right)$ and the optimal $\tilde{y}_1 = F_1^{-1}\left(\frac{p-(r+s)}{p-s}\right) - F_1^{-1}\left(\frac{r+s-(u+h_1/2)}{h_1/2+s-u}\right)$.

Next, we consider two boundary solutions: (1) when $\tilde{x}_1 = 0$, we can obtain $\frac{\partial \pi(0, y_1, 0; \tilde{x}_2, \tilde{y}_2, 0)}{\partial y_1} = (r + s - p) + (p - s)F_1(y_1)$ so that the corresponding $\tilde{y}_1 = F_1^{-1}\left(\frac{p-(r+s)}{p-s}\right)$; (2) when $\tilde{y}_1 = 0$, we can obtain $\frac{\partial \pi(x_1, 0, 0; \tilde{x}_2, \tilde{y}_2, 0)}{\partial x_1} = (u + h_1/2 - p) + (p + h_1/2 - u)F_1(x_1)$ so that the corresponding $\tilde{x}_1 = \frac{p-(u+h_1/2)}{p+h_1/2-u}$. By comparing the above two boundary solutions, we can obtain that (1) when $r \leq u + h_1/2 - s$, the optimal $(\tilde{x}_1, \tilde{y}_1) = (0, F_1^{-1}\left(\frac{p-(r+s)}{p-s}\right))$; (2) when $r \geq \frac{h_1(p-s)}{p-u+h_1/2}$, the optimal $(\tilde{x}_1, \tilde{y}_1) = (\frac{p-(u+h_1/2)}{p+h_1/2-u}, 0)$. \square

Proof of Corollary 2. By directly comparing (11) and (12), we can obtain that in the case when the government leverages both inventory and capacity in both periods, the shortfall probabilities of the two periods are the same. Next, if $F_1(\cdot) = F_2(\cdot)$ and $u + h_1/2 - s < u + h_2/2 - s < r < \frac{h_1(p-s)}{p-u+h_1/2} < \frac{(p-s)(h_2+u)}{h_2/2+p}$, by comparing the optimal \tilde{x}_2 and \tilde{y}_2 as given by Lemma 2 (2) and the optimal \tilde{x}_1 and \tilde{y}_1 as given by Proposition 2 (1b), we can obtain that $\tilde{x}_1 > \tilde{x}_2 + I \geq \tilde{x}_2$ and $\tilde{x}_1 + \tilde{y}_1 = \tilde{x}_2 + I + \tilde{y}_2$ so that $\tilde{y}_1 < \tilde{y}_2$. Hence, the expected shortfalls of the two periods are the same when $F_1(\cdot) = F_2(\cdot)$. \square

Proof of Corollary 3. By comparing the optimal government decisions of stockpile inventory together with the corresponding shortfall probabilities and expected shortfalls of the two periods under inventory-based system as given in Proposition 1 with those under the capacity-based system as given in Proposition 2, we can obtain statement 1 and 2 given in Corollary 3. Next, when $r < \frac{(p-s)(h_2+u)}{h_2/2+p}$, we can obtain $\tilde{y}_2 > 0$ so that the expected cost of period under the capacity-based system is strictly lower than the inventory-based system (i.e., $E[\pi_2(\tilde{x}_2, \tilde{y}_2; I)] < E[\pi_2(x_2^*, 0; I)]$). Also, in period 1 with an extra option of backup capacity under the capacity-based system, $\pi_1(\tilde{x}_1, \tilde{y}_1, 0) \leq \pi_1(x_1^*, 0, 0)$ always holds, we obtain that when $r < \frac{(p-s)(h_2+u)}{h_2/2+p}$, the capacity-based system incurs a strictly lower total relevant cost $\pi(\tilde{x}_1, \tilde{y}_1, 0; \tilde{x}_2, \tilde{y}_2)$ than $\pi(x_1^*, 0, 0; x_2^*, 0)$ under the inventory-based system. \square

Proof of Proposition 3. By differentiating $\pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2)$ with respect to x_1 , y_1 and z , we obtain

$$\begin{aligned}\frac{\partial \pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2)}{\partial x_1} &= u + \frac{h_1}{2} - p + \left(\frac{h_1}{2} + s - u\right)F_1(x_1) + (p-s)F_1(x_1 + y_1), \\ \frac{\partial \pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2)}{\partial y_1} &= (r + s - p) + (p-s)F_1(x_1 + y_1), \\ \frac{\partial \pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2)}{\partial z} &= (a - (p-c)\delta) + (p-c)\delta F_2(\hat{x}_2 + I + \hat{y}_2 + \delta z).\end{aligned}$$

Notice that $\frac{\partial \pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2)}{\partial x_1}$ and $\frac{\partial \pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2)}{\partial y_1}$ are the same as $\frac{\partial \pi(x_1, y_1, 0; \tilde{x}_2, \tilde{y}_2)}{\partial x_1}$ and $\frac{\partial \pi(x_1, y_1, 0; \tilde{x}_2, \tilde{y}_2)}{\partial y_1}$ under the capacity-based system. Hence, we can obtain that the optimal \hat{x}_1 and \hat{y}_1 together with the shortfall probability and expected shortfall of period 1 under the capability-based system are the same as those under the capacity-based system as described in Proposition 2.

Next, to determine the optimal stockpile inventory \hat{x}_2 and backup capacity \hat{y}_2 that minimizes the total relevant cost $\pi_2(x_2, y_2; I)$, we apply the Leibniz rule to differentiate $\pi_2(x_2, y_2; I)$ with respect to x_2 and y_2 so that

$$\frac{\partial \pi_2(x_2, y_2; I)}{\partial x_2} = \left(u + \frac{h_2}{2} - p\right) + \left(\frac{h_2}{2} + s\right)F_2(x_2 + I) + (c-s)F_2(x_2 + I + y_2) + (p-c)F_2(x_2 + I + y_2 + \delta z), \quad (\text{EC.1})$$

$$\frac{\partial \pi_2(x_2, y_2; I)}{\partial y_2} = (r + s - p) + (c-s)F_2(x_2 + I + y_2) + (p-c)F_2(x_2 + I + y_2 + \delta z). \quad (\text{EC.2})$$

Observe from the above questions that the optimal (\hat{x}_2, \hat{y}_2) depends on the capability level z established in period 1. Hence, the corresponding optimal $\hat{\pi}_2(\hat{x}_2, \hat{y}_2; I)$ is also dependent on z . By considering $\frac{\partial \pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2)}{\partial z}$ together with $\frac{\partial \pi_2(x_2, y_2; I)}{\partial x_2}$ and $\frac{\partial \pi_2(x_2, y_2; I)}{\partial y_2}$ of period 2 as given in (EC.1) and (EC.2) simultaneously, we can obtain that when $r \in (u + h_2/2 - s, \frac{(p-s)(h_2+u)}{p+h_2/2})$ and $\frac{a}{\delta} \in (\frac{r(c+h_2/2)-(c-s)(h_2+u)}{h_2/2+s}, \frac{r(p-c)}{p-s})$, then $\hat{x}_2, \hat{y}_2, \hat{z} > 0$ and satisfy:

$$\begin{aligned} F_2(\hat{x}_2 + I) &= \frac{(r+s) - (u + h_2/2)}{h_2/2 + s}, \\ F_2(\hat{x}_2 + I + \hat{y}_2) &= \frac{a + \delta c - (r+s)\delta}{\delta(c-s)}, \\ F_2(\hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}) &= \frac{(p-c)\delta - a}{(p-c)\delta}. \end{aligned}$$

By also considering the boundary cases, we obtain the optimal zh of period 1 and the optimal (\hat{x}_2, \hat{y}_2) of period 2 satisfy the following:

1. when $r \leq u + \frac{h_2}{2} - s$, then $\hat{x}_2 + I = 0$, and
 - (a) when $\frac{a}{\delta} \geq \frac{r(p-c)}{p-s}$, then $\hat{z} = 0$ and $\hat{y}_2 = F_2^{-1}\left(\frac{p-(r+s)}{p-s}\right) \equiv \theta_3 > 0$ so that the shortfall probability of period 2 $P(M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}) = \frac{r}{p-s}$ and the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}))^+] = \int_{\theta_3}^{+\infty} (1 - F_2(m_2)) dm_2$;
 - (b) when $r + s - c < \frac{a}{\delta} < \frac{r(p-c)}{p-s}$, then $\hat{y}_2 = F_2^{-1}\left(\frac{(c+a/\delta)-(r+s)}{c-s}\right) > 0$ and by defining $\theta_4 = F_2^{-1}\left(\frac{(p-c)\delta - a}{(p-c)\delta}\right)$, $\hat{z} = \frac{1}{\delta} \left[\theta_4 - F_2^{-1}\left(\frac{(c+a/\delta)-(r+s)}{c-s}\right) \right]$ so that the shortfall probability of period 2 $P(M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}) = \frac{a}{(p-c)\delta}$ and the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}))^+] = \int_{\theta_4}^{+\infty} (1 - F_2(m_2)) dm_2$;
 - (c) when $\frac{a}{\delta} \leq r + s - c$, then $\hat{y}_2 = 0$ and $\hat{z} = \frac{1}{\delta} \cdot \theta_4$ so that the shortfall probability of period 2 $P(M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}) = \frac{a}{(p-c)\delta}$ and the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}))^+] = \int_{\theta_4}^{+\infty} (1 - F_2(m_2)) dm_2$.
2. when $r \in (u + \frac{h_2}{2} - s, \frac{(p-s)(h_2+u)}{p+h_2/2})$, and
 - (a) when $\frac{a}{\delta} \geq \frac{r(p-c)}{p-s}$, then $\hat{z} = 0$ and $\hat{x}_2 = F_2^{-1}\left(\frac{(r+s)-(u+h_2/2)}{h_2/2+s}\right) - I$ and $\hat{y}_2 = \theta_3 - F_2^{-1}\left(\frac{(r+s)-(u+h_2/2)}{h_2/2+s}\right)$ so that the shortfall probability of period 2 $P(M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}) = \frac{r}{p-s}$ and the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}))^+] = \int_{\theta_3}^{+\infty} (1 - F_2(m_2)) dm_2$;
 - (b) when $\frac{r(c+h_2/2)-(c-s)(h_2+u)}{h_2/2+s} < \frac{a}{\delta} < \frac{r(p-c)}{p-s}$, $\hat{x}_2 = F_2^{-1}\left(\frac{(r+s)-(u+h_2/2)}{h_2/2+s}\right) - I$, $\hat{y}_2 = F_2^{-1}\left(\frac{(c+a/\delta)-(r+s)}{c-s}\right) - F_2^{-1}\left(\frac{(r+s)-(u+h_2/2)}{h_2/2+s}\right)$, and $\hat{z} = \frac{1}{\delta} [\theta_4 - F_2^{-1}\left(\frac{(c+a/\delta)-(r+s)}{c-s}\right)]$ so that the shortfall probability of period 2 $P(M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}) = \frac{a}{(p-c)\delta}$ and the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}))^+] = \int_{\theta_4}^{+\infty} (1 - F_2(m_2)) dm_2$;
 - (c) when $u + h_2/2 - c < \frac{a}{\delta} \leq \frac{r(c+h_2/2)-(c-s)(h_2+u)}{h_2/2+s}$, then $\hat{x}_2 = F_2^{-1}\left(\frac{(c+a/\delta)-(u+h_2/2)}{h_2/2+c}\right) - I$, $\hat{y}_2 = 0$, and $\hat{z} = \frac{1}{\delta} [\theta_4 - F_2^{-1}\left(\frac{(c+a/\delta)-(u+h_2/2)}{h_2/2+c}\right)]$ so that the shortfall probability of period 2 $P(M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}) = \frac{a}{(p-c)\delta}$ and the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta\hat{z}))^+] = \int_{\theta_4}^{+\infty} (1 - F_2(m_2)) dm_2$;

(d) when $\frac{a}{\delta} \leq u + \frac{h_2}{2} - c$, then $\hat{x}_2 + I = 0$, $\hat{y}_2 = 0$ and $\hat{z} = \frac{1}{\delta} \cdot \theta_4$ so that the shortfall probability of period 2 $P(M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}) = \frac{a}{(p-c)\delta}$ and the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}))^+] = \int_{\theta_4}^{+\infty} (1 - F_2(m_2)) dm_2$.

3. when $r \geq \frac{(p-s)(h_2+u)}{p+h_2/2}$, then $\hat{y}_2 = 0$, and

(a) when $\frac{a}{\delta} \geq \frac{(p-c)(h_2+u)}{h_2/2+p}$, then $\hat{z} = 0$ and $\hat{x}_2 = F_2^{-1}\left(\frac{p-(u+h_2/2)}{h_2/2+p}\right) - I \equiv \theta_1 - I$ so that the shortfall probability of period 2 $P(M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}) = \frac{u+h_2}{h_2/2+p}$ and the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}))^+] = \int_{\theta_1}^{+\infty} (1 - F_2(m_2)) dm_2$;

(b) when $u + h_2/2 - c < \frac{a}{\delta} < \frac{(p-c)(h_2+u)}{h_2/2+p}$, then $\hat{x}_2 = F_2^{-1}\left(\frac{(c+a/\delta)-(u+h_2/2)}{h_2/2+c}\right) - I$ and $\hat{z} = \frac{1}{\delta}[\theta_4 - F_2^{-1}\left(\frac{(c+a/\delta)-(u+h_2/2)}{h_2/2+c}\right)]$ so that the shortfall probability of period 2 $P(M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}) = \frac{a}{(p-c)\delta}$ and the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}))^+] = \int_{\theta_4}^{+\infty} (1 - F_2(m_2)) dm_2$;

(c) $\frac{a}{\delta} \leq u + h_2/2 - c$, then $\hat{x}_2 + I = 0$, $\hat{z} = \frac{1}{\delta} \cdot \theta_4$ so that the shortfall probability of period 2 $P(M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}) = \frac{a}{(p-c)\delta}$ and the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}))^+] = \int_{\theta_4}^{+\infty} (1 - F_2(m_2)) dm_2$.

By rearranging the results above, we obtain Proposition 3. \square

Proof of Corollary 4. When $r \in (u + h_1/2 - s, \frac{h_1(p-s)}{p-u+h_1/2})$ and $\frac{a}{\delta} < R_1(r) = \frac{r(p-c)}{p-s}$, by directly comparing the shortfall probability in period 1 as given in (11) with that in period 2 as given in (16), we can obtain that $P\{M_1 \geq \hat{x}_1 + \hat{y}_1\} - P\{M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}\} = \frac{r}{p-s} - \frac{a}{(p-c)\delta} > 0$. Next, from Proposition 3, we can check that when $F_1(\cdot) = F_2(\cdot)$, the optimal $\hat{x}_1 = \tilde{x}_1 = F_1^{-1}\left(\frac{r+s-(u+h_1/2)}{h_1/2+s-u}\right) = F_2^{-1}\left(\frac{r+s-(u+h_1/2)}{h_1/2+s-u}\right) > \theta_2$ and $\hat{x}_1 + \hat{y}_1 = F_1^{-1}\left(\frac{p-(r+s)}{p-s}\right) = \theta_3$ in period 1. In period 2, when $r \in (u + h_1/2 - s, \frac{h_1(p-s)}{p-u+h_1/2})$ and $\frac{a}{\delta} < R_1(r) = \frac{r(p-c)}{p-s}$, we can check that $\hat{x}_2 \leq \hat{x}_2 + I \leq \theta_2$ and $\hat{x}_2 + I + \hat{y}_2 < \theta_3$. Hence, we obtain $\hat{x}_1 > \hat{x}_2 + I \geq \hat{x}_2$ and $\hat{x}_1 + \hat{y}_1 > \hat{x}_2 + \hat{y}_2 + I \geq \hat{x}_2 + \hat{y}_2$. Next, when $\frac{a}{\delta} < R_1(r) = \frac{r(p-c)}{p-s}$ and $F_1(\cdot) = F_2(\cdot)$, we can obtain $\hat{x}_2 + I + \hat{y}_2 + \delta \hat{z} = \theta_4 > \theta_3 = \hat{x}_1 + \hat{y}_1$ so that the expected shortfall $E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta \hat{z}))^+] < E[(M_1 - (\hat{x}_1 + \hat{y}_1))^+]$. \square

Proof of Corollary 5. First, recall from Proposition 3 that in period 1, (\hat{x}_1, \hat{y}_1) together with the shortfall probability and expected shortfall under the capability-based system are the same as $(\tilde{x}_1, \tilde{y}_1)$ together with the shortfall probability and expected shortfall under the capacity-based system. Next, recall from Proposition 3 that in period 2, when $\frac{a}{\delta_0} \geq R_1(r)$, z is not needed so that the optimal (\hat{x}_2, \hat{y}_2) is the same as $(\tilde{x}_2, \tilde{y}_2)$. When $\frac{a}{\delta} < R_1(r)$, z is needed and then we can compare the optimal (\hat{x}_2, \hat{y}_2) as given by Proposition 3 and Figure 4, together with the corresponding shortfall probability and expected shortfall with the capacity-based system, we can obtain the results given in the first 3 statements of Corollary 5. Next, as the optimal $(\tilde{x}_2, \tilde{y}_2)$ is also a feasible solution for the capability-based system, we can check that with an extra option z and when the optimal $\hat{z} > 0$, the capability-based system incurs a lower cost of period 2 than that of the capacity-based system. Hence, we proved statement 4 of Corollary 5. \square

Proof of Proposition 4. By differentiating $E_\delta[\pi(x_1, y_1, z; \hat{x}'_2, \hat{y}'_2; \delta)]$ with respect to x_1 , y_1 and z , we obtain

$$\begin{aligned}\frac{\partial E_\delta[\pi(x_1, y_1, z; \hat{x}'_2, \hat{y}'_2; \delta)]}{\partial x_1} &= u + \frac{h_1}{2} - p + (\frac{h_1}{2} + s - u)F_1(x_1) + (p - s)F_1(x_1 + y_1), \\ \frac{\partial E_\delta[\pi(x_1, y_1, z; \hat{x}'_2, \hat{y}'_2; \delta)]}{\partial y_1} &= (r + s - p) + (p - s)F_1(x_1 + y_1), \\ \frac{\partial E_\delta[\pi(x_1, y_1, z; \hat{x}'_2, \hat{y}'_2; \delta)]}{\partial z} &= (a - (p - c)\delta_0) + (p - c)\delta_0 F_2(\hat{x}_2 + I + \hat{y}_2 + \frac{\delta_0}{\gamma}z).\end{aligned}$$

Notice that $\frac{\partial E_\delta[\pi(x_1, y_1, z; \hat{x}'_2, \hat{y}'_2; \delta)]}{\partial x_1}$ and $\frac{\partial E_\delta[\pi(x_1, y_1, z; \hat{x}'_2, \hat{y}'_2; \delta)]}{\partial y_1}$ are the same as $\frac{\partial \pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2)}{\partial x_1}$ and $\frac{\partial \pi(x_1, y_1, z; \hat{x}_2, \hat{y}_2)}{\partial y_1}$ under the fixed yield case. Hence, we can obtain that the optimal \hat{x}_1 and \hat{y}_1 together with the shortfall probability and expected shortfall of period 1 under the uncertain yield case are the same as those under the fixed yield case as described in Proposition 3.

Next, by differentiating $E_\delta[\pi_2(x_2, y_2; I; \delta)]$ with respect to period 2's decisions x_2 and y_2 , we obtain

$$\begin{aligned}\frac{\partial E_\delta[\pi_2(x_2, y_2; I; \delta)]}{\partial x_2} &= (u + \frac{h_2}{2} - p) + (\frac{h_2}{2} + s)F_2(x_2 + I) + ((1 - \gamma)p + c\gamma - s)F_2(x_2 + I + y_2) \\ &\quad + (p - c)\gamma \cdot F_2(x_2 + I + y_2 + \frac{\delta_0}{\gamma}z),\end{aligned}\tag{EC.3}$$

$$\begin{aligned}\frac{\partial E_\delta[\pi_2(x_2, y_2; I; \delta)]}{\partial y_2} &= (r + s - p) + ((1 - \gamma)p + c\gamma - s)F_2(x_2 + I + y_2) \\ &\quad + (p - c)\gamma \cdot F_2(x_2 + I + y_2 + \frac{\delta_0}{\gamma}z).\end{aligned}\tag{EC.4}$$

By noting that the above equations resemble (EC.1) and (EC.2) in the base model, the optimal (\hat{x}'_2, \hat{y}'_2) for the uncertain yield case would also possess a similar structure: the optimal (\hat{x}'_2, \hat{y}'_2) would depend on the capability level z established in period 1. Hence, by considering $\frac{\partial E_\delta[\pi(x_1, y_1, z; \hat{x}'_2, \hat{y}'_2; \delta)]}{\partial z}$ together with $\frac{\partial E_\delta[\pi_2(x_2, y_2; I; \delta)]}{\partial x_2}$ and $\frac{\partial E_\delta[\pi_2(x_2, y_2; I; \delta)]}{\partial y_2}$ of period 2 as given in (EC.3) and (EC.4) simultaneously, we can obtain that when $r \in (u + h_2/2 - s, \frac{(p-s)(h_2+u)}{p+h_2/2})$ and $\frac{a}{\delta_0} \in (\frac{[(1-\gamma)p+\gamma c](r-h_2-u)+(r+s) \cdot h_2/2+s(u+h_2/2)}{(h_2/2+s)\gamma}, \frac{r(p-c)}{p-s})$, then $\hat{x}'_2, \hat{y}'_2, \hat{z}' > 0$ and satisfy:

$$\begin{aligned}F_2(\hat{x}'_2 + I) &= \frac{(r + s) - (u + h_2/2)}{h_2/2 + s}, \\ F_2(\hat{x}'_2 + I + \hat{y}'_2) &= \frac{(1 - \gamma)p + \gamma(a/\delta_0 + c) - (r + s)}{(c - s) + (1 - \gamma)(p - c)}, \\ F_2(\hat{x}'_2 + I + \hat{y}'_2 + \delta_0/\gamma\hat{z}') &= \frac{(p - c) - a/\delta_0}{(p - c)}.\end{aligned}$$

By also considering the boundary cases, we obtain the optimal zh' of period 1 and the optimal (\hat{x}'_2, \hat{y}'_2) of period 2 satisfy the following:

1. when $r \leq u + \frac{h_2}{2} - s$, then $\hat{x}'_2 + I = 0$, and

- (a) when $\frac{a}{\delta_0} \geq \frac{r(p-c)}{p-s}$, then $\hat{z}' = 0$ and $\hat{y}'_2 = F_2^{-1}\left(\frac{p-(r+s)}{p-s}\right) \equiv \theta_3 > 0$;
- (b) when $p-c - \frac{p-(r+s)}{\gamma} < \frac{a}{\delta_0} < \frac{r(p-c)}{p-s}$, then $\hat{y}'_2 = F_2^{-1}\left(\frac{(1-\gamma)p+\gamma(c+a/\delta_0)-(r+s)}{(c-s)+(1-\gamma)(p-c)}\right) > 0$ and by defining $\theta'_4 \equiv F_2^{-1}\left(\frac{(p-c)-a/\delta_0}{p-c}\right)$ and $\theta'_5 \equiv F_2^{-1}\left(\frac{(1-\gamma)p+\gamma(c+a/\delta_0)-(r+s)}{(c-s)+(1-\gamma)(p-c)}\right)$, $\hat{z}' = \frac{1}{\delta_0/\gamma}(\theta'_4 - \theta'_5)$;
- (c) when $\frac{a}{\delta_0} \leq p-c - \frac{p-(r+s)}{\gamma}$, then $\hat{y}'_2 = 0$ and $\hat{z}' = \frac{1}{\delta_0/\gamma} \cdot \theta'_4$.
2. when $r \in (u + \frac{h_2}{2} - s, \frac{(p-s)(h_2+u)}{p+h_2/2})$, and
- (a) when $\frac{a}{\delta_0} \geq \frac{r(p-c)}{p-s}$, then $\hat{z}' = 0$ and $\hat{x}'_2 = F_2^{-1}\left(\frac{(r+s)-(u+h_2/2)}{h_2/2+s}\right) - I \equiv \theta_2 - I$ and $\hat{y}'_2 = \theta_3 - \theta_2$;
- (b) when $\frac{[(1-\gamma)p+\gamma c](r-h_2-u)+(r+s) \cdot h_2/2+s(u+h_2/2)}{(h_2/2+s)\gamma} < \frac{a}{\delta_0} < \frac{r(p-c)}{p-s}$, $\hat{x}'_2 = \theta_2 - I$, $\hat{y}'_2 = \theta'_5 - \theta_2$, and $\hat{z}' = \frac{1}{\delta_0/\gamma}(\theta'_4 - \theta'_5)$;
- (c) when $p-c - \frac{p-(u+h_2/2)}{\gamma} < \frac{a}{\delta_0} \leq \frac{[(1-\gamma)p+\gamma c](r-h_2-u)+(r+s) \cdot h_2/2+s(u+h_2/2)}{(h_2/2+s)\gamma}$, then $\hat{x}'_2 = F_2^{-1}\left(\frac{(1-\gamma)p+\gamma(c+a/\delta_0)-(u+h_2/2)}{(h_2/2+c)+(1-\gamma)(p-c)}\right) - I$, $\hat{y}'_2 = 0$. And by defining $\theta'_6 \equiv F_2^{-1}\left(\frac{(1-\gamma)p+\gamma(c+a/\delta_0)-(u+h_2/2)}{(h_2/2+c)+(1-\gamma)(p-c)}\right)$, $\hat{z}' = \frac{1}{\delta_0/\gamma}(\theta'_4 - \theta'_6)$;
- (d) when $\frac{a}{\delta_0} \leq p-c - \frac{p-(u+h_2/2)}{\gamma}$, then $\hat{x}'_2 + I = 0$, $\hat{y}'_2 = 0$ and $\hat{z}' = \frac{1}{\delta_0/\gamma} \cdot \theta'_4$.
3. when $r \geq \frac{(p-s)(h_2+u)}{p+h_2/2}$, then $\hat{y}'_2 = 0$, and
- (a) when $\frac{a}{\delta_0} \geq \frac{(p-c)(h_2+u)}{h_2/2+p}$, then $\hat{z}' = 0$ and $\hat{x}'_2 = F_2^{-1}\left(\frac{p-(u+h_2/2)}{h_2/2+p}\right) - I \equiv \theta_1 - I$;
- (b) when $p-c - \frac{p-(u+h_2/2)}{\gamma} < \frac{a}{\delta_0} < \frac{(p-c)(h_2+u)}{h_2/2+p}$, then $\hat{x}'_2 = \theta'_6 - I$ and $\hat{z}' = \frac{1}{\delta_0/\gamma}(\theta'_4 - \theta'_6)$;
- (c) $\frac{a}{\delta_0} \leq p-c - \frac{p-(u+h_2/2)}{\gamma}$, then $\hat{x}'_2 + I = 0$, $\hat{z}' = \frac{1}{\delta_0/\gamma} \cdot \theta'_4$.

By rearranging the results above, we obtain Proposition 4. \square

Proof of Corollary 6. First, it is easy to check that the optimal \hat{x}'_1 and \hat{y}'_1 given by Proposition 4 are always independent of γ so that the shortfall probability and the expected shortfall of period 1 is also independent of γ . Next, when $\frac{a}{\delta_0} < R'_1(r)$ so that the optimal $\hat{z}' > 0$, we take the first order derivatives of the optimal \hat{z}' , \hat{x}'_2 and \hat{y}'_2 with respect to γ , we can check that \hat{z}' is increasing in γ , while \hat{y}'_2 is decreasing in γ in each of the cases. Moreover, we can check that for the cases when $\hat{y}'_2 > 0$, \hat{x}'_2 is independent of γ ; while for the cases when $\hat{y}'_2 = 0$, $\hat{x}'_2 + I$ is decreasing in γ . As when $\gamma = 1$, it reduces to the case where yield is fixed, we can obtain the comparison results as given in Corollary 6. Finally, we can check that when $\frac{a}{\delta_0} < R'_1(r)$,

$$\begin{aligned} P\{M_2 \geq \hat{x}'_2 + I + \hat{y}'_2 + \delta \hat{z}'\} &= \gamma \cdot P\{M_2 \geq \hat{x}'_2 + I + \hat{y}'_2 + \frac{\delta_0}{\gamma} \hat{z}'\} + (1-\gamma) \cdot P\{M_2 \geq \hat{x}'_2 + I + \hat{y}'_2\} \\ &> P\{M_2 \geq \hat{x}'_2 + I + \hat{y}'_2 + \frac{\delta_0}{\gamma} \hat{z}'\} = \frac{a}{\delta_0(p-c)} = P\{M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta_0 \hat{z}\}. \end{aligned}$$

Hence, we obtain $P\{M_2 \geq \hat{x}'_2 + I + \hat{y}'_2 + \delta \hat{z}'\} > \frac{a}{\delta_0(p-c)} = P\{M_2 \geq \hat{x}_2 + I + \hat{y}_2 + \delta_0 \hat{z}\}$. Similarly, when $\frac{a}{\delta_0} < R'_1(r)$, the expected shortfall satisfies:

$$\begin{aligned} E[(M_2 - (\hat{x}'_2 + I + \hat{y}'_2 + \delta \hat{z}'))^+] &= \gamma \cdot E[(M_2 - (\hat{x}'_2 + I + \hat{y}'_2 + \frac{\delta_0}{\gamma} \hat{z}'))^+] + (1-\gamma) \cdot E[(M_2 - (\hat{x}'_2 + I + \hat{y}'_2))^+] \\ &> E[(M_2 - (\hat{x}'_2 + I + \hat{y}'_2 + \frac{\delta_0}{\gamma} \hat{z}'))^+] = \int_{\theta'_4}^{+\infty} (1 - F_2(m_2)) dm_2. \end{aligned}$$

Hence, $E[(M_2 - (\hat{x}'_2 + I + \hat{y}'_2 + \delta \hat{z}'))^+] > \int_{\theta'_4}^{+\infty} (1 - F_2(m_2)) dm_2 = E[(M_2 - (\hat{x}_2 + I + \hat{y}_2 + \delta_0 \hat{z}))^+]$. \square