



City Research Online

City St George's, University of London

Citation: Potts, B., Smith, N. & Malamateniou, C. (2024). Respectful language in autism research: In response to Abdelrahman et al. 'Exploration of radiographers' knowledge, attitudes, and practices in delivering healthcare to children with autism spectrum disorder.'. *Radiography*, 30(2), pp. 702-703. doi: 10.1016/j.radi.2024.02.003

This is the accepted version of the paper.

This version of the publication may differ from the final published version. To cite this item please consult the publisher's version.

Permanent repository link: <https://openaccess.city.ac.uk/id/eprint/32461/>

Link to published version: <https://doi.org/10.1016/j.radi.2024.02.003>

Copyright and Reuse: Copyright and Moral Rights remain with the author(s) and/or copyright holders. Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge, unless otherwise indicated, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way. For full details of reuse please refer to [City Research Online policy](#).

Dear Editor,

We (autistic and non-autistic researchers) commend Abdelrahman et al (1) on their recent publication in the latest Radiography issue. As there is a paucity of radiography research exploring the topic of autism, we are very pleased to see two articles (1,2) in this issue adding to the knowledge and evidence base. However, we were concerned with the language used by Abdelrahman et al (1) around autistic identity.

Terminology

Guidance from NHS England (3), National Autistic Society (4), Autistica (5) and The National Institute for Health and Care Excellence (NICE) (6) stipulates avoiding the use of terms such as “autism spectrum disorder”. This is because “autism spectrum disorder” or “ASD”, although the likely diagnosis written on millions of medical records around the world, is a loaded term for many autistic people. Historically, the scientific community viewed autistic people as subhuman (7,8). This view informed medical perceptions and, unfortunately, subsequent training, resulting in the pathologisation of autism and a focus on prevention, eradication and “treatments” for autistic people (i.e., applied behavioural analysis or ABA, now a highly contested method), that extinguished the very sense of what makes a person who they are (7–9).

The neurodiversity movement gave rise to the belief that being autistic does not mean a person is disordered, broken or inherently damaged (10). The neurodiversity model removes autism from the medical model that perpetuates stigma and stereotypes (11,12), and regards it as a mere difference in the way one experiences and navigates the world. In this perspective, the challenges that autistic people face originate from a lack of reasonable adjustments in a society that is not accommodating of neurodiversity. Some autistic people identify as disabled and recognise the cause of this disability as the outcome of the lack of proportionate accommodations in society.

Identity-first Language (IFL)

Furthermore, many autistic people view being autistic as an integral part of their existence and a central part of their personhood (13). It is not something they can split themselves away from (14,15). Thus, identity-first language (IFL) is preferred, i.e. autistic person, rather than, a person *with* autism. A preference of the autistic community for this type of self-identification and language used was established in the UK in 2016 in a study by Kenny and colleagues (14). It is not universally agreed upon, but a majority of participants in studies since have corroborated the finding (13,16).

Whilst the majority of autistic people prefer IFL, other stakeholders (parents, healthcare professionals, etc) often think otherwise (14,16). It may also be counter-intuitive for healthcare professionals, as we usually employ person-first language, e.g. a person *with* dementia or someone *with* cancer, as in the medical model. This is to separate the person from their pathology and see them as a whole. Person-first language is so widely used, that it has become the default way of communication in healthcare. However, if we truly understand and respect autism as a unique personal characteristic, rather than a pathology, then the way we talk about it should also reflect this perception, e.g., be more akin to being left-handed. I.e. a left-handed person, rather than a person *with* “left-handed-ness”. The use of this inclusive language is associated with less stigmatisation, more empowerment of autistic people and active recognition and support of their rights, as equal co-humans (15).

It is important to acknowledge that what the guidance, the studies and we argue for is a standard of respectful language when a preference of the individual or group of individuals is unknown. It may be the case that particular autistic people prefer using the medical model and person-first language, in which case, their personal preference should always be respected and no assumptions should be made (17).

Conclusion

As we strive to be person-centred in the way we deliver healthcare, we should respect the preferences of the group with which we are working, researching, imaging or treating. We believe it is the best

approach to recognise what is the majority preference of the autistic community when talking about autistic people. Avoiding negative and pathologising terminology, using identity-first language and employing an approach informed by the social model of disability, shows an understanding of the context and history of autism research and respect towards autistic people's rights (18). Therefore, this should be the default language used unless requested otherwise by the specific individual or group of individuals to which you refer.

As a society, we should be transitioning from tolerance and awareness towards affirmation. We should not just accept their existence but actively value and celebrate autistic people's differences as central to society's progress, embracing them as key stakeholders to address the complex challenges facing humanity. The right approach with language and terminology may seem like a small step, but it is a small step in the right direction.

References

1. Abdelrahman MA, Alhebsi MA, Almulla SI, Rahimi EA, Badouh H, Almehairbi A, et al. Exploration of radiographers' knowledge, attitudes, and practices in delivering healthcare to children with autism spectrum disorder. *Radiography*. 2024 Jan 1;30(1):116–22.
2. Harvey-Lloyd JM, Clements A, Sims N, Harvey-Lloyd AE. Exploring the experiences of parents of Autistic children when attending the diagnostic imaging department for an X-ray examination. *Radiography*. 2024 Jan 1;30(1):28–36.
3. NHS England » Making information and the words we use accessible [Internet]. [cited 2024 Jan 18]. Available from: <https://www.england.nhs.uk/learning-disabilities/about/get-involved/involving-people/making-information-and-the-words-we-use-accessible/>
4. National Autistic Society. How to talk and write about autism [Internet]. 2014c [cited 2024 Jan 27]. Available from: <https://www.autism.org.uk/contact-us/media-enquiries/how-to-talk-and-write-about-autism>
5. Autistica. Guide to help journalists write about autism and work with autistic people [Internet]. 2018 [cited 2024 Jan 18]. Available from: <https://www.autistica.org.uk/about-us/media-communications-guide>
6. National Institute for Health and Care Excellence. Talking about people (NICE style guide) [Internet]. NICE; 2016 [cited 2024 Jan 24]. Available from: <https://www.nice.org.uk/corporate/ecd1/chapter/talking-about-people>
7. Botha M, Cage E. "Autism research is in crisis": A mixed method study of researcher's constructions of autistic people and autism research. *Frontiers in Psychology* [Internet]. 2022 [cited 2023 Jul 31];13. Available from: <https://www.frontiersin.org/articles/10.3389/fpsyg.2022.1050897>
8. Cage E, Di Monaco J, Newell V. Understanding, attitudes and dehumanisation towards autistic people. *Autism*. 2019 Aug 1;23(6):1373–83.
9. Wilkenfeld DA, McCarthy AM. Ethical Concerns with Applied Behavior Analysis for Autism Spectrum "Disorder". *Kennedy Institute of Ethics Journal*. 2020;30(1):31–69.
10. Kapp SK, Gillespie-Lynch K, Sherman LE, Hutman T. Deficit, difference, or both? Autism and neurodiversity. *Developmental Psychology*. 2013;49:59–71.
11. Bunbury S. Unconscious bias and the medical model: How the social model may hold the key to transformative thinking about disability discrimination. *International Journal of Discrimination and the Law*. 2019 Mar 1;19(1):26–47.

12. Cage E, Botha M, McDevitt L, King KN, Biscoe L, Tucker K, et al. Diagnosis as a new beginning not an end: A participatory photovoice study on navigating an autism diagnosis in adulthood. *Autism* [Internet]. 2024 Jan 17 [cited 2024 Jan 18]; Available from: <https://doi.org/10.1177/13623613231220418>
13. Keating CT, Hickman L, Leung J, Monk R, Montgomery A, Heath H, et al. Autism-related language preferences of English-speaking individuals across the globe: A mixed methods investigation. *Autism Research*. 2023;16(2):406–28.
14. Kenny L, Hattersley C, Molins B, Buckley C, Povey C, Pellicano E. Which terms should be used to describe autism? Perspectives from the UK autism community. *Autism*. 2016 May;20(4):442–62.
15. Botha M, Dibb B, Frost DM. 'Autism is me': an investigation of how autistic individuals make sense of autism and stigma. *Disability & Society*. 2022 Mar 16;37(3):427–53.
16. Taboas A, Doepke K, Zimmerman C. Preferences for identity-first versus person-first language in a US sample of autism stakeholders. *Autism*. 2023 Feb 1;27(2):565–70.
17. Flowers J, Dawes J, McCleary D, Marzolf H. Words matter: Language preferences in a sample of autistic adults. *Neurodiversity*. 2023 Jan 1;1:27546330231216548.
18. Natri HM, Abubakare O, Asasumasu K, Basargekar A, Beaud F, Botha M, et al. Anti-ableist language is fully compatible with high-quality autism research: Response to Singer et al. (2023). *Autism Research*. 2023;16(4):673–6.