

City Research Online

City, University of London Institutional Repository

Citation: Harding, C., Faiman, A. & Wright, J. (2010). A pilot project to evaluate intensive desensitisation, oral tolerance therapy and hunger provocation programme for children who have had prolonged tube feeds. International Journal of Evidence Based Health Care, 8(4), pp. 268-276. doi: 10.1111/j.1744-1609.2010.00184.x

This is the unspecified version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: https://openaccess.city.ac.uk/id/eprint/3354/

Link to published version: https://doi.org/10.1111/j.1744-1609.2010.00184.x

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

City Research Online: http://openaccess.city.ac.uk/ publications@city.ac.uk/

A pilot project to evaluate an intensive desensitisation, oral tolerance therapy and hunger provocation programme for children who have had prolonged tube feeds.

Faiman A, Wright J and Harding C

Abstract:

Three children on prolonged PEG feeding supplementary to oral feeding participated in a pilot project that compared an intensive multi-disciplinary feeding programme with a traditional feeding multi-disciplinary programme for long term gavage feeders. Two children underwent a daily one week long intensive group feeding therapy programme run whilst the third child elected to maintain receiving the traditional input of Feeding Clinic. The intensive programme relied on dietetic assessment and reduction of tube feeds, speech and language therapy evaluation of oral motor skill development and daily psychology support for care givers. The two children who participated in the intensive programme demonstrated a significant increase in oral intake with a maintained reduction in daily tube feeds. Child 3, who carried on with the Traditional approach had no change in weight over the period of the research. One month after completion of programme at the first post follow up, child 1 had completed a staged discontinuation of tube feeds, child 2 had maintained tube feeds at a reduced level as per their intervention week. No weight losses were reported with any of the children.

In addition to the weight results, children maintained oral motor skills as assessed using the Paediatric Oral Motor Skills Package, (POSP; 1996), significantly increased the number of spoonfuls of food, and fluid amounts taken orally. Parental language style and children's verbal responses were also analysed and significant differences in these areas were noted, with parents using a less directive and more facilitative style, and with children becoming more actively involved in the social aspect of the mealtime. Qualitative results from parent participants suggests that an intensive programme has longer term maintenance effects for both the child and the parents.

Words 280

Key words; *Intensive Feeding Programme; long term tube dependency.*