

City Research Online

City, University of London Institutional Repository

Citation: Agbeko, T., Hiabu, M., Miranda, M. D. M., Nielsen, J. P. & Verrall, R. J. (2014). Validating the double chain ladder stochastic claims reserving model. Variance: advancing the science of risk, 8(2), pp. 138-160.

This is the accepted version of the paper.

This version of the publication may differ from the final published version.

Permanent repository link: https://openaccess.city.ac.uk/id/eprint/6778/

Link to published version:

Copyright: City Research Online aims to make research outputs of City, University of London available to a wider audience. Copyright and Moral Rights remain with the author(s) and/or copyright holders. URLs from City Research Online may be freely distributed and linked to.

Reuse: Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge. Provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way.

City Research Online: http://openaccess.city.ac.uk/ publications@city.ac.uk/

Validating the Double Chain Ladder Stochastic Claims Reserving Model

Abstract

Double Chain Ladder introduced by Martínez-Miranda et al. (2012) is a statistical model to predict outstanding claim reserve. Double Chain Ladder and Bornhuetter-Ferguson is an extension of the originally described double Chain Ladder model which aims more stability through including expert knowledge via an incurred claim amounts triangle. In this paper, we introduce a third method, the Incurred Double Chain Ladder, which replicates the popular results from the classical Chain Ladder on incurred data. We will compare and validate these three using two data sets from major property and casualty insurers.

1. Introduction

A crucial function in the management of an insurance company is that of estimating the future outstanding liability of past claims, which may have been incurred but not yet reported (IBNR) or reported but not settled (RBNS). The function holder is most likely to be an actuary who will use not only his technical expertise but also a significant amount of professional judgement to accurately quantify the value of the liability that should be recorded as technical reserves in the company financial statements.

Insurance claims characteristics vary by their nature, timing, amount, reporting delay and settlement delay. For example, property damage claims are more likely to be short-tailed, i.e. paid quickly. Industrial claims however, are long-tailed, i.e. they take much longer to be fully settled. This means that the methodology that should be used for quantifying those claims cannot reasonably be expected to be exactly the same. The actuary will choose the most adequate method for each situation. One of these methods is the classical Chain Ladder method (CLM). CLM was conceived as a deterministic method that operates on the historical data contained in the so called run-off triangles. The simplicity and the intuitive appeal of CLM have made it one of the most applied methods in practice by actuaries. But actuaries are aware about many of the limitations and drawbacks of CLM, such as its reliance on a small data set and its possible instability.

Over the past decades, a number of research articles have appeared which aim to replicate the CLM forecasts in a statistical framework with the added benefit of calculating the variability around the mean estimates. Mack (1991), Verrall (1991)

and recently Kuang et al. (2009) have identified the CLM forecasts as classical maximum likelihood estimates under a Poisson model. See England and Verrall (2002) and Wüthrich and Merz (2008) for comprehensive reviews of stochastic claims reserving.

In this paper we will focus on the Double Chain Ladder (DCL) model proposed by Martínez-Miranda et al. (2012). The DCL model is a statistical model that can replicate the classical Chain Ladder estimates by using a particular estimation method. But also, it can be used to provide further results that classical Chain Ladder is unable to provide such as the prediction of outstanding liabilities separately for RBNS and IBNR claims, and the prediction of the tail which is defined as the claims forecasts with development process beyond the latest development years observed.

The DCL method which replicates the CLM forecasts uses only two observed run-off triangles. One triangle consists of the number of reported claims, and the other is the so called paid triangle: the total paid amounts by underwriting and development year. The DCL method can therefore be viewed as a link between classical reserving and the statistical model, in that it uses the non-statistical calculation method but it also has a full statistical method. However, it is well known that the classical CLM estimates tend to be unstable in the more recent underwriting years. This instability leads in many cases to an unacceptable forecast for the total reserve. The Bornhuetter-Fergusson technique is one of the most common ways to correct that problem in practice. Martínez-Miranda et al. (2013) discuss that the instability comes from the estimation of the underwriting inflation parameter in the DCL model. Note that that paper (and any method based on paid data) ignores the case estimate reserves from the claims adjusters (the "expert knowledge"). Taking the spirit of the

Bornhuetter-Fergusson technique, the authors describe another method to estimate the Double Chain Ladder model which corrects the instability of the DCL forecasts. The method is called Bornhuetter-Ferguson Double Chain Ladder (BDCL) and it works on the same triangles as DCL together with an additional so called incurred claims data triangle. The case estimates contained in the incurred data are considered as prior knowledge that can indeed provide more stable estimates of the underwriting inflation. Although the BDCL works on the incurred claims data triangle, the BDCL reserve estimate is different from the incurred Chain Ladder reserve which is calculated by applying CLM to the incurred data triangle. Being aware of the popularity of the incurred Chain Ladder reserve among many actuaries, in this paper we introduce a third method to estimate the Double Chain Ladder model that can exactly replicate that reserve estimate. We will call this method Incurred Double Chain Ladder (IDCL). Berquist and Shermann (1977) also consider triangle adjustments.

The purpose of this paper is therefore to explore a link between mathematical statistics and reserving practice in insurance companies. This will add value to practitioners who might be interested in evaluating the robustness of the reserving risk used to compute the best estimate liability for Pillar 1 of the Solvency II framework. Alternatively, the method could be used to assess the strength of case estimates philosophy because the output is split between IBNR and RBNS reserves or outstanding claims reserve.

The paper is structured as follows. In the next section we describe the Double Chain Ladder model. In Section 3 we define three methods to estimate the model parameters, referred above as DCL, BDCL and IDCL. In Section 4 we describe how to calculate the outstanding liabilities forecasts once the Double Chain Ladder model

parameters have been estimated. We illustrate the methods using two real data sets: a Motor Personal Injury (Motor BI) portfolio and a Motor Fleet Property damage (Motor PD) portfolio. In Section 5, we discuss the advantages and disadvantages of the three methods and support the decision in practice among them using formal model validation. In this section we also explore and validate any additional improvement gained by a common practice by actuaries consisting of limiting the data used to estimate the model to just the more recent calendar years. Some final remarks in Section 6 conclude the paper.

2. The data and model

In this section we will briefly describe the Double Chain Ladder model, introduce the notation and state the assumptions needed for consistent estimates. For a more detailed description we refer to Martínez-Miranda et al. (2012, 2013). For a better understanding, afterwards, we will give a heuristic interpretation of these technically introduced parameters. We start with the introduction of some notation.

Let us assume that the number of years of historical data available is m. We also assume that our data is available in a triangular form $I = \{(i,j) | i = 1,...,m; j = 0,...,m-1; i+j \le m\}$. Here, i denotes the accident or underwriting year and j denotes the development year. We will consider three triangular sets of data:

Numbers of incurred claims: $N_m = \{N_{ij} \mid (i,j) \in I\}$, where N_{ij} is the total number of claims of insurance incurred in year i which have been reported in year i+j.

Aggregated payments: $X_m = \{X_{ij} | (i,j) \in I\}$, where X_{ij} is the total payments from claims incurred in year i which are settled in year i+j.

Aggregated incurred claim amounts: $\Theta_m = \{\Theta_{ij} | (i,j) \in I\}$, where Θ_{ij} is the total payments from claims incurred in year i which are reported in year i+j.

Note that on the contrary to N_m and X_m , Θ_m is not real data but rather a mixture of data and expert knowledge since it is not fully observed yet.

Double Chain Ladder is based on micro-level data assumptions. We therefore define some variables which may not be observed. We denote the count of future payments originating from the N_{ij} reported claims, paid with k years settlement delay by N_{ijk}^{PAID} , $((i,j) \in I, k=0,...,m-1)$. Let $Y_{ijk}^{(h)}(h=1,...,N_{ijk}^{PAID})$ be the individual settled payments from the number of future payments N_{ijk}^{PAID} . Finally, denote by X_{il}^{j} those payments of X_{il} which are reported with delay less than or equal to j. We derive the decomposition

$$X_{ij} = \sum_{l=0}^{j} \sum_{h=1}^{N_{i,j-l,k}^{PAID}} Y_{i,j-l,l}^{(h)}.$$

Note that in order to obtain point estimates, it is not necessary to consider distributional assumptions, since moment assumptions are sufficient. The assumptions of the DCL model are as follows.

Assumptions A (cf. Martínez-Miranda et al. (2012, 2013)).

A1. Conditional on the number of incurred claims (N_{ij}) , the expected number of payments with payment delay k is given by

$$\boldsymbol{E}\big[N_{ijk}^{PAID} \mid N_m\big] = N_{ij}\pi_k$$

A2. Conditional on the future number of payments (N_{ijk}^{PAID}) , the expectation of the individual payments are given by

$$\boldsymbol{E}\left[Y_{ijk}^{(h)} \mid N_{ijk}^{PAID}\right] = \mu \gamma_i$$

A3. The incurred claim amounts can be described via

$$\Theta_{ij} = \sum_{l=0}^{m-1} \mathbf{E} \left[X_{il}^j \mid \mathcal{F}_j^{(i)} \right],$$

where $\mathcal{F}_{j}^{(i)}$ represents the knowledge of the people making the case estimates at time i+j.

For the purpose of estimating the parameters we will need further assumptions. These assumptions go back to Mack (1991) who identified the multiplicative structure assumption underlying the CLM.

Assumptions CLM (cf. Mack (1991))

- **CLM1.** The number of incurred claims N_{ij} is a random variable with mean $E[N_{ij}] = \alpha_i \beta_j$, $\sum_{j=0}^{m-1} \beta_j = 1$.
- **CLM2.** The aggregated payments X_{ij} is a random variable with mean $\pmb{E} \big[X_{ij} \big] = \tilde{\alpha}_i \tilde{\beta}_j, \qquad \sum_{j=0}^{m-1} \tilde{\beta}_j = 1.$

CLM3. The aggregated incurred claim amounts Θ_{ij} is a random variable with mean

$$E\left[\Theta_{ij}\right] = \tilde{\alpha}_i \tilde{\beta}_j, \qquad \sum_{j=0}^{m-1} \tilde{\beta}_j = 1.$$

The parameters can be interpreted heuristically as follows.

- \circ α_i = the ultimate number of incurred claims for accident year i,
- \circ β_j = the proportion of the ultimate number of incurred reported in the *jth* development year,
- \circ $\tilde{\alpha}_i = \text{ultimate aggregate claims paid in accident year } i,$
- \circ $ilde{eta}_{j}$ = the proportion of aggregated payments in the \emph{jth} development year,
- \circ β_j = the proportion of aggregated claims incurred in the *jth* development year,
- \circ π_k = the proportion of claims settled after k years,
- \circ μ = the average cost of claims paid in the first accident year.
- \circ γ_i = the claim severity inflation parameter, i.e. the average inflation of aggregated payments for accident year *i*.

The parameters in the CLM assumptions (i.e. $\alpha_i, \beta_j, \ \tilde{\alpha}_i, \ \tilde{\beta}_j, \ \tilde{\beta}_j)$ can be estimated using the traditional CLM method which gives the maximum likelihood estimates. To estimate the parameters in assumptions A (i.e. μ, γ_i, π_k), we will use the following equations.

$$\mathbf{E}[X_{ij}] = \alpha_i \gamma_i \mu \sum_{k=0}^j \beta_{j-k} \ \pi_k. \tag{2.1}$$

$$\mathbf{E}[\Theta_{ij}] = \alpha_i \gamma_i \mu \bar{\beta}_i, \tag{2.2}$$

where $\bar{\beta_j} = \sum_{l=0}^{m-1} \sum_{k=\max(0,l-j)}^{l} \beta_{l-k} \pi k$ only depends on j. For a more deep consideration of $\bar{\beta_j}$ we refer to Martínez-Miranda (2013).

In the next section we will describe three different methods how to derive these estimates in detail.

3. Estimating the parameters in the Double Chain Ladder model

To estimate the outstanding liabilities for RBNS and IBNR claims the parameters in the model described in Section 2 should be estimated from the available data. In this section we describe three different estimation methods to achieve this goal: DCL, BDCL and IDCL. The three methods operate on classical run-off triangles and make use of the simple Chain Ladder algorithm.

3.1. The DCL method

The DCL only uses real data. That is only the two triangles N_m and X_m . Thus, it does not take use of knowledge of the experts, that is Θ_m . Note that this also implies that assumptions A3 and CLM3 are not needed.

As implied by the name Double Chain Ladder (DCL), the classical Chain Ladder technique is applied twice. We use the simple Chain Ladder algorithm applied to the triangle of the number of incurred claims N_m and the triangle of aggregated payments X_m to derive the development factors. These development factors lead to the two sets of estimators of (α_i, β_j) and $(\tilde{\alpha}_i, \tilde{\beta}_j)$ (i = 1, ..., m; j = 0, ..., m - 1).

For illustration, given the triangle N_{ij} the estimates are derived as follows (cf. Verrall (1991)).

$$\begin{split} D_{ij} &= \sum_{k=1}^{j} N_{ik}, & \text{(cumulative entries)} \\ \hat{\lambda}_{j} &= \frac{\sum_{i=1}^{n-j+1} D_{ij}}{\sum_{i=1}^{n-j+1} D_{i,j-1}}, & \text{(development factors)} \\ \hat{\beta}_{0} &= \frac{1}{\prod_{l=1}^{m-1} \hat{\lambda}_{l}}, & \hat{\beta}_{j} &= \frac{\hat{\lambda}_{j}-1}{\prod_{l=1}^{m-1} \hat{\lambda}_{l}}, & \text{for } j = 1, ..., \ m-1. \end{split}$$

The estimates of the parameters for the accident years i can be obtained by "grossing-up" the latest cumulative entry in each row. Thus, the estimate of α_i can be obtained by:

$$\hat{\alpha}_i = \sum_{j=0}^{m-i} N_{ij} \prod_{j=m-i+1}^{m-1} \hat{\lambda}_j$$

Similar expressions can be used for the parameters of the aggregated paid claims triangle.

Alternatively, analytical expressions for the estimators can also be derived directly (rather than using the Chain Ladder algorithm) and further details can be found in Kuang et al. (2009).

Once the Chain-Ladder parameter estimates are derived, applying assumption CLM2 to (2.1) yields

$$a_i \gamma_i = \tilde{\alpha}_i$$
,

$$\textstyle\sum_{k=0}^{j}\beta_{j-k}\,\pi_k=\tilde{\beta}_{j}.$$

Then we solve the following linear system to obtain the parameters $\hat{\pi}=\{\hat{\pi}_k|\ k=0,\dots,m-1\}.$

$$\begin{pmatrix} \hat{\beta}_0 \\ \vdots \\ \hat{\beta}_{m-1} \end{pmatrix} = \begin{pmatrix} \hat{\beta}_0 & \cdots & 0 \\ \vdots & \ddots & \vdots \\ \hat{\beta}_{m-1} & \cdots & \hat{\beta}_0 \end{pmatrix} \begin{pmatrix} \pi_0 \\ \vdots \\ \pi_{m-1} \end{pmatrix}$$

We also have

$$\gamma_i = \frac{\alpha_i}{\alpha_i \, \mu}.$$

Since the model is over-parameterised, we define the identification $\gamma_1=1$ and the estimate $\hat{\mu}$ can be obtained from

$$\hat{\mu} = \frac{\hat{\alpha}_1}{\hat{\alpha}_1}$$

Finally we can deduce the estimator $\hat{\gamma}_i^{\mathit{DCL}}$ from the equation

$$\hat{\gamma}_i^{DCL} = \frac{\hat{\alpha}_i}{\hat{\alpha}_i}$$

We have now derived all final parameter estimates $\{\hat{\alpha}_i,\hat{\beta}_j\hat{\mu},\hat{\gamma}_i^{DCL},\hat{\pi}_k\mid k=0,...,m-1,i=1,...,m,j=0,...,m-1\}$. However, note that having some distributional assumptions in mind, one might like to have positive delay parameter estimates, $\hat{\pi}_k \geq 0$, and also that they sum up to 1, $\sum_{k=0}^{m-1}\hat{\pi}_k=1$, which is generally not the case. Thus, we will also define adjusted delay parameter estimators $(\hat{\pi}_k)$. We believe that the following simple method will provide reasonable estimates in most cases, but we note that more complicated approaches like constrained estimation procedures are also possible. We introduce a maximum delay period d as the smallest integer with the property to satisfy $\sum_{k=0}^{d-1} \max(0,\hat{\pi}_k) \leq 1 \leq \sum_{k=0}^{d} \max(0,\hat{\pi}_k)$. Then, we define

$$\hat{\bar{\pi}}_k = \begin{cases} \max(0, \hat{\pi}_k) & \text{if } k = 0, ..., d - 1, \\ 1 - \sum_{k=0}^{d-1} \max(0, \hat{\pi}_k) & \text{if } k = d. \end{cases}$$

Table 1 shows the values of each parameter obtained by applying the DCL model on a Motor Personal Injury (Motor BI) portfolio and on a Motor Fleet Property damage (Motor PD) portfolio. Figure 1 and Figure 2 show the estimated parameters, underwriting $\hat{\alpha}_i$, development $\hat{\beta}_j$, severity inflation $\hat{\gamma}_i^{DCL}$ and delay $\hat{\pi}_k$ for the DCL method.

Each parameter has a different effect in explaining the reserve estimates. The underwriting year parameter estimate $\hat{\alpha}_i$ is an increasing function of time. This is consistent with the expectation that the average cost per claims does increase yearon-year. However, we observe the well known unstable behaviour in the most recent underwriting years. The development period parameter estimate $\hat{\beta_i}$ peaks in the first development periods and then reduces smoothly afterwards because the development factors at that point are estimated from insufficient and potentially volatile data in the lower left corner of a run-off triangle. Also, most claims will have a high proportion of payment at those early development periods. The severity inflation parameter estimate $\hat{\gamma}_i^{DCL}$ pattern is consistent with an underwriting or accident year effect similar to that of the parameter estimate $\hat{\alpha}_i$ but also has the same weakness in the most recent years. The severity inflation on the Motor PD data exhibits an unusual and pronounced jump in the 4th development period which is likely to be independent from any actual claim experience. The delay parameter estimate $\hat{\pi}_k$ patterns for the Motor BI has a development period effect spreading across a number of years. This is consistent with liability lines of business which normally take many years to settle. There appears to be no settlement delay in the Motor PD data.

Again, this is consistent with property damage lines of business which are usually settled within a couple of months. Therefore there is no delay that could be measured on an annual scale except for the very immature data in the most recent accident years.

In the next subsection we will define another method to estimate the severity inflation parameter. It will be based on incurred data and aims to overcome the weakness of its DCL method estimate in the most recent underwriting years. However, note that this approach will not work for the underwriting parameter a_i since it already uses incurred data.

		Motor B	I (μ = 2.5	58)	Motor PD (μ = 0.085)				
Acc. Year	$\hat{\alpha}_{i}$	Ĝ,	$\hat{\pi}_{\nu}$	$\hat{\mathcal{V}}_{i}^{DC}$	$\hat{\alpha}_i$	Ĝ;	$\hat{\pi}_{k}$	$\hat{\mathcal{V}}_i^{DCI}$	
1	1078	0.763	0.067	1.000	5721	0.28	0.18	1.00	
2	1890	0.207	0.318	1.120	5040	0.67	1.11	2.07	
3	2066	0.019	0.201	1.490	5924	0.04	-1.96	6.90	
4	2353	0.006	0.197	1.750	5994	0.00	4.73	18.53	
5	3016	0.002	0.133	2.110	5528	0.00	-10.79	18.57	
6	3727	0.001	0.042	2.090	5602	0.00	25.00	14.95	
7	5058	0.001	0.021	2.240	6740	0.00	-57.49	14.15	
8	6483	0.001	0.009	2.120	7895	0.00	132.46	14.84	
9	7728	0.000	0.002	1.900	9015	0.00	-304.92	16.15	
10	7134	0.000	0.003	2.020	9834	0.00	702.05	17.34	
11	7319	0.000	0.000	2.060	9528	0.00	-1616.27	17.06	
12	6150	0.000	0.002	2.260	8643	0.00	3721.25	19.10	
13	5238	0.000	0.002	2.290	8635	0.00	-8567.33	15.40	
14	6144	0.000	0.002	2.420	8622	0.00	19724.36	16.76	
15	7020	0.000	0.000	2.290	8695	0.00	-45410.92	22.57	
16	6717	0.000	0.003	2.600					
17	5212	0.000	-0.001	2.770					
18	5876	0.000	0.000	3.360					
19	5563	0.000	0.000	3.820					
20	5134	0.000	0.000	6.870					

Table 1. Parameters estimates, underwriting $\alpha_i,$ development $\beta_j,$ delay π_k and severity inflation γ_i




Figure 1. Motor BI, DCL estimated parameters, underwriting α_i , development β_j , severity inflation γ_i and delay π_k




Figure 2. Motor PD, DCL estimated parameters, underwriting α_i , development β_j , severity inflation γ_i and delay π_k

3.2. The BDCL method

The CLM and Bornhuetter-Ferguson (BF) methods are among the easiest claim reserving methods, and due to their simplicity they are two of the most commonly used techniques in practice. Some recent papers on the BF method include Alai et al. (2009, 2010), Mack (2008), Schmidt and Zocher (2008) and Verrall (2004). The BF method was introduced by Bornhuetter and Ferguson (1972) and aims to address one of the well known weaknesses of CLM, which is the effect that outliers can have on the estimates of outstanding claims. To do this, the BF method

incorporates prior knowledge from experts and is therefore more robust than the CLM method which relies completely on the data contained in the run-off triangle. For the purpose of imitating BF, the BDCL method follows identical steps as DCL but instead of using the estimates of the very volatile inflation parameters γ_i from the triangle of paid claims, they are estimated using some extra information. The information arises from using the triangle of incurred claim amounts Θ_m . In this way, the BDCL method then consists of the following two-step procedure:

Step 1: Parameter estimation.

Estimate the model parameters α_i , β_j , π_k and μ using DCL for the data in the triangles N_m and X_m .

Step 2: BF adjustment.

Repeat this estimation using DCL but replacing the triangle of paid claims by the triangle of incurred data: Θ_m . Keep only the resulting estimate of the inflation parameter and denote it by $\hat{\gamma}_i^{BDCL}$

After Steps 1 and 2, the parameter estimates are obtained: $\{\hat{\alpha}_i, \hat{\beta}_j \hat{\mu}, \hat{\gamma}_i^{BDCL}, \hat{\pi}_k \mid k=0, ..., m-1, i=1, ...m, j=0,...,m-1\}$. In general, it would be possible to use other sources of information from those suggested here. Thus, Step 2 could be defined in a more arbitrary way, thereby mimicking more closely what is often done when the Bornhuetter-Ferguson technique is applied. In this way, the process described in this section could be viewed in a more general way.

Figure 3 and 4 depict the estimated parameters, underwriting $\hat{\alpha}_i$, development $\hat{\beta}_j$, severity inflation $\hat{\gamma}_i^{BDCL}$ and delay $\hat{\pi}_k$ using BDCL. The aggregated payments triangle has very few information in the latest underwriting periods and is thus very volatile there. We see that the underwriting parameter estimate $\hat{\alpha}_i$ derived from the aggregated incurred claim amounts triangle doesn't have the unrealistic jump at the end of the period which is estimated by the aggregated payments triangle. This results in a more stable severity inflation parameter estimate $\hat{\gamma}_i^{BDCL}$.




Figure 3. Motor BI, BDCL estimated parameters, underwriting α_i , development β_j , severity inflation γ_i and delay π_k




Figure 4. Motor PD, BDCL estimated parameters, underwriting α_i , development β_j , severity inflation γ_i and delay π_k

3.3. The IDCL method

In the BDCL definition, we introduced an additional triangle of incurred claims in order to produce a more stable estimate of the severity inflation γ_i . The derived BDCL method is a variant of the BF technique using the prior knowledge contained in the incurred triangle. One natural question is whether the derived reserve is the classical incurred Chain Ladder estimate. Unfortunately, this is not the case and the BDCL method does not replicate the results obtained by applying the classical Chain Ladder method to the incurred triangle. Practitioners often regard the incurred reserve to be more realistic for many data sets compared to the classical paid Chain Ladder reserve. In this respect, we introduce in this section a new method to

estimate the DCL model which completely replicates the Chain Ladder reserve from incurred data. It is simply defined just by rescaling the underwriting inflation parameter estimate from the DCL method. Specifically, we define a new scaled inflation factor estimate $\hat{\gamma}_i^{IDCL}$ such that

$$\hat{\gamma}_i^{IDCL} = \frac{R_i^*}{R_i} \hat{\gamma}_i^{DCL},$$

where $(Ri, \hat{\gamma}_i^{DCL})$ are the outstanding liabilities estimate for accident year i and the inflation parameter estimate respectively, using DCL (cf. Section 3.1, 4), and R_i^* is the outstanding liabilities estimate for accident year i derived by the classical Chain Ladder method for incurred data. With the new inflation parameter $\hat{\gamma}_i^{IDCL}$ (and keeping all other estimates as in DCL and BDCL) the accident year reserve completely replicates the CLM reserve estimates on the incurred triangle. Therefore, we call this method IDCL.

Figures 5 and 6 display the estimated parameters for both lines of business under the IDCL. Figures 7 and 8 illustrate the different severity inflation estimates. Table 2 shows the inflation parameter γ_i for each parameterisation, for each accident year and for each line of business. The large value in accident year 2 is probably caused by a significant change in risk or a process review in the Motor PD portfolio. It appears that the book increased in size suddenly or that there has been a new claims management philosophy causing an artificial jump which is not consistent with the actual experience and therefore is unlikely to be repeated in the future. This shows that IDCL should not be applied naïvely. In practice, it would be advisable to remove such unusual event from the data or curtail the triangles to periods which are not affected by the rare event.




Figure 5. Motor BI, IDCL estimated parameters, underwriting α_i , development $\beta_j \text{, severity inflation } \gamma_i \text{ and delay } \pi_k$




Figure 6. Motor PD, IDCL estimated parameters, underwriting α_i , development β_j , severity inflation γ_i and delay π_k




Figure 7. Motor BI, Inflation factor correction




Figure 8. Motor PD, Inflation factor correction

		Motor BI		Motor PD				
Acc. Year	DCL	BDCL	IDCL	DCL	BDCL	IDCL		
1	1	1	1	1.00	1.00	1.00		
2	1.12	1.12	-7.05	2.07	2.06	4,020,000,000.00		
3	1.49	1.49	-187	6.90	6.93	18.50		
4	1.75	1.74	-47.7	18.50	18.70	36.90		
5	2.11	2.12	19	18.60	17.40	-2.07		
6	2.09	2.09	6.25	14.90	14.20	3.79		
7	2.24	2.24	1.88	14.20	13.40	5.53		
8	2.12	2.12	1.52	14.80	14.30	9.19		
9	1.9	1.89	0.863	16.20	14.70	5.53		
10	2.02	2.01	1.25	17.30	17.30	17.30		
11	2.06	2.06	1.33	17.10	16.70	15.30		
12	2.26	2.22	-0.627	19.10	16.70	8.76		
13	2.29	2.32	4	15.40	13.50	9.30		
14	2.42	2.46	3.78	16.80	14.90	13.20		
15	2.29	2.35	3.3	22.60	18.10	17.80		
16	2.6	2.41	0.969					
17	2.77	2.44	1.48					
18	3.36	2.69	1.94					
19	3.82	2.91	2.57					
20	6.87	3.31	3.12			-		

Table 2. Estimated inflation parameters γ_i for DCL, BDCL and IDCL

4. Forecasting outstanding liabilities for RBNS and IBNR claims

In the previous section we have estimated all parameters of the Double Chain Ladder model. In this section we will use these estimated parameters to calculate point forecasts of the RBNS and IBNR components of the outstanding liabilities. Using the notation of Verrall et al.(2010) and Martínez-Miranda et al.(2012), we consider predictions over the triangles illustrated in Figure 9 where

$$J_1 = \{i = 2, ..., m; j = 0, ..., m - 1 \text{ so } i + j = m + 1, ..., 2m - 1\},$$

 $J_2 = \{i = 2, ..., m; j = 0, ..., 2m - 1 \text{ so } i + j = m + 1, ..., 2m - 1\},$
 $J_3 = \{i = 2, ..., m; j = 0, ..., m - 1 \text{ so } i + j = 3m + 1, ..., 3m - 1\}.$




Figure 9: Index sets for aggregate claims data, assuming a maximum delay *m* - 1.

Then, we define the RBNS reserve as

$$\hat{X}_{ij}^{RBNS} = \sum_{l=i-m+j}^{j} N_{i,j-l} \; \hat{\pi} {\rm i} \, \hat{\mu} \, \hat{\gamma} {\rm i} \, , \label{eq:XRBNS}$$

where $(i,j) \in J_1 \cup J_2$. The IBNR reserve component is

$$\hat{X}_{ij}^{IBNR} = \textstyle \sum_{l=0}^{i-m+j-1} \hat{N}_{i,j-l} \; \hat{\pi} / \hat{\mu} \; \hat{\gamma} \mathsf{I}, \label{eq:XIBNR}$$

where $\hat{N}_{ij} = \hat{\alpha}_i \hat{\beta}_j$ and $(i, j) \in J_1 \cup J_2 \cup J_3$.

Note that the RBNS and the IBNR component differ in how the numbers of incurred claims are handled. In the RBNS component the number of incurred claims is known and thus used. In the IBNR component, that is not the case and we have to deal with

estimates. However, if we replace the known number of the incurred claims in the RBNS component by its estimates, i.e. we define the RBNS component as

$$\hat{X}_{ij}^{RBNS(CLM)} = \sum_{l=i-m+j}^{j} \hat{N}_{i,j-l} \, \hat{\pi}_{l} \, \hat{\mu} \hat{\gamma}_{i}^{DCL},$$

where $\mathcal{N}_{ij}=\hat{\alpha}_i\hat{\beta}_j$, DCL would completely replicate the results achieved by the classical CLM. In other words $\mathcal{K}_{ij}^{RBNS(CLM)}+\mathcal{K}_{ij}^{IBNR}$ are exactly the point estimates of the classical CLM on the cumulative payments triangle $A_{ij}=\sum_{k=1}^{j}X_{ik}$. Also, note that the classical CLM would produce forecasts over only J_i . If the classical CLM is being used, it is therefore necessary to construct tail factors in some way. For example, this is sometimes done by assuming that the run-off will follow a set shape, thereby making it possible to extrapolate the development factors. In contrast, DCL provides also the tail over $J_2 \cup J_3$ using the same underlying assumptions about the development. Thus, DCL is consistent over all parts of the data, and uses the same assumptions concerning the delay mechanisms producing the data throughout. Table 3 shows the RBNS and IBNR reserve and also the total (RBNS + IBNR) forecasts split by calendar year for Motor BI. Table 4 shows the same reserves for Motor PD. As a benchmark for comparison purposes, the predicted reserves on the classical Chain Ladder (denoted by CLM) are also shown in the last two columns of both tables.

Motor BI		DCL			BDCL			CLM			
Accident Year	RBNS	IBNR	Total	RBNS	IBNR	Total	RBNS	IBNR	Total	Paid	Incurred
1	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
2	£0	£0	£0	£0	£0	£0	-£1	£0	-£1	£0	-£1
3	£0	£0	£O	£0	£0	£0	-£2	£0	-£2	£0	-£2
4	£0	£0	£0	£0	£0	£0	-£9	£0	-£9	£0	-£9
5	£0	£0	£0	£0	£0	£0	£52	£0	£52	£0	£52
6	£49	£2	£51	£49	£2	£51	£36	£1	£37	£51	£37
7	£83	£5	£87	£83	£5	£87	£70	£4	£74	£87	£74
8	£173	£6	£178	£173	£6	£178	£125	£4	£129	£178	£129
9	£257	£7	£264	£256	£7	£263	£117	£3	£120	£264	£120
10	£324	£8	£332	£323	£8	£331	£194	£5	£199	£332	£199
11	£384	£13	£397	£382	£13	£396	£236	£8	£245	£397	£245
12	£461	£18	£479	£454	£17	£471	-£119	-£5	-£123	£479	-£123
13	£529	£24	£553	£534	£25	£559	£835	£38	£874	£553	£874
14	£1,155	£55	£1,210	£1,174	£56	£1,230	£1,763	£84	£1,847	£1,210	£1,847
15	£2,423	£93	£2,516	£2,477	£96	£2,572	£3,313	£128	£3,441	£2,516	£3,441
16	£5,519	£141	£5,660	£5,121	£131	£5,252	£2,352	£60	£2,412	£5,660	£2,412
17	£10,034	£174	£10,208	£8,847	£154	£9,000	£5,701	£99	£5,800	£10,208	£5,800
18	£23,464	£558	£24,022	£18,771	£446	£19,217	£13,524	£322	£13,846	£24,022	£13,846
19	£36,313	£1,636	£37,948	£27,718	£1,248	£28,967	£23,908	£1,077	£24,985	£37,948	£24,985
20	£64,798	£21,539	£86,337	£31,226	£10,380	£41,606	£29,432	£9,783	£39,215	£86,337	£39,215
Total	£145,966	£24,279	£170,244	£97,588	£12,593	£110,180	£81,528	£11,612	£93,140	£170,244	£93,140

Table 3. Motor BI: DCL, BDCL and IDCL point forecasts for cash flows by accident year, in thousands

Motor PD		DCL			BDCL			CLM			
Accident Year	RBNS	IBNR	Total	RBNS	IBNR	Total	RBNS	IBNR	Total	Paid	Incurred
1	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
2	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0	£0
3	£11	£0	£11	£11	£0	£11	£26	£0	£26	£11	£26
4	£108	£0	£108	£109	£0	£109	£215	£0	£215	£108	£215
5	£486	£0	£486	£457	£0	£457	-£48	£0	-£48	£486	-£48
6	£507	-£2	£506	£481	-£2	£479	£130	£0	£130	£506	£130
7	£707	-£2	£705	£670	-£2	£668	£278	-£1	£278	£705	£278
8	£1,047	-£22	£1,025	£1,006	-£21	£986	£651	-£13	£638	£1,025	£638
9	£1,575	£93	£1,668	£1,436	£84	£1,521	£543	£32	£575	£1,668	£575
10	£2,555	-£320	£2,235	£2,555	-£320	£2,234	£2,553	-£320	£2,233	£2,235	£2,233
11	£989	£1,816	£2,805	£969	£1,778	£2,747	£888	£1,631	£2,519	£2,805	£2,519
12	£16,351	-£13,016	£3,335	£14,255	-£11,347	£2,907	£7,514	-£5,981	£1,533	£3,335	£1,533
13	-£82,827	£86,360	£3,533	-£72,601	£75,698	£3,097	-£50,044	£52,179	£2,135	£3,533	£2,135
14	£2,911,891	-£2,905,635	£6,256	£2,595,147	-£2,589,571	£5,576	£2,288,885	-£2,283,968	£4,918	£6,256	£4,918
15	-£150,561,814	£150,577,652	£15,837	-£120,646,540	£120,659,231	£12,691	-£118,990,945	£119,003,461	£12,516	£15,837	£12,516
Total	-£147,708,414	£147,746,924	£38,510	-£118,102,047	£118,135,529	£33,482	-£116,739,353	£116,767,019	£27,667	£38,510	£27,667

Table 4. Motor PD: DCL, BDCL and IDCL point forecasts for cash flows by accident year, in thousands

All four methods predict a large amount of negative RBNS for the Motor PD. The negative amounts are ultimately balanced against the IBNR to give "reasonable" total reserve. The negative values for RBNS are due to large amount of recoveries in the Incurred triangles, i.e. the model is picking up the uncertainty around the case estimates and using it to predict the results. A possible solution for avoiding such inconsistency is to remove the recoveries from the triangles, run the model on the claims amounts net of recoveries, rerun the same model on the recoveries only and

then add back both results to obtain a more realistic reserve cash flow. Unfortunately, in practice, triangles net of recoveries are not readily available. A more sophisticated model will have to be developed to manage any occurrence of negative claims as well as their magnitude if such adjustment is not allowed.

5. Model validation

This section describes the validation strategy used to decide which method should be used among the DCL, BDCL and IDCL methods discussed in Section 3. Section 5.1 acknowledges the potential impact of the development factors (cf. Section 3.1) on the model output and checks for any additional improvement gained by limiting the data used to estimate the model to recent calendar years only. Section 5.2 provides details of the validation procedure which is based on back-testing.

5.1. Estimating forward development factors

Using larger amounts of data should intuitively reduce the volatility and improve a model's predictive power. However, since the triangles are from actual data over 20 years, the emergence of claims, settlement delay and amount paid in recent years might not be consistent with those at the beginning of the period. This can be illustrated by comparing parameter estimates using different portions of the data. We will estimate the development factors with five different data sets which differ in the

amount of data used. The biggest data set will contain the full data, that is the cumulative aggregated payments triangle $A_{ij} = \sum_{k=1}^{j} X_{ik}$. The other four data sets will contain entries only of the five to two most recent calendar years (cf. Figure 12).

Table 5 shows the development factors λ_j with respect to the number of calendar years used to generate them. For example, λ_j rull uses the full triangle. It should be noted that using an increasing number of calendar years makes the λ_j steeper because of the difference in the average claim paid between the two ends of the calendar year period. This is caused by year-on-year severity inflation. Figures 10 and 11 show the expected cumulative proportion of claims settled based on the calendar year period used to derive the λ_j . Note, the cumulative proportion of claims settled Λ_j is calculated by:

$$\Lambda_j = \frac{1}{\prod_j^m \lambda_j}$$

			Motor Bl			Motor PD					
Dev. Per.	λ_{j1}	λ_{j2}	λ_{j3}	λ_{j4}	λ_{jFull}	λ_{j1}	λ_{j2}	λ_{j3}	λ_{j4}	λ_{jFull}	
1	0.1299	0.0946	0.0791	0.0688	0.0507	0.0564	0.0497	0.0554	0.0539	0.0524	
2	0.4697	0.4217	0.3985	0.3808	0.3072	0.5587	0.5165	0.5128	0.4959	0.4917	
3	0.6825	0.6495	0.6336	0.6164	0.5278	0.7397	0.7161	0.7041	0.6764	0.6882	
4	0.8328	0.8149	0.8047	0.7961	0.7260	0.8625	0.8041	0.7843	0.7566	0.7629	
5	0.9317	0.9251	0.9212	0.9183	0.8742	0.9281	0.8832	0.8462	0.8137	0.7975	
6	0.9710	0.9707	0.9676	0.9664	0.9394	0.9742	0.9230	0.8767	0.8531	0.8463	
7	0.9836	0.9844	0.9851	0.9834	0.9685	0.9792	0.9258	0.8840	0.8625	0.8656	
8	0.9891	0.9906	0.9899	0.9887	0.9821	0.9888	0.9309	0.9035	0.8986	0.8974	
9	0.9909	0.9924	0.9917	0.9910	0.9866	0.9930	0.9374	0.9189	0.9147	0.9134	
10	0.9922	0.9931	0.9925	0.9924	0.9898	1.0057	0.9504	0.9404	0.9313	0.9293	
11	0.9932	0.9937	0.9935	0.9933	0.9910	1.0056	0.9650	0.9539	0.9445	0.9445	
12	0.9937	0.9944	0.9946	0.9943	0.9930	1.0043	0.9987	0.9889	0.9889	0.9889	
13	0.9950	0.9966	0.9964	0.9964	0.9950	1.0000	0.9971	0.9971	0.9971	0.9971	
14	0.9950	0.9966	0.9969	0.9969	0.9970	1.0000	1.0000	1.0000	1.0000	1.0000	
15	0.9950	0.9970	0.9972	0.9973	0.9975						
16	1.0000	1.0000	1.0000	1.0000	1.0000						
17	1.0000	1.0000	1.0000	1.0000	1.0000						
18	1.0000	1.0000	1.0000	1.0000	1.0000						
19	1.0000	1.0000	1.0000	1.0000	1.0000						

Table 5. Development factors and calendar years used to generate each of them




Figure 10. Motor BI settlement pattern




Figure 11. Motor PD settlement pattern




Figure 12. Calendar years used for development factors

5.2. Back testing and robustness

The underlying process is based on back testing data previously omitted while estimating the parameters for each method. The validation process will be based on the Motor BI data which appear to be free from operational issues. Furthermore, we will also run the back testing by limiting the data of the cumulative triangles which are older than two or four calendar years, respectively (cf. Subsection 5.1 and Figure

12). The three statistics defined below are used to assess the prediction errors within a cell, a calendar year or across the total segment removed from the triangle. The full process is illustrated in Figure 13. Let \hat{X}_{ij} be the estimated cell entry and let X_{ij} be the omitted data. Then we define

1. Cell error:

$$\sqrt{\frac{\sum_{ij}(X_{ij} - \hat{X}_{ij})^2}{\sum_{ij}X_{ij}^2}}$$

2. Calendar year error:

$$\sqrt{\frac{\sum_{i}(\sum_{j}X_{ij} - \hat{X}_{ij})^{2}}{\sum_{i}(\sum_{j}X_{ij})^{2}}}$$

3. Total error:

$$\frac{\sum_{ij} X_{ij} - \hat{X}_{ij}}{\sum_{ij} X_{ij}}$$




Figure 13. Back testing and prediction errors

		By Cell			Ву С	alendar	Year	Total Reserve			
Cal. Yr. Used	Backtesting	DCL	BDCL	IDCL	DCL	BDCL	IDCL	DCL	BDCL	IDCL	
ars	1	83.84%	16.74%	11.65%	64.20%	18.76%	9.53%	64.20%	18.76%	9.53%	
Yeaı	2	54.44%	20.86%	19.33%	40.78%	18.25%	14.43%	42.95%	19.22%	15.19%	
st 2	3	23.39%	25.52%	26.04%	19.01%	22.03%	21.84%	20.75%	24.04%	23.84%	
Last	4	27.80%	20.08%	19.28%	24.16%	12.16%	13.98%	27.71%	13.95%	16.03%	
ars	1	95.97%	26.96%	19.12%	75.11%	28.90%	17.83%	75.11%	28.90%	17.83%	
Yea	2	59.79%	23.06%	19.96%	49.07%	21.40%	16.46%	51.68%	22.54%	17.33%	
Last 4	3	33.03%	23.38%	20.88%	29.73%	17.98%	14.82%	32.44%	19.63%	16.17%	
La	4	27.20%	24.66%	25.45%	24.93%	12.38%	19.64%	28.60%	14.20%	22.53%	
a)	1	95.78%	22.24%	15.98%	90.02%	19.47%	8.62%	90.02%	19.47%	8.62%	
Full Triangle	2	52.67%	29.35%	28.20%	54.22%	18.81%	24.35%	57.10%	19.81%	25.65%	
Fi	3	42%	30.94%	28.51%	38.52%	17.82%	21.87%	42.05%	19.45%	23.86%	
	4	34.03%	35.04%	36.20%	31.25%	16.51%	30.39%	35.85%	18.94%	34.86%	

Table 6. Motor BI: prediction errors.

In Table 6, the first column describes the number of previous calendar years used to calculate the development factors. The second column lists the number of calendar years removed to perform the back-testing. A lower percentage error suggests a better prediction. It appears that the DCL method is almost always the weakest with for example, up to a 95.97% by cell error on one period of back testing when four calendar years are used to estimate the parameters. The BDCL seems stronger than IDCL on longer period of back testing especially when more data are used. However, the IDCL generally outperforms the other methods. Figure 14 confirms that the BDCL is more stable than the DCL and the IDCL generally stronger than the BDCL.




Figure 14. Box plot of the DCL, BDCL and IDCL cell error quartiles

6. Conclusions

In this paper, three different types of estimation methods were considered. The DCL formalises the classical CLM mathematically by setting the implicit factors, explicitly. However, since the DCL method is performed only on triangles of claims count and paid claims, excessive volatility in the prediction of the most recent accident year's reserves can be introduced as shown in Figures 1 and 2. The instability of the severity inflation parameter estimation can be resolved by the introduction of the BDCL method. As expected, the BDCL predictions are less volatile than those of the DCL as shown in Table 2. Once working with the incurred claim amounts triangle we were also able to replicate the classical Chain Ladder point estimates on incurred data. The user would intuitively question the variability between estimates from the

three methods. The purpose of the reserving exercise should dictate the most relevant method to select. For instance, using the DCL for regulatory purposes where prudence is the norm and using the BDCL or IDCL for internal management accounts reporting when realistic figures are more suited. The validation showed that BDCL and IDCL are superior to DCL. However, the validation was not able to distinguish clearly between BDCL and IDCL. For the sake of argument, we applied the DCL model on two separate data-sets to assess how robust the model is to incorrect or erroneous data and we obtained very different intermediate results but overall reasonably correct final reserve. The IDCL would be preferred for short-tail lines of business e.g. property damage which will be less affected by severity inflation whilst the BDCL would be preferred for long-tail classes such as liability. An alternative to the methods discussed above is a Double Chain Ladder model with a severity inflation parameter having a calendar year dependency, modelled by a time series with a deterministic drift and a stochastic volatility. But this is beyond the scope of this paper and might be subject of further research.

Appendix A - Motor BI incurred, paid and count triangles

```
INC
                        2
                                                   6
                                                                        10
                                                                            11
                                                                                12
                                                                                    13 14
                                                                                             15
                                                                                                16 17 18 19
         2382
                348
                                     -17
                                           -205
   1
                       156
                              367
                                                 -185
                                                       -49
                                                             -5
                                                                  -11
                                                                        0
                                                                            0
                                                                                 0
                                                                                     0
                                                                                         0
                                                                                             0
                                                                                                 0
                                                                                                    0
                                                                                                        0
   2
         4285
                307
                       583
                              593
                                     18
                                           -55
                                                 -107
                                                      -168
                                                             19
                                                                  22
                                                                       -19
                                                                           -43
                                                                                 -7
                                                                                     0
                                                                                         6
                                                                                            11
                                                                                                 0
                                                                                                    0
                                                                                                        0
   3
         6868
                1263
                       -121
                              406
                                    -317
                                           194
                                                 -113
                                                       -31
                                                            -105
                                                                  -75
                                                                       -22
                                                                            11
                                                                                -9
                                                                                     1
                                                                                        55
                                                                                            -38
                                                                                                 0
                                                                                                    -5
                              1171
         9977
                                    -596
                                           -290
                                                                       -14
                                                                            41
                                                                                 0
                                                                                    -12
                                                                                        0
                                                                                             0
   4
                186
                       165
                                                 -50
                                                       177
                                                            -155
                                                                  -14
                                    -298
                                                                                 0
                                                                                     0
                                                                                         0
                                                                                            100
        14308
                1109
                       629
                              1165
                                           -177
                                                  33
                                                       -231
                                                            -151
                                                                  19
                                                                            0
                                                                                         0
   6
        16685
                4613
                       389
                              1110
                                   -1094
                                           -940
                                                -335
                                                       -94
                                                             -58
                                                                 -125
                                                                       -45
                                                                                -11
                                                                                     O
                                                                            1
   7
        25481
                6535
                       -759
                              30
                                    -634
                                           -886
                                                 -183
                                                      -321
                                                             -35
                                                                  25
                                                                       -20
                                                                           -28
                                                                                 0
                                                                                     -1
   8
        30809
                8035
                      -1750
                              572
                                    -861
                                           -617
                                                 -280
                                                      -481
                                                             -56
                                                                   9
                                                                        -8
                                                                            4
                                                                                 0
   9
        36840
                5593
                      -1198
                             -1040
                                   -1503
                                          -580
                                                -407
                                                       -18
                                                             -34
                                                                  -20
                                                                       -6
                                                                            -1
  10
        36807
                4968
                      -2347
                              -257
                                    -842 -1116 -225
                                                        -8
                                                             -37
                                                                  16
                                                                       -37
  11
                                   -1290
        32927
                6276
                       -84
                              1930
                                                       -4
                                                             -67
                                          -464 -458
  12
        30101
                6765
                       -772
                              1322
                                    -285
                                           -1583
                                                 -275
                                                        5
                                                             -81
  13
        27915
                3822
                       -484
                             2604 - 1584
                                          -671 -137 -100
  14
        23894 11426
                       3309
                             2974 -1754
                                          -415
                                                -148
  15
        29428 12598
                       3165
                              -281 -1334 -478
  16
        27317 17303
                              416
                                    -1161
                       -635
  17
        25224
                9967
                       136
                              -261
  18
        34997
                8380
                      -1060
  19
        36216
                7309
  20
        36267
PAID
                 1
                               3
                                     4
                                            5
                                                   6
                                                             8
                                                                   9
          0
                        2
                                                                        10
                                                                            11
                                                                                12
                                                                                     13 14
                                                                                             15
                                                                                                16 17
                              555
                                                                                         o
                                                                                             0
                                                                                                 o
                                                                                                    0
                                                                                                        0
   1
          52
                513
                       748
                                     426
                                           212
                                                             9
                                                                  37
                                                                        0
                                                                            0
                                                                                 0
                                                                                     0
                                                  213
                                                       16
   2
          144
                1006
                       910
                              736
                                     593
                                           766
                                                       245
                                                                       36
                                                                           165
                                                                                    67
                                                                                         6
                                                  615
                                                             116
                                                                  15
         346
   3
                1467
                       1292
                             1237
                                    1127
                                           779
                                                  392
                                                       845
                                                             94
                                                                  230
                                                                       12
                                                                            11
                                                                                21
                                                                                    84 10
                                                                                            17
                                                                                                 o
                                                                                                    0
         408
                                                                                     7
   4
                1875
                       1810
                             1860
                                    1806
                                           1422
                                                  762
                                                       307
                                                             110
                                                                  140
                                                                       53
                                                                            37
                                                                                 0
                                                                                         o
                                                                                             0
   5
         712
                3254
                       2696
                             2593
                                    3377
                                           2101
                                                 923
                                                       435
                                                             124
                                                                  30
                                                                       23
                                                                            0
                                                                                59
                                                                                    31
                                                                                        12
                                                                                            82
   6
         941
                3615
                       3274
                             4479
                                    3841
                                           2033
                                                 1242
                                                       472
                                                             120
                                                                  59
                                                                        5
                                                                            0
                                                                                 9
                                                                                     0
                                                                                         0
   7
         1221
                5814
                       5905
                              7112
                                    5321
                                           2426
                                                  857
                                                             134
                                                                  40
                                                                       12
                                                                            66
                                                                                99
                                                                                     0
                                                       197
   8
                                                                       64
                                                                            29
                                                                                48
         1685
                8164
                       7609
                             7722
                                    6298
                                           1981
                                                  830
                                                       580
                                                             198
                                                                  124
   9
         2253
                9480
                       7697
                             8260
                                    5872
                                           2340
                                                 1099
                                                       363
                                                             147
                                                                  44
                                                                       14
                                                                            19
  10
         2043
                8792
                       9169
                             7864
                                    5895
                                           1978
                                                 722
                                                       245
                                                             60
                                                                  -1
                                                                       34
  11
         1570
                9962
                       9670
                             8024
                                    6121
                                           2392
                                                  618
                                                       98
                                                             71
                                                                  51
  12
         1456
                9182
                       8262
                             8374
                                    4995
                                           1886
                                                  883
                                                       241
                                                             64
  13
         1129
                7676
                       8515
                             6467
                                    4505
                                           1502
                                                 461
                                                       170
  14
         1381
                       8890
                              7964
                                    4951
                                           1980
                                                 475
               11548
  15
         2196
               12381 10391
                             7516
                                    4969
                                           1581
  16
         2068 14179 11164
                             7740
  17
         1736 11607 8828
                             4883
  18
         3269
                      8372
               15213
  19
         4651
               12172
  20
         4614
COUNT
          0
                 1
                        2
                               3
                                                                        10
                                                                            11
                                                                                12
                                                                                    13
                                                                                        14
                                                                                             15
                                                                                                16 17
                                                                                                       18
   1
         817
                235
                        18
                               8
                                      0
                                            o
                                                   0
                                                        0
                                                             0
                                                                   0
                                                                        0
                                                                            0
                                                                                 0
                                                                                     0
                                                                                         0
                                                                                             0
                                                                                                 0
                                                                                                    0
                                                                                                        0
                                                                        0
                                                                                             0
   2
         1538
                317
                        25
                               5
                                      1
                                            0
                                                   1
                                                        1
                                                             0
                                                                   0
                                                                            0
                                                                                 1
                                                                                     0
                                                                                         1
                                                                                                 0
                                                                                                    0
                                                                                                        0
         1660
                        34
                                                                                     0
                                                                                         0
                                                                                             o
                                                                                                    0
   3
                363
                               8
                                     0
                                            0
                                                   0
                                                        0
                                                             0
                                                                   0
                                                                        1
                                                                            0
                                                                                 0
                                                                                                 o
   4
         1924
                380
                        34
                               9
                                      2
                                            2
                                                   o
                                                             0
                                                                   0
                                                                        0
                                                                            1
                                                                                 0
                                                                                     0
                                                                                         0
                                                                                                 o
         2445
                521
                        30
                               14
                                      2
                                            1
                                                   O
                                                        O
                                                             0
                                                                   0
                                                                        2
                                                                            O
                                                                                 0
                                                                                     0
                                                                                         0
                                                                                             1
   5
         2968
                               14
                                      5
                                                        2
                                                                   3
                                                                        o
                                                                            0
                                                                                 0
                                                                                     0
                                                                                         0
   6
                677
                        53
                                                   1
                                                             3
         3854
                1031
                       122
                              26
                                      4
                                            1
                                                   1
                                                        6
                                                             9
                                                                   2
                                                                        1
                                                                            0
                                                                                 0
                                                                                     0
   8
         4739
                1544
                       121
                              37
                                      4
                                            3
                                                  14
                                                        18
                                                             1
                                                                   0
                                                                        1
                                                                            0
   9
         5938
                1577
                        88
                               50
                                      6
                                            29
                                                  27
                                                        7
                                                             3
                                                                   1
                                                                        0
  10
                              39
                                            22
                                                             0
                                                                   o
                                                                        0
         5569
                1325
                       119
                                     51
                                                  6
                                                        1
  11
         5595
                1418
                       170
                              107
                                     20
                                                   2
                                                             0
                                                        1
  12
         4856
                                     7
                1080
                       156
                              45
                                            1
                                                   1
                                                        1
                                                             0
                                      7
  13
         4187
                892
                       123
                               24
                                            o
                                                   1
                                                        0
                                      5
  14
         4632
                1314
                       129
                               53
                                            2
                                                   0
  15
         5631
                1192
                       137
                               40
                                      4
                                            o
  16
         4148
                2389
                       128
                               27
  17
         3531
                1521
                               25
                       111
  18
         4542
                1163
                       106
  19
         4516
                881
  20
         3918
```

Appendix B - Motor PD incurred, paid and count triangles

```
INC
          o
                        2
                              3
                                     4
                                           5
                 1
                                                6
                                                     7
                                                          8
                                                               9
                                                                    10
                                                                         11
                                                                              12
                                                                                  13 14
   1
         1562
               3604
                     -1372
                            -928
                                  -2719
                                          91
                                                54
                                                     50
                                                          -7
                                                               4
                                                                   188
                                                                        -76
                                                                              30
                                                                                  4
                                                                                      0
   2
         1289
               876
                      149
                            -1526
                                    -47
                                          111
                                                    -11
                                                         32
                                                               -6
                                                                    8
                                                                         0
                                                                              -1
                                                                                  0
                                                11
   3
         1167
               2696
                      -569
                             -278
                                    235
                                          -32
                                               -13
                                                    -62 267 -116 196
                                                                         -6
                                                                              0
   4
         2189
               5141
                      1106
                             417
                                    -43
                                          564
                                                9
                                                    -14
                                                         31
                                                              125
                                                                    88
                                                                        -138
   5
               6080
                             123
                                    599
                                         -185
                                                -2
                                                    -13
         1369
                      181
                                                         89
                                                               10
                                                                    -1
   6
         2145 4156
                      -10
                             381
                                    32
                                          -77
                                               -20
                                                     73
                                                          17
                                                              -46
   7
         1391
               6230
                      482
                             -165
                                    50
                                          -54
                                              -329
                                                    -56
                                                         36
   8
         2088
               8026
                      -242
                             -483
                                    -72
                                           8
                                               -13
                                                     21
   9
         2275 8286
                      279
                              7
                                    154
                                           2
                                                 2
  10
        2787 11694
                      -163
                             -507
                                    720
                                         -320
         2600 9988
                             334
   11
                      -93
                                    415
  12
         2955
               8878
                      -93
                             332
  13
         2996
               6986
                       29
   14
         3042
               8048
        3355
   15
                       2
                              3
                                     4
                                           5
 PAID
          0
                1
                                                6
                                                     7
                                                          8
                                                               9
                                                                    10
                                                                         11
                                                                              12
                                                                                 13 14
   1
               1163
                             525
          77
                      717
                                   -2526
                                          96
                                                81
                                                     78
                                                          19
                                                               5
                                                                    52
                                                                        149
                                                                              47
                                                                                  4
                                                                                      0
   2
         239
               -428
                      1427 -1015
                                    158
                                          240
                                                                         53
                                               147
                                                     24
                                                         32
                                                               -6
                                                                    8
                                                                              8
                                                                                  0
   3
         164
               468
                      934
                             308
                                    680
                                          329
                                                17
                                                    164
                                                         16
                                                              -67
                                                                    25
                                                                        445
                                                                            -15
   4
                             708
                                                                   268
         405
               3646
                      1713
                                    657
                                          937
                                               479
                                                     33
                                                         172
                                                              344
                                                                        -12
   5
               3801
                      1379
                             755
                                                    744
                                                         276
         266
                                    654
                                          167
                                                91
                                                              120
                                                                    -1
                                                         63
   6
         468
               3312
                      1116
                             620
                                    326
                                          99
                                               135
                                                    400
                                                              84
   7
         385
               4028
                      1122
                             786
                                    199
                                          695
                                               166
                                                     3
                                                          32
   8
         564
               5171
                      1861
                             633
                                    515
                                          115
                                                6
                                                     87
   9
         615
               5502
                      2604
                             1166
                                    380
                                          409
                                                54
  10
         709
               6410
                      2412
                             918
                                   1256
                                          582
  11
         775
               6251
                      2459
                             768
                                    779
  12
         829
               5538
                      2827
                            1527
  13
         537
               5348
                      1907
   14
         611
               5438
   15
         876
COUNT
          0
                 1
                        2
                              3
                                     4
                                           5
                                                6
                                                          8
                                                               9
                                                                    10
                                                                         11
                                                                              12
                                                                                 13 14
                                                     7
   1
         1022
               3345
                      1330
                              19
                                     2
                                           1
                                                 1
                                                     0
                                                          0
                                                               0
                                                                    1
                                                                         0
                                                                              0
                                                                                  0
                                                                                      0
               3585
                                                                    0
                                                                         0
                                                                              0
   2
         1313
                      114
                              11
                                     8
                                           8
                                                0
                                                     1
                                                          0
                                                               0
                                                                                  0
   3
         1769
               3931
                      179
                              31
                                    10
                                           2
                                                0
                                                     1
                                                          1
                                                               0
                                                                    0
                                                                         0
                                                                              0
                      234
   4
         1914 3820
                              20
                                     4
                                                     0
                                                          0
                                                               0
                                                                    0
                                                                         0
                                           1
                                                 1
   5
         1683
               3720
                       89
                              25
                                    11
                                           0
                                                0
                                                     0
                                                          0
                                                               0
                                                                    0
   6
         1577
               3853
                      148
                              16
                                     3
                                           1
                                                 1
                                                     2
                                                          1
                                                               0
   7
         1916 4620
                      168
                              27
                                     5
                                           1
                                                 2
                                                     1
                                                          0
   8
         2188 5459
                      212
                              29
                                     3
                                           2
                                                 1
                                                     0
   9
                                           4
         2338
               6342
                      284
                              33
                                    10
                                                 2
   10
         2686 6771
                      336
                              26
                                    11
                                           1
  11
        2842 6441
                      217
                              17
                                     5
  12
         2657
               5701
                      244
                              27
  13
         2644
               5672
                      277
  14
         2606
               5623
   15
         2468
```

References

- Alai, D., Merz, M. and Wűthrich, M.V. (2009). "Mean square error of prediction in the Bornhuetter-Ferguson claims reserving method." *Annals of Actuarial Science* 1, 7–31.
- Alai, D., Merz, M. and Wűthrich, M.V. (2010). "Prediction uncertainty in the Bornhuetter-Ferguson claims reserving method: revisited." *Annals of Actuarial Science* 1, 7–17.
- Berquist, J. R. and Sherman, R. E. (1977) "Loss Reserve Adequacy Testing: A Comprehensive, Systematic Approach." Proceedings of the Casualty Actuarial Society 64, 123-184.
- Bornhuetter, R.L. and Ferguson, R.E. (1972). "The actuary and IBNR." *Proceedings of the Casualty Actuarial Society* 1, 181–195.
- England, P.D. and Verrall, R.J. (2002). "Stochastic Claims Reserving in General Insurance." *British Actuarial Journal* 8, 443–518.
- Kuang, D., Nielsen, B. and Nielsen, J.P. (2009). "Chain Ladder as Maximum Likelihood Revisited." *Annals of Actuarial Science* 4, 105–121.
- Mack, T. (1991). "A simple parametric model for rating automobile insurance or estimating IBNR claims reserves." *ASTIN Bulletin* 39, 35–60.
- Mack, T. (2008). "The prediction error of Bornhuetter-Ferguson." *ASTIN Bulletin* 38, 87–103.
- Martínez -Miranda, M.D., Nielsen, J.P and Verrall, R. (2012). "Double Chain Ladder." *ASTIN Bulletin* 42, 59–76.
- Martínez-Miranda, M.D., Nielsen, J.P and Verrall, R. (2013). "Double Chain Ladder and Bornhutter-Ferguson." *North American Actuarial Journal 17, 101-113*
- Schmidt, K.D. and Zocher, M. (2008). "The Bornhuetter-Ferguson Principle." *Variance* 2, 85–110.
- Verrall, R. (1991). "Chain ladder and Maximum Likelihood." *Journal of the Institute of Actuaries* 118, 489–499.
- Verrall, R. (2004). "Stochastic models for the Bornhuetter-Ferguson technique." North American Actuarial Journal 8, 67–89.
- Verrall, R., Nielsen, J.P. and Jessen, A. (2010). "Including Count Data in Claims Reserving." *ASTIN Bulletin* 40, 871-887

Wűthrich, M.V. and Merz, M. (2008). "Stochastic Claims Reserving Methods in Insurance." Wiley.